

GiD Reference Manual




Table of Contents

	Chapters	Pag.
1 INTRODUCTION		1
1.1 Using this manual		1
2 GiD BASICS		3
3 INVOKING GiD		5
3.1 Settings		6
4 USER INTERFACE		9
4.1 Mouse operations		13
4.2 Command line		13
5 USER BASICS		15
5.1 Point definition		15
5.1.1 Picking in the graphical window		15
5.1.2 Entering points by coordinates		16
5.1.2.1 Local/global coordinates		16
5.1.2.2 Cylindrical coordinates		17
5.1.2.3 Spherical coordinates		17
5.1.3 Base		18
5.1.4 Selecting an existing point		18
5.1.5 Point in line		18
5.1.6 Point in surface		18
5.1.7 Tangent in line		18
5.1.8 Normal in surface		19
5.1.9 Arc center		19
5.1.10 Grid		19
5.2 Entity selection		19
5.3 Escape		21
6 FILES		23
6.1 New		23
6.2 Open		23
6.3 Save		24
6.4 Save as		24
6.5 Import		24
6.5.1 IGES		24
6.5.2 DXF		26
6.5.3 Parasolid		26
6.5.4 ACIS		26
6.5.5 VDA		27
6.5.6 Rhinoceros		27
6.5.7 Shapefile		27
6.5.8 XYZ points		27
6.5.9 KML		27
6.5.10 NASTRAN mesh		27

6.5.11 STL mesh	28
6.5.12 VRML mesh	28
6.5.13 3DStudio mesh	28
6.5.14 CGNS mesh	29
6.5.15 GiD mesh	29
6.5.16 Surface mesh	31
6.5.17 Ply	31
6.5.18 VTK Voxels	31
6.5.19 XYZ nodes	32
6.5.20 Batch file	32
6.5.21 Insert GiD geometry	34
6.6 Export	34
6.6.1 IGES	34
6.6.2 DXF	35
6.6.3 ACIS	35
6.6.4 Rhinoceros	35
6.6.5 GiD mesh	35
6.6.6 Text data report	35
6.6.7 ASCII project	35
6.6.8 ON layers	35
6.6.9 Calculation file	36
6.6.10 Using a .bas template	36
6.7 Preprocess/Postprocess	36
6.8 Print to file	37
6.9 Page/Image setup	37
6.10 Print	38
6.11 Recent projects/post files	38
6.12 Quit	39
7 VIEW	41
7.1 Zoom	41
7.2 Rotate	42
7.2.1 Rotate trackball	42
7.2.2 Rotate screen axes	42
7.2.3 Rotate object axes	42
7.2.4 Rotate center	43
7.2.5 Plane XY (Original)	43
7.2.6 Plane XZ	43
7.2.7 Plane YZ	43
7.2.8 Isometric	43
7.2.9 Rotate points	43
7.2.10 Rotate angle	44
7.3 Pan	44
7.4 Redraw	44
7.5 Render	45
7.6 Perspective	48

7.7	Clip planes	48
7.8	Advanced Options	49
7.9	Label	52
7.10	Entities	52
7.11	Normals	52
7.12	Higher entities	52
7.13	Curvature	53
7.14	View entry	53
7.14.1	Save/Read View	53
7.15	Recent View Files	54
7.16	Background Image	55
7.17	Image to clipboard	55
7.18	Multiple windows	55
7.19	Mode	56
8	GEOMETRY	57
8.1	View geometry	57
8.2	Create	57
8.2.1	Point creation	57
8.2.2	Straight line creation	57
8.2.3	NURBS line creation	58
8.2.4	Parametric line	59
8.2.5	Polyline creation	60
8.2.6	Arc creation	61
8.2.7	NURBS surface creation	61
8.2.8	Parametric surface	63
8.2.9	Contact surface creation	64
8.2.10	Surface mesh	64
8.2.11	Geometry from mesh	64
8.2.12	Volume creation	65
8.2.13	Contact creation	65
8.2.14	Object	66
8.2.15	Automatic 4-sided surface creation	67
8.2.16	4-sided surface creation	67
8.2.17	Planar surface creation	68
8.3	Delete	68
8.4	Edit	69
8.4.1	Move point	69
8.4.2	Divide	69
8.4.3	Line operations	70
8.4.4	Swap arc	71
8.4.5	Polyline	71
8.4.6	SurfMesh	71
8.4.7	Edit NURBS line/surface	71
8.4.8	Convert to NURBS line/surface	74
8.4.9	Simplify NURBS line/surface	74

8.4.10 Hole NURBS surface	74
8.4.11 Hole Volume	75
8.4.12 Collapse	75
8.4.13 Uncollapse	75
8.4.14 Intersection	75
8.4.14.1 Intersection: Lines	75
8.4.14.2 Intersection: Surface-2 points	76
8.4.14.3 Intersection: Surface-lines	76
8.4.14.4 Intersection: Surfaces	76
8.4.15 Surface boolean operations	76
8.4.16 Volume boolean operations	76
9 UTILITIES	79
9.1 Undo	79
9.2 Preferences	79
9.2.1 General	80
9.2.2 Graphical	81
9.2.3 Meshing	84
9.2.4 Exchange	89
9.2.5 Fonts	91
9.2.6 Format	91
9.2.7 Grid	92
9.3 Layers	93
9.4 GMed	95
9.5 Tools	97
9.5.1 Toolbars	97
9.5.2 Save window configuration	98
9.5.3 Move screen objects	98
9.5.4 Coordinates window	98
9.5.5 Read batch window	99
9.5.6 Comments	100
9.5.7 Animation controls	100
9.5.8 Animation script	101
9.5.9 Macros	101
9.5.10 Selection window	102
9.5.11 Calculator	104
9.5.12 Report	105
9.5.13 Notes	106
9.6 Copy	106
9.7 Move	110
9.8 Status	110
9.9 List	111
9.10 Renumber	112
9.11 Id	113
9.12 Signal	113
9.13 Swap normals	113

9.14 Distance	114
9.15 Dimensions	114
9.16 Repair model	115
10 DATA	117
10.1 Problem type	117
10.1.1 Transform problem type	117
10.1.2 Internet Retrieve	118
10.1.3 Load	118
10.1.4 Unload	119
10.1.5 Debugger	119
10.2 Conditions	120
10.2.1 Assign condition	120
10.2.2 Draw condition	120
10.2.3 Unassign condition	121
10.3 Materials	121
10.3.1 Assign material	121
10.3.2 Draw material	122
10.3.3 Unassign material	122
10.3.4 New material	122
10.3.5 Exchange material	122
10.4 Interval data	122
10.5 Problem data	123
10.6 Data units	123
10.7 Intervals	123
10.8 Local axes	124
11 MESH	125
11.1 Unstructured	125
11.2 Structured	128
11.2.1 Element concentration	132
11.3 Semi-Structured	132
11.4 Cartesian	133
11.5 Boundary layer	134
11.6 Element type	135
11.7 Mesh criteria	138
11.8 Reset mesh data	139
11.9 Draw	139
11.9.1 Sizes	139
11.9.2 Num of divisions	140
11.9.3 Element Type	140
11.9.4 Mesh / No mesh	140
11.9.5 Structured Type	141
11.9.6 Skip entities (Rjump)	141
11.9.7 Duplicate	141
11.9.8 Force points to	141
11.9.9 Boundary layer	141

11.10	Generate mesh	141
11.11	Erase mesh	142
11.12	Edit mesh	142
11.12.1	Move node	142
11.12.2	Split Elements	142
11.12.3	Smooth Elements	143
11.12.4	Collapse	143
11.12.5	Delete nodes/elements	143
11.13	Show errors	144
11.14	View mesh boundary	144
11.15	Create boundary mesh	144
11.16	Mesh quality	144
11.17	Mesh options from model	147
12	CALCULATE	149
12.1	Calculate	149
12.2	Calculate remote	149
12.3	Cancel process	149
12.4	View process info	149
12.5	Calculate window	149
13	HELP	151
13.1	Help	151
13.2	Customization help	151
13.3	Tutorials	152
13.4	What is new	152
13.5	FAQ	152
13.6	Register GiD	152
13.7	Register Problem types	153
13.7.1	Customizing Problem type registration	154
13.8	Register from file	154
13.9	Visit GiD web	155
13.10	About	155
14	POSTPROCESS OPTIONS	157
14.1	Introduction	157
14.2	Files menu	158
14.3	Utilities menu	160
14.4	Do Cuts	163
14.5	Point and Line options	165
14.6	Display Style	166
14.7	Textures	168
14.8	Cover mesh	168
14.9	Other options	169
14.10	PGF fonts	169
15	POSTPROCESS RESULTS	171
15.1	View Results Bar	172
15.2	View results window	173

15.3 Contour Fill	174
15.4 Smooth Contour Fill	176
15.5 Contour Lines	176
15.6 Contour Ranges	177
15.7 Show Minimum and Maximum	177
15.8 Display vectors	177
15.9 Iso surfaces	179
15.10 Stream Lines	180
15.11 Graphs	181
15.11.1 Graph Lines description	182
15.11.2 Graph Lines options	182
15.11.3 Graph Lines File Format	183
15.11.4 View graphs window	183
15.12 Result surface	185
15.13 Deform Mesh	186
15.14 Line diagrams	187
15.15 Integrate	188
15.16 Animation	188
15.17 Several results	190
15.18 Legends	191
15.19 Automatic comments	191
15.20 Create Results	192

1 INTRODUCTION

GiD is an interactive graphical user interface used for the definition, preparation and visualization of all the data related to a numerical simulation. This data includes the definition of the geometry, materials, conditions, solution information and other parameters. The program can generate a mesh for finite element, finite volume or finite difference analysis and write the information for a numerical simulation program in its desired format. It is also possible to run these numerical simulations from within GiD and then visualize the results of the analysis.

GiD can be customized and configured by users so that the data required for their own solver modules may be generated. These solver modules may then be included within the GiD software system.

The program works, when defining the geometry, in a similar way to a CAD (Computer Aided Design) system but with some differences. The most important of these is that the geometry is constructed in a hierarchical mode. This means that an entity of higher level (dimension) is constructed over entities of lower level; two adjacent entities will then share the same lower level entity.

All materials, conditions and solution parameters can be defined on the geometry itself, separately from the mesh as the meshing is only done once the problem has been fully defined. The advantages of this are that, using associative data structures, modifications to the geometry can be made and all other information will automatically be updated and ready for the analysis run.

Full graphic visualization of the geometry, mesh and conditions is available for comprehensive checking of the model before the analysis run is started. More comprehensive graphic visualization features are provided to evaluate the solution results after the analysis run. This postprocessing user interface can also be customized depending on the analysis type and the results provided.

1.1 Using this manual

This manual has been split into five clearly differentiated parts.

The first part, **General aspects**, provides information on the basic aspects of the program. In this way, you can gain confidence and become more familiar with the system in order to take advantage of all the available facilities.

The second part, **Preprocessing**, describes the preprocessing functionality. You will learn how to configure a project and define all its components - geometry, data and mesh.

The third part, **Analysis**, concerns to the calculation process. Although it will be performed by an independent solver, it forms part of the integrated GiD system in that the analysis can be run from inside GiD.

The fourth part, **Postprocessing**, emphasizes aspects relating to the visualization of results.

The fifth part, **Customization**, explains how to customize your files so that you can introduce and run different solver modules according to your own requirements.

Different kinds of fonts are used to help you follow all the possibilities offered by the code:

1 `font` is used for the options found in the menus and windows and for literal code.

2 font is used for special references in some parts.

2 GiD BASICS

GiD is a geometrical system in the sense that, having defined the geometry, all the attributes and conditions (i.e. material assignments, loading, conditions, etc.) are applied to the geometry without any reference to a mesh. Only when everything has been defined is the meshing of the geometrical domain carried out. This methodology facilitates alterations to the geometry while maintaining the definitions of the attributes and conditions. Alterations to the attributes or conditions can be made simultaneously without needing to reassign the geometry. New meshes can also be generated if necessary and all the information will automatically be assigned correctly.

GiD also provides the option of defining attributes and conditions directly to the mesh once it has been generated. However, if the mesh is regenerated, it is not possible to maintain these definitions and therefore all attributes and conditions must then be redefined.

In general, the complete solution process can be defined as:

- 1 define geometry - points, lines, surfaces, volumes;
- 2 use other facilities;
- 3 import geometry from CAD;
- 4 define attributes and conditions;
- 5 generate mesh;
- 6 carry out simulation;
- 7 view results.

Depending upon the results in step (5) it may be necessary to return to one of the previous steps to make alterations and re-run the simulations.

Building a **geometrical domain** in GiD is based on four levels of geometrical entity: points, lines, surfaces and volumes. Entities of higher level are constructed over entities of lower level; two adjacent entities can therefore share the same level entity. Here are a few examples:

- **Example 1:** One line has two lower level entities (points), each of them at an extreme of the line. If two lines are sharing one extreme, they are really sharing the same point, which is a unique entity.
- **Example 2:** When creating a new line, what is really being created is a line plus two points or a line with existing points created previously.
- **Example 3:** When creating a volume, it is created over a set of existing surfaces, which are joined to each other by common lines. The lines are, in turn, joined to each other by common points.

All domains are considered in 3-dimensional space but if there is no variation in the third coordinate (into the screen) the geometry is assumed to be 2-dimensional for the purposes of analysis and the visualization of results. Thus, to build a geometry with GiD, the user must first define the points, join these together to form lines, create closed surfaces from the lines and define closed volumes for the surfaces. Many other facilities are provided for creating the geometrical domain; these include: copying, moving points, automatic surface creation, etc.

The geometrical domain can be created in a series of layers where each one is a separate part of the

geometry. Any geometrical entity (points, lines, surfaces or volumes) can belong to a particular layer. It is then possible to view and manipulate some layers and not others. The main purpose of these layers is to offer a visualization and selection tool as they are not used in the analysis. An example of the use of layers might be a chair where the four legs, seat, backrest and side arms are the different layers.

With GiD you can import a geometry or mesh created with an external CAD program. The formats supported at present are: DXF, IGES, Parasolid, ACIS, VDA, Rhino, Shapefile, STL, VRML, 3DStudio and NASTRAN.

Attributes and conditions are applied to the geometrical entities (points, lines, surfaces and volumes) using data input dialog boxes. These menus are specific to the particular solver that will be employed for the simulation and, therefore, the solver needs to be defined before attributes are defined. The form of these menus can also be configured for the user's own solver module, as is explained below and later in this manual.

Once the geometry and attributes have been defined, a mesh can be generated using the **mesh generation tools** supplied within the system. Structured and unstructured meshes containing triangular and quadrilateral surface meshes or tetrahedral and hexahedral volume meshes may be generated. The automatic mesh generation facility uses a background mesh concept for which the user is required to supply a minimum number of parameters.

Simulations are carried out from within GiD by using the **calculate** menu. Indeed, specific solvers require specific data that must have been prepared previously. A number of solvers may be incorporated together with the correct preprocessing interfaces.

The final stage of **graphic visualization** is flexible in order to allow the user to critically evaluate the results quickly and easily. The menu items are generally determined by the results supplied by the solver module. This not only reduces the amount of information stored but also allows a certain degree of user customization.

One of the major strengths of GiD is that the user can **define and configure his own graphic user interface within GiD**. The first step is to create some configuration files which define new windows, where the final user will enter data, such as materials or conditions. The format that GiD uses to write a file containing the necessary data in order to run the numerical simulation program must also be defined in a similar way. This preprocessor or data input interface will thus be tailored specifically to the user's simulation program, but employing the facilities and functionality of the GiD system. The second step is to include the user's simulation program within GiD so that it may be run utilizing the calculate menu option. The third step consists of writing an interface program, or using the 'gidpost' library, which provides the results information in the format required by the GiD graphic visualizer, thereby configuring the postprocessing menus. This post-analysis interface may be included fully in the GiD system so that it runs automatically once the simulation run has terminated.

Details on this configuration can be found in later chapters.


3 INVOKING GiD

When installing GiD on Windows, the useful way is to start GiD from desktop icon:



There is also added a direct access from the programs list of the start menu.

An special option is to start 'GiD safe mode', then a window will be open to ask the user to select how to handle OpenGL graphics: by software or by hardware (some graphic cards and drivers have problems with the hardware option, the screen can show corrupted images or even GiD can crash)



It's possible to change this options by clicking on  /  in the bottom right corner of GiD window

When starting the GiD program from a shell or script it is possible to supply several options in the same command line.

With

gid -help

the program will list the possible command line options.

Command line syntax:

```
gid [-b[+/-]g][+/-]i][+/-]w batchfile] [-t tcl_command] [-h] [-p problem] [-e cmd] [-n] [-n2] [-c][-c2] [filename]
```

All options and filename are optional. filename is the name of a problem to be opened (the .gid extension is optional).

Options are:

- **-b batchfile** executes batch_file as a script file (see [Batch file -pag. 34-](#)).
- **+/- g** Enable/Disable Graphics (if -g, GiD does not redraw until the batch file has finished).
- **+/- i** Enable/Disable GraphInput (enable or disable peripherals while the batch file is being executed: mouse, keyboard, etc.).
- **+/- w** Enable/Disable Windows (GiD displays - or does not display - windows which require interaction with the user).
- **-h** shows GiD's command line arguments.
- **-t tcl_command** to evaluate tcl code just after read the filename if it has been specified

example:

```
gid -t "WarnWinText [GiD_Info Project]" C:\temp\myexample
```

- **-p problem** loads problem as the type of the problem to be used for a new project.
- **-e cmd** can continue until the end of the line. It executes anything as if it were a group of commands entered into GiD.
- **-n** runs the program without any window. It is most useful when used with the option batchfile. Tcl is loaded but not Tk and most GiD scripts.
- **-n2** runs the program with minimized window, the **Tk** library and GiD scripts are loaded. This option is useful if you use Tcl and maybe Tk commands in a batch file.
- **-c conffile** takes the window configuration from conffile. (See [Save window configuration -pag. 100-](#) for information about window configuration).
- **-c2 inifile** to use an alternative user configuration file, instead the default 'gid.ini' (to not share this file between problemtypes or versions)
- **-openglconfig (Only for Windows)**: this allows you to choose between the accelerated OpenGL, if present, or the generic implementation, if you experience troubles using the accelerated libraries of the graphics card.

Note: by default, when running a batch file from the command line or importing a [Batch file -pag. 34-](#) from the 'Files->Import' menu, graphics are disabled, and then for example is not possible to save an snapshot in a file. To enable graphic features use `gid -b+g batchfile`

On the other hand when reading a file with the [Read batch window -pag. 101-](#) graphics are enabled.

Other useful options are:

gid -compress [-123456789ad] file_name_in file_name_out

in order to compress (gzip) a file, e.g. to compress '.dat' files or new postprocess formatted data files.

And:

gid [-PostBinaryFormat { 1.0 / 1.1}] -PostResultsToBinary file_in file_out

in order to transform ASCII results files into compressed binary ones. You can select whether to use the binary format 1.0 or 1.1. The default format (recommended) is 1.1.

3.1 Settings

GENERIC SETTINGS

\plugins folder

It is possible to extend GiD with new features implemented in Tcl scripting language, by adding this .tcl files to the folder \plugins of GiD

All Tcl files inside this folder will be automatically sourced when starting GiD.

It is highly unrecommended to modify or add any script to the \scripts GiD folder, because this changes will be lost when installing new versions.

\templates folder

All .bas files of this folder will be showed in the Files->Export->Using template .bas (only mesh) menu

This .bas templates are text files with a syntax explained in the [Template File](#) section, used to export GiD data of mesh (and maybe other attached data).

dump.bas is an example template that write in a simple way most of the GiD mesh and attached data information.

\problemtypes folder

This folder must contain customizations of GiD to handle external third part solvers (see [CUSTOMIZATION](#))

USER SETTINGS

Each user has its own copy of some GiD settings (like preferences variables, or window sizes).

This information is saved in a file named 'gid.ini' that is stored in a different place depending on the platform

e.g.

Windows XP: C:\Documents and Settings\\Application Data\GiD\gid.ini

Windows Vista: C:\Users\\AppData\Roaming\GiD\gid.ini

Linux/Mac OS X: \$(HOME)/.gidDefaults


And by default some folders like "Application Data" are hidden.

This settings are automatically saved when exiting GiD, and loaded when starting.

4 USER INTERFACE

The user interface allows you to interact with the program. It is composed of buttons, windows, icons, menus, text entries and the graphical output of certain information. You can configure the interface to display things in a certain way, and may use as many menus and windows as required.

The initial layout of GiD consists of a large graphical area with pull-down menus at the top, a command line at the bottom, a message window above it and an icon bar. The project that is being run is displayed in the window title bar. The pull-down and 'click on' menus are used to access GiD commands quickly. Some of them offer a shortcut for easier access - these are activated by holding the **Ctrl** key and pressing the appropriate letter key(s).



Right-clicking the mouse while the cursor is over the graphical area opens an on-screen menu with some visualization options. To select one of them, right- or left-click on the option; to quit, left-click anywhere outside the menu.


The first option in this menu is called **Contextual**. It will give different options depending on the function currently being used.

The pair of icon bars contain some facilities that also appear in the graphical area of the window or in the menu bar. When left-clicking on the icon, the corresponding command is performed or an icon menu

with several options will be shown. When right-clicking (or using the center button if there is one), a menu with the options help and configure toolbars will appear allowing you to get a description of the icon or to configure the position of the toolbars. The description also appears when the cursor remains over the icon for a couple of seconds.

To configure the position and view of the toolbars, the **Toolbars position** window can be called from Utilities -> Tools -> Toolbars, or by right-clicking over a toolbar.

Using the **Toolbars position** window it is possible to enable the **Right buttons** menu. Only advanced users should use these buttons.



Toolbars window

The **Standard bar** has common options for both pre- and postprocessing components, including: open, take a snapshot, print, preferences, help, exit and others.



Standard toolbar in preprocess




Standard toolbar in postprocess

The different icons represent, from left to right:

- New: PRE: the existing project is closed and a new one is created. POST: the model is closed.
- Open: PRE: closes the current project and opens an existant one. POST: closes the current model and reads an existant mesh with its results.
- Save: PRE: saves de project. POST: saves de postprocess information in a new binary file.
- Previous view, Next view: no navigate through the used views
- List of views: shows a list of some predefined and user-saved views

- Take a snapshot: takes a picture of the current visualization, using the [Page/Image setup -pag. 39-](#) options
- Print: print using the the [Page/Image setup -pag. 39-](#) options
- Toggle between preprocess and postprocess
- Copy: PRE: shows the copy window, POST: shows the transformation window.
- Layers/Meshes/Sets: PRE: pops-up the 'Layer' window, POST: pops-up the 'View Style' window (not implemented)
- (only in preprocess): Combobox to select layer in use
- Preferences: pops-up the preferences window to select general, meshing, graphical, fonts options, among others
- Help: shows GiD's help
- Exit: quits the program.
- (only in postprocess) Labels indicating: numbers of nodes, number of elements, render type, transparency and units.
- GiD icon that show also our current password type: green=professional, red=evaluation, orange=connection fault short time period of professional version before change to evaluation.

The **Geometry & view bar** has some of the view options common to pre- and postprocessing, such as zooming, panning, rotating, etc. But certain icons are specific to preprocessing and others to postprocessing.



Geometry & View bar in preprocess

The different icons represent, from left to right:

- Zoom in: zooms the project in
- Zoom out: zooms the project out
- Zoom frame: adjust the visualization to comprise the whole model
- Redraw: redraws the model, useful if the graphical window gets 'dirty'
- Rotate trackball: rotates de model dynamically using the mouse as 'spaceball'
- Pan dynamic: translates the model dinamycally
- Create line: as is
- Create arc: as is
- Create NURBS line: as is
- Create polyline: as is
- Create NURBS surface: as is
- Create volume: as is
- Create object (rectangle, polygon, circle, sphere, cylinder, cone, prism, torus): as is
- Delete: specific types of entities o all types of entities
- List entities: shows information of the selected entities
- Toggle between geometry view and mesh view

Note: The position of the icons depends on how the window is positioned.

If you left-click on Delete, GiD opens another window with the different entities to be deleted: Point, Line, Surface, Volume or All types.

If you left-click on List entities, GiD opens another window with the different entities able to be listed: Points, Lines, Surfaces or Volumes.



Geometry & View bar in postprocess

On the postprocess toolbar, the first six commands are the same as on the preprocess toolbar, i.e. from Zoom in to Pan.

The remaining icons represent, from left to right:

- Change Light Vector: allows you to change the light direction (see [Render -pag. 47-](#)).
- Display style: when you click here, a menu appears with each icon corresponding to a display option: Boundaries, Hidden Boundaries, All Lines, Hidden Lines, Body, Body Boundaries, Body Lines, points or BoundaryPoints
- Culling: allows you to switch on or switch off the front faces and/or the back faces.
- Mesh selection: select the volumes to switch them on or off
- Set selection: select the surface sets to switch them on or off
- Cut selection: select the cuts to switch them on or off
- Cut meshes/sets: cut the volume or surface meshes
- Set maximum value: set a maximum value for contour fills
- Set minimum value: set a minimum value for contour fills
- Reset maximum and minimum values: reset the above fixed values
- List nodes and elements information: list information (conectiviti, set number, results, etc.) about selected nodes or elements

Notes:

If windows are used to enter the data, it is generally necessary to **accept** this data before closing the window. If this is not done, the data will not be changed.

Usually, commands and operations are invoked by using the menus or mouse, but all the information can be typed into the command line.

When an option is selected and a secondary window is opened, it generally appears over the main window and cannot be hidden by it. This behaviour can be changed by deselecting the Always on top flag in the Window system menu (right-click on the window title bar to do this).

The **Macros bar** allows the creation and execution of macros defined by the user or predefined by GiD:



Macros icon bar

- Record macro / stop recording macro: stars a new macro and registers each operation in GiD until

stop is pressed.

- Edit macros...: a window will pop-up allowing the user to edit the macro, rename it or change its icon and accelerator keys.

The View results bar allow the user a quick view of the results:



View result bar

it's fully explained at [View Results Bar -pag. 174-](#)

4.1 Mouse operations

As well as selecting the functions to be used, the left mouse button is used to select entities, either individually or picking several within a given area (see [Entity selection -pag. 21-](#)), and to enter points in the plane $z=0$ (see [Point definition -pag. 17-](#)).

The middle mouse button is equivalent to escape (see [Escape -pag. 23-](#)).

The right mouse button opens an on-screen menu with some visualization options. To select one of them, use the left or right mouse button; to quit, left-click anywhere outside the menu.

The first option in this menu is called **Contextual**. You can select from different options relevant to the function currently being used.

When the mouse is moved to different windows, depending on the situations, different cursor shapes and colors will appear on the screen.

In some windows a help option will appear when you click the middle or right mouse buttons over an icon.

4.2 Command line

All commands may be entered via the command line (found at the bottom of the GiD window) by typing the full name or only part of it (long enough to avoid confusion with other commands); commands are not case-sensitive. Any function from the Right buttons menu can be used by typing all or part of its name in the command line. Special commands are also available for viewing (zoom, rotation and so on) and these can be typed or used at any time when working from within another function. A list of these special commands is given in View (see [VIEW -pag. 43-](#)).

Commands entered by typing are word oriented. This means that the same operation is achieved if one writes the entire command and then presses enter or if one writes a part of it, presses enter and then writes the rest.


All these typed commands can be retrieved using of the up arrow (to recover past commands) and down arrow (to return to more recent commands).

5 USER BASICS

The following features are essential to the effective use of the GiD system. They are, therefore, described apart from the preprocessing facilities section.

5.1 Point definition

Many functions inside GiD need points to be defined by the user. Points are the lowest level of geometrical entity and therefore the most commonly used. Consequently, it is important that you have a thorough understanding of how to do this. Sometimes an existing point is required and sometimes a new point must be defined.



Window for entering coordinates

All the options explained in this section are available through the window shown above (see [Coordinates window -pag. 100-](#)). This window is accessed via the pull-down menu Utilities -> Tools. Here you can choose not only the kind of reference system - cartesian, cylindrical or spherical - but also whether to use a global or local coordinate system and whether the origin of coordinates is fixed or relative (where new coordinates are relative to the last origin point entered).

In general you can enter points in the following ways:

- 1 Picking in the graphical window.
- 2 Entering points by coordinates.
- 3 Selecting an existing point.
- 4 Using the Base button.

5.1.1 Picking in the graphical window

Points are picked in the graphical window in the plane $z=0$ according to the coordinates viewed in the window. Depending on the activated preferences (see [Preferences -pag. 81-](#)), if you select a region

located in the vicinity of an existing point, GiD asks whether it should create a new point or use the existing one.

5.1.2 Entering points by coordinates

GiD offers a window for entering points in order to create geometries easily, defining fixed or relative coordinates as well as different reference systems - cartesian, cylindrical or spherical.

The coordinates of a point can be entered either in the enter points window or in the command line by following one of two possible formats:

- 1 The format: x,y,z
- 2 The format: x y z

Coordinate z can be omitted in both cases.

The following are valid examples of point definitions:

```
5.2,1.0 5.2,1
8 9 2 8 9,2
```

All of a point's coordinates can be entered as local or global and through different reference systems in addition to the cartesian one.

- 1 Local/global coordinates
- 2 Cylindrical coordinates
- 3 Spherical coordinates

5.1.2.1 Local/global coordinates

Local coordinates are always considered relative to the last point that was used, created or selected. The Utilities -> Id command allows you to make a reference to one point (see [Id -pag. 115-](#)). Then, to define points using local coordinates referring to the same point, use Options and Fixed Relative when entering each point. The last point selected or created before using this will be the origin of the local coordinate system. It is also possible to enter this central point by its coordinates.

The following are valid examples of defining points using local coordinates:

Example (1):

```
1,0,0
    @2,1,0 (actual coordinates 3,1,0)
    @0,3,0 (actual coordinates 3,4,0)
    2,2,2
    @1,0,3 (actual coordinates 3,2,5)
```

Example (2):

```
1,0,0
```

```

Fixed Relative (when creating the point)
@2,1,0 (actual coordinates 3,1,0)
@0,3,0 (actual coordinates 1,3,0)
2,2,2
@1,0,3 (actual coordinates 2,0,3)

```

Example (3):

```
'local_axes_name' 2.3,-4.5,0.0
```

The last example shows how to enter a point from a local coordinate system called 'local_axes_name' (any name inside the quotation marks will work), previously defined via the option define local axes (see [Local axes -pag. 126-](#)).

All the examples have been presented using a cartesian notation. However, cylindrical or spherical coordinates can also be used.

5.1.2.2 Cylindrical coordinates

Cylindrical coordinates can be entered as: r<angle,z

The z_coordinate may be omitted and angles are defined in degrees. Cylindrical coordinates can be applied to global and local coordinate systems.

The following are valid examples of the same point definitions:

example (1):

```

1,0,0
1.931852<15

```

example (2):

```

1,0,0
@1.0<30

```

5.1.2.3 Spherical coordinates

Spherical coordinates can be entered as r<anglexy<anglez

Anglez may be omitted and angles are defined in degrees. Spherical coordinates can be applied to global and local coordinate systems.

The following are valid examples of the same point definitions:

Example (1):

```

1,0,0
1.73205<18.43495<24.09484

```

Example (2):

1, 0, 0

@1.0<45<45

5.1.3 Base

Mouse menu: Contextual->Base

If the Base button is selected (it is set by default to No Base), a point can be retrieved from any of the other modes. Then, the coordinates of this point, instead of being used immediately, are written in the command line and can be edited before they are confirmed.

It is possible to change the way that GiD works with points by default via preferences (see [Preferences -pag. 81-](#)).

5.1.4 Selecting an existing point

Menu: Contextual->Join Ctrl-a

When using a function that asks for a point, e.g. line creation, GiD will expect you either to enter a new point (the cursor is a cross) or select an existing one (the cursor is a box). To change from the first mode to the second, click the Join button in the **Right buttons** menu or the **Contextual** mouse menu, or use the shortcut (Ctrl-a); the option will then change to No Join. Simply select an existing point to pick it. (Ctrl-a) switches from Join to No Join and vice versa.

The special options FJoin and FNoJoin force GiD to change either to Join mode or No Join mode independently of the previous mode.

5.1.5 Point in line

Mouse menu: Contextual->Point in line

With this option selected, when creating a new point or line, etc., you can only select points that lie on existing lines. To switch it off, simply select No Point in line.

5.1.6 Point in surface

Mouse menu: Contextual->Point in surface

With this option selected, when creating a new point or line, etc., you can only select points that lie on existing surfaces. To switch it off, simply select No Point in surface.

5.1.7 Tangent in line

Mouse menu: Contextual->Tangent in line

Using this option, you can pick over a line in the graphical window. A vector will be returned that is the tangent to the line at the point you have picked.

5.1.8 Normal in surface

Mouse menu: Contextual->Normal in surface

Using this option, you can pick over a surface in the graphical window. A vector will be returned that is the normal to the surface at the point you have picked.

5.1.9 Arc center

Mouse menu: Contextual->Arc center

Using this option, you can left-click on an arc in the graphical window and a point will be created at its center.

5.1.10 Grid



It is possible to use an auxiliary grid of lines to define 2D points easily. The 'snap' function can be activated to force points to grid intersections.

From the preferences window (see [Preferences -pag. 81-](#)) it is possible to set the separation between lines and to show the origin, extents, etc. of the coordinates.

There is a small button in the bottom right-hand corner that activates or deactivates the grid and 'snap' functions.

5.2 Entity selection

Many commands need to be supplied with entities before they can be applied and the method of selection is always the same. Before selecting entities, you are prompted to decide whether to select points, lines, surfaces or volumes (in some cases this decision is obvious or it is made within the context of the option).

Within one of the generic groups (points, lines, surfaces, volumes, nodes or elements) it does not matter what type of entity is selected (for example, an arc or a spline, both line entities are selected in the same way). After this, if one entity of the desired group is selected, it is colored red to indicate it has been selected and you are prompted to enter more entities. If you select away from any entity, a dynamic box is opened that can be defined by picking again in another place. All entities that are either totally or partly within this box are selected. Once again, you are then prompted to enter more entities.

The normal selection mode is `SwapSelection`: If one entity is selected a second time, it becomes deselected and its color reverts to normal. In addition there are the options `AddToSelection` and `RemoveFromSel`, the former always adding to the selection, the latter always removing entities from the selection.

Note: Instead of picking a start point and an end point for the selection box, it is possible to press and hold left mouse and move the cursor.

The `Clear` selection option, which is found in the **Contextual** mouse menu, deselects all previously

selected entities.

It is also possible to select entities by entering their label in the command line. For instance, to select the entity with number 2, input this number, 2, in the command line. To select the entities 3 to 7, input 3:7 in the command line. Entering 3: will select all entities from number 3 to the end and entering :3 will select all options from the beginning to number 3.

If a layer named 'a' exists, it is possible to select all entities belonging to that layer with command: `layer:a`. Using the command `layer:` selects all entities not belonging to any layer.

Another way of selecting points or nodes is to write:

```
plane:a,b,c,d,r
```

where a,b,c,d and r are real numbers that define a plane and a tolerance in the following way: $ax+by+cz+d<r$. Points close to that plane are chosen.

When selection lines or surfaces (geometry or mesh) it is possible to pick one or more entities, and use 'ConnectedTangent' to select its connected neighbor entities, if the angle between them is smooth enough. This is very interesting for example to select coplanar parts.

It is possible select a group on entities that are parents of a single 'lower entity' by using 'ParentsOf', and selecting the lower entity. (e.g. to select all surfaces that are sharing some line)

In some commands, another item is added to the selection group. This item, called AllTypes, means that entities of all levels (points...volumes) will be selected at the same time. In this case, only selection via a dynamic box is possible in the graphical window and all entities (points, lines, surfaces and volumes) in the box are selected.

To finish the entity selection, use escape (see [Escape -pag. 23-](#)).

If the Fast Selection option is used, entities are not colored red when selected and choosing an entity twice does not deselect it. This option is available via the **Right buttons** menu (see [Tools -pag. 99-](#)), in Utilities -> Variables.

Caution: Only use Fast Selection when you need to select a large number of entities, for example in a large mesh, as there is a risk of repeating entities.

Entities belonging to frozen layers (see [Layers -pag. 95-](#)) are not taken into account in the selection. Entities belonging to OFF layers cannot be selected directly in the graphical window, but can be selected by giving a number or range of numbers.

It is possible to add filters to the selection so that, after selecting some entities, only the ones satisfying the filter criteria will remain selected. To enter one filter, you must enter the word filter: in the command line followed by one option. The available options are:

- HigherEntity
- MinLength
- MaxLength
- EntityType
- BadMinAngle

- BadMaxAngle
- NumSides

Note: To apply selection filters you can also use the **Selection window** (see [Selection window -pag. 104-](#)).


Note: MinLength and MaxLength can be used either in geometry lines or in elements of the mesh.

Note: NumSides=x can be used for surfaces or volumes, to filter the entities with exactly x number of sides.

For example, the following command:

```
filter:HigherEntity=1
```

means that only the entities that have higher entity equal to one will be selected.



Note: A typical use of filter is to select only boundary lines (higherentiety=1).

5.3 Escape


The escape command is used for moving up a level within the Right buttons menus, for finishing most commands, or for finishing selections and other utilities. This command can be applied by:

- 1 pressing the middle mouse button;
- 2 pressing the `ESC` key;
- 3 pressing the escape button in the Right buttons menu;
- 4 writing the reserved word `escape` in the command line. This is useful in scripts (see [Batch file -pag. 34-](#)).

All the above options give the same result.

Caution: `Escape` is a reserved word. It cannot be used in any other context.

6 FILES



Browser to read and write files and projects

GiD includes the usual ways of saving and reading saved information (Save, Read) as well as other operations, such as importing external files, saving in other formats and so on.

6.1 New

Menu: Files->New

Toolbar:



New

Selecting New opens a new project with no title assigned to it.

If a project is currently open and changes have been made since it was last saved, GiD will give the option to save before opening the new project.

6.2 Open

Menu: Files->Open

Toolbar:



Open

With this command, a project previously saved with Save (see [Save -pag. 26-](#)) or with Save ASCII project (see [ASCII project -pag. 37-](#)) can be opened.

Generally, there is no difference between using a project name with the .gid extension or using one without it.

6.3 Save

Menu: Files->Save...

Toolbar:



Using the Save command saves all the information relating to a project - geometry, conditions, materials, mesh, etc. - to the disk.

When a project is saved, GiD creates a directory with the project name and the extension .gid. Files containing all the information are written to this directory. Some of these files are binary and others are ASCII. You can then work with this project directory as if it were a file.

You do not need to write the .gid extension because it will automatically be added to the directory name.

Caution: Be careful if changing some files manually in the **Project.gid** directory. If done in this way, some information may be corrupted.

Advice: It is advisable to save the project at regular intervals so as not to lose any important information. It is possible to back up files automatically by selecting this option in the **Preferences** menu (see [Preferences -pag. 81-](#)).

6.4 Save as

Menu: Files->Save as...

With this command, GiD allows you to save the current project with another name.

When it is selected, an auxiliary window appears with all the existing projects and directories to facilitate the introduction of the project's new name and directory.

6.5 Import

GiD lets you import geometrical models or meshes in the following formats.

6.5.1 IGES

Menu: Files->Import->IGES...

With this option it is possible to import a file in IGES format (version 5.3); GiD is able to read most of the entities, which are:

Entity number and type (Notes)

100 Circular arc

102 Composite curve

104 Conic arc (ellipse, hyperbola and parabola)

106 Copious data (forms 1, 2, 12 and 63)

108 Plane (form1 bounded)
110 Line
112 Parametric spline curve
114 Parametric spline surface
116 Point
118 Ruled surface
120 Surface of revolution
122 Tabulated cylinder
123 Direction
124 Transformation matrix (form 0)
126 Rational B-spline curve
128 Rational B-spline surface
134 Node
136 Element
140 Offset surface entity
141 Bounded entity
142 Curve on a parametric surface
143 Bounded surface
144 Trimmed surface
184 Solid assembly
186 Manifold solid B-rep object
190 Plane
192 Right circular cylindrical surface
194 Right circular conical surface entity
196 Spherical surface
198 Toroidal surface
308 Subfigure definition
314 Color definition
402 Associativity instance
406 Property entity
408 Singular subfigure instance
502 Vertex
504 Edge
508 Loop
510 Face

514 Shell

The variable `ImportTolerance` (see [Preferences -pag. 81-](#)) controls the creation of new points when an IGES file is read. Points are therefore defined as unique if they lie further away than this tolerance distance from another already defined point. Curves are considered identical if they have the same points at their extremes and the "mean proportional distance" between them is smaller than the tolerance. Surfaces can also be collapsed.

Entities that are read in and transformed are not necessarily identical to the original entity. For example, surfaces may be transformed into planes, Coons or NURBS surfaces defining their contours and shape.

6.5.2 DXF

Menu: Files->Import->DXF...

With this option it is possible to read a file in DXF format (AutoCAD 2002 version).

GiD is able to read most of the entities, which are: POINT, LINE, ARC, CIRCLE, ELLIPSE, SPLINE, LWPOLYLINE, MLINE, POLYLINE, VERTEX, TRACE, SOLID, 3DFACE, 3DSOLID, BLOCK, INSERT

A very important parameter to consider is how the points must be joined. This means that points that are close to each other must be converted to a single point. This is done by defining the variable `ImportTolerance` (see [Preferences -pag. 81-](#)). Points closer together than `ImportTolerance` will be considered as a single point. Straight lines that share both points are also converted to a single line.

You can use the Collapse function (see [Collapse -pag. 77-](#)) to join more entities.

6.5.3 Parasolid

Menu: Files->Import->Parasolid...

With this option it is possible to read a file in the Parasolid format (version 14000 - ASCII or binary).

The most usual Parasolid file extension is `.x_t` for ASCII and `.x_b` for binary format.

The variable `ImportTolerance` (see [Preferences -pag. 81-](#)) controls the creation of new points when a Parasolid file is read. Points are therefore defined as unique if they lie further away than this tolerance distance from another already defined point. Curves are considered identical if they have the same points at their extremes and the "mean proportional distance" between them is smaller than the tolerance. Surfaces can also be collapsed.

6.5.4 ACIS

Menu: Files->Import->ACIS...

With this option it is possible to read a file in ACIS format (version 7.0). GiD reads the ASCII version with the SAT Save File Format. ACIS files (in ASCII) have the `.sat` extension.

6.5.5 VDA

Menu: Files->Import->VDA...

With this option it is possible to read a file in VDA 2.0 format.

A very important parameter to consider is how the points must be joined. This means that points that are close to each other must be converted to a single point. This is done by defining the variable ImportTolerance (see [Preferences -pag. 81-](#)). Points closer together than ImportTolerance will be considered as a single point. Straight lines that share both points are also converted to a single line.

The Collapse function (see [Collapse -pag. 77-](#)) can be used to join more entities.

6.5.6 Rhinoceros

Menu: Files->Import->Rhinoceros...

With this option it is possible to read Rhinoceros 4.0 CAD files. This files have the .3dm extension.

6.5.7 Shapefile

Menu: Files->Import->Shapefile...

With this option it is possible to read a GIS file written in ESRI Shapefile format (version 1000). Shapefiles have the .shp extension.

6.5.8 XYZ points

Menu: Files->Import->XYZ points...

With this option it is possible to read a set of geometric points. This format is ASCII and consists the coordinates of the points separated with spaces.

Note: If only 2 coordinates are specified, z=0 is assumed.

If 'Automatic collapse after import' was set, after the import near points will be joined, The variable ImportTolerance (see [Preferences -pag. 81-](#)) controls the joining distance.

6.5.9 KML

Menu: Files->Import->KML...

With this option it is possible to read files with the format KML. It uses in georeferenced images.

The variable ImportTolerance (see [Preferences -pag. 81-](#)) controls the creation of new points when the file is read.

6.5.10 NASTRAN mesh

Menu: Files->Import->NASTRAN mesh...

With this option it is possible to read a file in NASTRAN format (version 68), with GiD accepting most of its entities, which are:

Entity name (Notes)

CBAR CBEAM CROD CCABLE CBUSH CELAS1 CELAS2 CELAS3 RBAR (translated as 2 node bars)

CQUAD4 CQUADR

CHEXA

CTETRA

CPENTA

CTRIA3 CTRIAR

CONM1 CONM2 (translated as 1 node element)

CORD1C CORD1R CORD1S

CORD2C CORD2R CORD2S

GRID

There are two options that can be used when reading a mesh if GiD already contains a mesh:

- a Erasing the old mesh (Erase);
- b Adding the new mesh to the old one without sharing the nodes; the nodes will be duplicated although they may occupy the same position in the space (AddNotShare).

The properties and materials of elements are currently ignored, because of the difficulties in associating the NASTRAN file properties with the requirements of the analysis programs. Therefore, you have to assign the materials "a posteriori" accordingly. However, in order to make this easier, the elements will be partitioned in different layers, each with the name PIn, where n is the property identity number associated with the elements as defined in the NASTRAN file. Note that CELAS2 elements do not have associated property identities so these will be created by default when the file is read.

6.5.11 STL mesh

Menu: Files->Import->STL mesh...

With this option it is possible to read a mesh in STL format. The STL binary format is also supported.

The variable ImportTolerance (see [Preferences -pag. 81-](#)) controls the creation of new points when the file is read.

6.5.12 VRML mesh

Menu: Files->Import->VRML mesh...

With this option it is possible to read a mesh in VRML 2.0 format. The compressed gzip format is also supported.

6.5.13 3DStudio mesh

Menu: Files->Import->3DStudio...

With this option it is possible to read a mesh in .3ds 3DStudio format.

6.5.14 CGNS mesh

Menu: Files->Import->CGNS...

With this option it is possible to read a .cgns mesh with CGNS binary format. CGNS is an standard format, specialized for the storage and retrieval of CFD (computational fluid dynamics) data.

6.5.15 GiD mesh

Menu: Files->Import->GiD mesh...

With this option it is possible to read a GiD ASCII mesh (saved with Export GiD Mesh) in order to visualize it within GiD.

It is also possible to read a new mesh and add it to the existing one. In this case, you are prompted to keep the former one or join it to the new mesh.

The format of the file describing the mesh must have the following structure:

```
mesh dimension 3 elemtype tetrahedra nnode 4
coordinates
1 0 0 0
2 3 0 0
3 6 0 0
4 3 3 0
5 3 1.5 4
6 3 1.5 -4
7 1.5 0 2
end coordinates
elements
1 1 2 4 5 1
2 2 3 4 5 1
3 1 4 2 6 1
4 2 4 3 6 1
5 1 2 5 7 1
end elements
```

The code nnode means the number of nodes per element and dimension can be either:

- 2: 2 dimensions. Nodes have just two coordinates.
- 3: 3 dimensions. Nodes have three coordinates.

Where elemtype must be:

- Linear

- Triangle
- Quadrilateral
- Tetrahedra
- Hexahedra
- Prism
- Pyramid
- Point
- Sphere
- Circle

For sphere and circle elements after the connectivities the radius must be specified, and for circle elements also the three normal components could be written (z direction is considered by default)

Every element may have an optional number after the definition of the connectivity. This number usually defines the material type and it is useful to divide the mesh into layers to visualize it better. GiD offers the possibility of dividing the problem into different layers according to the different materials through the option Material (see [Layers -pag. 95-](#)). For sphere elements is necessary to additionally specify its radius.

Note: The = sign is optional, but if it is present it is necessary to leave a space.

If it is necessary to enter different types of elements, every type must belong to a different mesh. More than one mesh can be entered by writing one after the other, all of them in the same file. The only difference is that all meshes except the first one have nothing between coordinates and end coordinates. They share the first mesh's points. Example: to enter tetrahedron elements and triangle elements,

```
mesh dimension = 3 elemtype tetrahedra nnode = 4
coordinates
1 0 0 0
2 3 0 0
3 6 0 0
4 3 3 0
5 3 1.5 4
6 3 1.5 -4
7 1.5 0 2
end coordinates
elements
1 1 2 4 5 1
2 2 3 4 5 1
3 1 4 2 6 1
4 2 4 3 6 1
```

```
5 1 2 5 7 1
end elements

mesh dimension = 3 elemtype triangle nnode = 3

coordinates
end coordinates

elements

1 1 2 4 1
2 2 3 4 1
3 1 4 2 1
4 2 4 3 1
5 1 2 5 1

end elements
```

6.5.16 Surface mesh

Menu: Files->Import->Surface mesh...

With this option a mesh can be read from a file in GiD or STL format (see [GiD mesh -pag. 37-](#)). Elements of this mesh must be triangles or quadrilaterals. This mesh is converted by GiD into a set of surfaces, points and lines. The geometric definition of surfaces is the mesh itself, but GiD treats them as truly geometric entities. For example, these surfaces can be used as the boundary of a volume, and a new mesh can be generated over them.

You are asked for the value of an angle. An angle between elements bigger than this value is considered to be an edge, and lines are inserted over them. As a consequence, a set of boundary and interior lines are created and attached to the surfaces to mark their edges.

6.5.17 Ply

Menu: Files->Import->Ply...


With this option it is possible to read files with format Ply. Generally, it saves ploygons.

The variable ImportTolerance (see [Preferences -pag. 81-](#)) controls the creation of new points when the file is read.

6.5.18 VTK Voxels

Menu: Files->Import->VTK Voxels...

GiD can import a mesh from a file with VTK structured data point format (<http://www.vtk.org/pdf/file-formats.pdf>). This format represent a scalar field over a rectilinear 3D grid.



In the "VTK voxels read" dialog box we can specify the isosurface value for the boundary of the body we want to extract from the volume. Besides we can choose among 3 different methods:

- Marching cube: the well known method for isosurface extraction is applied and the result is a triangle mesh on the boundary of the body.
- Orthogonal Hexahedra: an orthogonal mesh of cubes is extracted from the volume selecting all the voxels within the body bounded by the isosurface value.
- Uniform Hexahedra: an uniform mesh of hexahedra fitted to the boundary is generated applying a dual
- Isosurface Stuffing: the patterns of isosurface stuffing are applied on the cartesian grid defined in VTK file to obtain a volume mesh.

6.5.19 XYZ nodes

Menu: Files->Import->XYZ nodes...

With this option it is possible to read a set of mesh nodes. This format is ASCII and consists in the coordinates of the nodes separated by spaces.

Note: If only 2 coordinates are specified, $z=0$ is assumed.

If 'Automatic collapse after import' was set, after the import near points will be joined, The variable ImportTolerance (see [Preferences -pag. 81-](#)) controls the joining distance.

6.5.20 Batch file

Menu: Files->Import->Batch file...

Sometimes, you may wish to organise a number of commands into a group outside GiD, ready to be implemented in one go. To do so, commands can be written in a file and GiD will read this file and execute the commands. These commands are the same ones as are used in GiD when entered in the command line or using the commands in the Right buttons menu.

Example: Many points have been digitalized and their coordinates saved in a file. These points are to be joined with straight lines to create the outline of the geometry. To do so, the file would look similar to

this:

```
geometry create line
  3.7 4.5 8
  2 5 9
  4,5,6
  ...
  1 7 0.0
escape
```

A batch file can also be loaded into GiD by giving its name with the option **-b** when opening GiD (see [INVOKING GiD -pag. 13-](#)). Another way to read batch files to create dynamic presentations is with the Read batch window (see [Read batch window -pag. 101-](#)). One GiD session can be registered in a batch file. This can be useful for checking the batch commands or to repeat one session (see [Preferences -pag. 81-](#)).

BATCH FILE COMMANDS

There are some special commands to be added to a batch file that are treated differently from regular GiD commands. Their format is one or several words after the control string ********* (five asterisks) and everything in one line.

- **Write a log file**

```
*****OUTPUTFILENAME filename
```

filename is substituted with a real file name where all the session warnings (those which appear in the GiD messages warning line) are written. This can be useful when running GiD in batch mode with the option **-n** (see [INVOKING GiD -pag. 13-](#)) and GiD output is desired.

- **Execute a Tcl command in a batch file**

```
*****TCL tcl_command
```

Note: If this command is used in a batch file and GiD is invoked with the option **-n**, it will not work. So that Tcl commands are executed when GiD is run without a window, you should use the **-n2** option (see [INVOKING GiD -pag. 13-](#)).

- **Insert comments in the code of a batch file**

```
geometry create line 1,2
*****COMMENTS -this is a comment-
2,3 escape
```

- **Print messages in the lower GiD messages line**

```
geometry create line 1,2
*****PRINT -This is a message that will appear in the messages line-
2,3 escape
```

- **Print messages in a window**

```
geometry create line 1,2
```

```
*****PRINT1 -This is a message that will appear in a new window-
```

```
2,3 escape
```

6.5.21 Insert GiD geometry

Menu: Files->Import->Insert GiD geometry...

This command lets you insert one previously created GiD model inside another one. Entities from the old and the new model are not collapsed.

You can perform one Collapse operation (see [Collapse -pag. 77-](#)) to join the old and new models.

6.6 Export

GiD lets you export geometrical models or meshes in the following formats.

6.6.1 IGES

Menu: Files->Export->IGES...

GiD can export the geometry in IGES format (version 5.3).

If the preference 'IGES:B-Rep output style' is set (see [Preferences -pag. 81-](#)), then the output file is written in Boundary representation solid model style; otherwise the surfaces are written as separated trimmed surfaces, without topological information, and the volumes are ignored.

The IGES geometric entities generated are:

116 Point

110 Line

102 Composite curve

126 Rational B-spline curve

128 Rational B-spline surface

142 Curve on a parametric surface

144 Trimmed surface

and the topological entities are (B Rep style):

186 Manifold solid B-rep object

502 Vertex

504 Edge

508 Loop

510 Face

514 Shell

6.6.2 DXF

Menu: Files->Export->DXF...

GiD can export the geometry in DXF format (AutoCAD 2002 version). Points and curves are correctly exported, but a surface must be converted into a mesh of triangles, because DXF does not support Trimmed NURBS Surfaces.

6.6.3 ACIS

Menu: Files->Export->ACIS...

GiD can export the geometry in ACIS ASCII format, version 5.0 (files with .sat extension).

6.6.4 Rhinoceros

Menu: Files->Export->Rhinoceros...

With this option it is possible to write Rhinoceros 4.0 CAD files. These files have the .3dm extension.

6.6.5 GiD mesh

Menu: Files->Export->GiD mesh...

With this option a file is written with all of the project's mesh or meshes inside. This file can be read with Import GiD Mesh (see [GiD mesh -pag. 37-](#)).

6.6.6 Text data report

Menu: Files->Export->Text data report...

With this option a file is written containing all the information within the project. It is created in a way that is easily understood when read with an editor. This is useful for checking the information.

Note: This ASCII format is only used to check information. It cannot be read again by GiD. To write ASCII files that can be read again use the option SaveAsciiProj (see [ASCII project -pag. 37-](#)).

6.6.7 ASCII project

Menu: Files->Export->ASCII project...

This option saves a project in the same way as regular Save (see [Save -pag. 32-](#)) but files are written in ASCII. It may be useful for copying projects between incompatible machines. GiD also allows this information to be written in a file (see [Text data report -pag. 43-](#)).

Projects saved in this way may be read with the same open command (see [Open -pag. 31-](#)).

6.6.8 ON layers

Menu: Files->Export->ON layers...

With this option, only the geometrical entities with their layers set to ON will be saved in a new project (see [Layers -pag. 95-](#)).

Note: Lower entities necessary to define the saved entities will be also saved in the new project (e.g. the two extreme points of a line are also saved if the line is saved).

6.6.9 Calculation file

Menu: Files->Export->Calculation file...

If GiD runs the solver module automatically, this command is not necessary. However, it is useful if the solver program has to be run outside GiD, or to check the data input prior to any calculations.

This command writes the data file needed by the solver module.

The format of this file must be defined in a **Template File** (see [Template File](#)). **GiD** uses the template file of the current **Problem Type** to write the data file; so, to run this command, a problem type must be selected.

When testing a new problem type definition, GiD produces messages about errors within the configuration. When the error is corrected, the command can be used again without leaving the example and without having to reassign any conditions or meshing.

6.6.10 Using a .bas template

Menu: Files->Export->Using template .bas

This command does the same thing as Export -> Calculation file (see [Calculation file -pag. 44-](#)), but it uses a .bas file provided by the user, instead of using the template file of the current problem type. This means it is not necessary to select a problem type in order to run this command.

When choosing 'Others...' from the submenu, GiD asks for a .bas file (see [Template File](#)) and, using that file, writes the data file needed by the solver module. There are some .bas codes available in the submenu which write output files in some formats (DXF, NASTRAN, STL, VRML). These example .bas files are located in the Templates directory of the main GiD directory. It is possible to add other .bas files to that directory so they appear in the submenu.

6.7 Preprocess/Postprocess

Menu: Files->Preprocess

Menu: Files->Postprocess

Toolbar:



Toggle Pre/postprocess

This command allows you to move between GiD Preprocess and Postprocess.

6.8 Print to file

Menu: Files->Print to file...

Toolbar:



Take a snapshot


This option asks you for a file name and saves an image in the required format. The properties of the image (resolution, size, etc.) can be assigned in Page/image setup (see [Page/Image setup -pag. 39-](#)).

The accepted formats are as follows:

- Postscript screen: Postscript. Useful for sending to a postscript printer. It is a snapshot of the screen.
- Postscript vectorial: Postscript. Useful for sending to a postscript printer. It gives a higher quality result, but can only be used for small models. Otherwise, very large files are created and it takes a long time to print them.
- EPS screen: Encapsulated postscript. Useful for inserting into documents.
- EPS vectorial: Encapsulated postscript. Useful for inserting into documents. It gives a higher quality result than EPS screen, but the resulting file is much bigger.
- BMP: Windows Bitmap image file.
- GIF: Graphics Interchange Format image file.
- JPEG: Joint Photographic Experts Group image file.
- PNG: Portable Network Graphics image file.
- TGA: Truevision TarGA image file.
- TIFF: Tagged Image File Format.
- VRML: Writes a VRML model file with the current visualization.

6.9 Page/Image setup

Menu: Files->Page/image setup...



Page/Image setup

This is the window where some print properties (page size, borders, etc.) and image properties (image resolution and Auto crop image option) can be set up. These settings are applied when sending an image to a printer (see [Print -pag. 40-](#)), or to a file (see [Print to file -pag. 45-](#)).

Note: it's possible to create images with more resolution as the screen, e.g. interesting in order to print a poster.

6.10 Print

Menu: Files->Print...

Toolbar:



Sends the current image to the selected printer.

6.11 Recent projects/post files

Menu: Files->Recent files

You can quickly gain access to files opened recently with GiD.

- **Recent Post Files:** a list of the most recent files read in PostProcess is shown, so the user can select them quicker. The number of files can be adjusted here [General -pag. 82-](#).
- **Recent Projects:** a list of the most recent GiD projects are shown. The number of projects can be adjusted here [General -pag. 82-](#).

6.12 Quit

Menu: Files->Quit

Mouse menu: Quit

Toolbar:



The Quit command is used to finish the working session. If there have been changes since the session was last saved, GiD asks you to save them.

7 VIEW

Visualization commands change the way information is displayed in the graphical window. They have no effect on the definition of the geometry or any other data.

Generally, they can be used within any other command without leaving it. When the visualization process finishes, the first command continues.

They can all be accessed from the View pull-down menu, and most of them also by clicking the right mouse button.

7.1 Zoom

Menu: View->Zoom

Mouse menu: Zoom

Toolbar:



Toolbar:



Toolbar:



Zoom is used to change how large or small objects appear in the window.

- Zoom in: Pick inside the graphical window. A dynamic box is opened. Pick again and the visualization changes to display only the part within the defined box.
- Zoom out: Pick inside the graphical window. A dynamic box is opened. Pick again and the visualization changes so that everything in the graphical window is reduced to the size of the box.
- Zoom dynamic: Left-click on the point that is to be the centre of the zoomed image. Moving the mouse to the right enlarges the image and moving the mouse to the left reduces its size. Left-click once more to finish.
- Zoom previous: GiD goes to the previous saved zoom.
- Zoom next: If Zoom previous has been selected, this option goes back to next view in the list.
- Zoom frame: Choose a visualization size so as to display everything inside the window.
- Zoom points: Enter two points (see [Point definition -pag. 23-](#)), and a visualization size is chosen so as to display these two points inside the window. This option only appears in the Right buttons menu (see [USER INTERFACE -pag. 17-](#)).

Note: Instead of picking twice to begin and end the rectangle, hold down the left mouse button and move the cursor.

7.2 Rotate

Menu: View->Rotate

Mouse menu: Rotate

Toolbar:



Rotate trackball

There are various ways to rotate the image in order to view it from different angles. This does not affect the geometry.

Note: Instead of picking twice to begin and end the rotation, hold down the left mouse button and move the cursor.

7.2.1 Rotate trackball

With this option you can rotate the image as if using a trackball device. This means that when you left-click on a point and move the mouse, the geometric point tries to follow the mouse pointer. This can be imagined as a ball over the graphical window which is moved with the mouse.

The left mouse button can be pressed several times to engage and disengage the movement. To cancel this function, use escape (see [Escape -pag. 29-](#)).

7.2.2 Rotate screen axes

This option allows a dynamic rotation about the screen axes. Screen axes are defined as:

- X-axis: The horizontal axis.
- Y-axis: The vertical axis.
- Z-axis: The axis at a right angle to the screen.

When entering this command, Z-axis is set by default and moving the mouse to the left or to the right will rotate the geometry around this axis. Clicking the left mouse button changes the axis. To cancel this function, use escape (see [Escape -pag. 29-](#)).

Can be changed the axis about which the image is rotated by entering the letters x, y or z in the command line.

To move the geometry by a fixed angle, enter the number of degrees, positive or negative, in the command line.

7.2.3 Rotate object axes

This option allows a dynamic rotation of the object about its own axes. These are displayed in the bottom left-hand corner of the screen.

When entering this command, Z-axis is set by default and moving the mouse to the left or to the right will rotate the geometry around this axis. Clicking the left mouse button changes the axes. To cancel this

function, use escape (see [Escape -pag. 29-](#)).

Can be changed the axis about which the image is rotated by entering the letters x, y or z in the command line.

To move the geometry by a fixed angle, enter the number of degrees, positive or negative, in the command line.

7.2.4 Rotate center

The default center of rotation is defined as a point approximately in the center of the geometry.

If you wish to change this center point, use this command to enter a point (see [Point definition -pag. 23-](#)). This new centre of rotation will be maintained until the next zoom frame (see [Zoom -pag. 49-](#)).

In the **Contextual** mouse menu (the menu which appears when you right-click over the graphical window) the option 'Automatic rotation center' / 'No automatic rotation center' is listed. If this option is active, for each 'Zoom In' / 'Zoom Out' / 'Pan' the point of the geometry or mesh nearest to the center of the screen will be selected as the center of rotation for subsequent rotations. This variable is also present in the **Right buttons** menu under Utilities -> Variables.

If a new Rotation center is selected, this option is deactivated.

7.2.5 Plane XY (Original)

This option changes the view to the original one, i.e. with the screen at a right angle to the Z-axis and with the X-axis lying horizontally and pointing to the right.

7.2.6 Plane XZ

This option changes the view so that the screen is at a right angle to the Y-axis with the X-axis lying horizontally and pointing to the right.

7.2.7 Plane YZ

This option changes the view so that the screen is at a right angle to the X-axis with the Y-axis lying horizontally and pointing to the right.

7.2.8 Isometric

This option changes the view to isometric one, i.e. with the screen at the viewing direction that the angles between the projection of the x, y, and z axes are all the same.

7.2.9 Rotate points

This option only appears in the **Right buttons** menu (see [USER INTERFACE -pag. 17-](#)).

The new position of the geometry after the rotation can be defined as the direction orthogonal to the screen via a pair of points:

- 1 The **target point** , the point you are looking at.
- 2 The **viewpoint** , the point you are looking from.

7.2.10 Rotate angle

This option only appears in the **Right buttons** menu (see [USER INTERFACE -pag. 17-](#)).

The new position of the geometry after the rotation can be defined as the direction orthogonal to the screen via a pair of angles:

- 1 The **angle in the plane XY** starting from the X-axis.
- 2 The **elevation angle** from the XY plane.

As an example, the initial view (at a right angle to the Z-axis and with the X-axis horizontal) can be obtained with:

```
rotate angle 270 90
```

7.3 Pan

Menu: View->Pan

Mouse menu: Pan

Toolbar:



Pan dynamic

- Two points: This command allows the geometry to be moved within the graphical window. To do this, pick two points in the graphical window.
- Dynamic: In this case the object can be moved around following the movements of the mouse.

7.4 Redraw

Menu: View->Redraw

Mouse menu: Redraw

Toolbar:



Redraw

This command redraws the geometrical model or the mesh (depending on the visualization mode, see [Mode -pag. 58-](#)) in the graphical window. For those machines that include overlays, none of the layers that stay underneath is affected, so the redraw is carried out more quickly and the drawings underneath remain untouched.


7.5 Render

Menu: View->Render

Mouse menu: Render

Using this option changes the way the model is viewed. There are three principal options:

- Normal: This is the usual way of viewing the image. You can see both the geometry and mesh including all definition lines.
- Flat lighting: Solid model with flat illumination and lines.
- Smooth lighting: Solid model with smooth illumination (better quality).
- Change light direction: With this option you can change the **VECTOR** of the light direction interactively; this can also be done by entering the **VECTOR** components in the **command line**.
- Customize: You can define your own rendering with its own properties.





Customize render window

You can choose how to visualize each entity, and save these properties in a new Render mode, which will appear in the View -> Render menu or in the mouse menu, next to standard GiD render modes.

- Reflection: visual effect to simulate a mirroring surface. A cubic environment with rectangular images is projected over the model.


The six images can be predefined patterns or user defined (from an image file).



Render meaning:


The rendering of a volume mesh can be distinguished from the rendering of its contour surfaces by the different ways of representing elements (boundary elements in the case of volume, and elements in the case of surfaces):

- Volume mesh render: Boundary faces of volume mesh elements are shown in the color of the layer that the volume belongs to, with thick black borders.




Volume mesh render

- Surface mesh render: Surface elements are represented as usual, in the color of the layer that the surface belongs to



Surface mesh render

- Volume and surface mesh render together: Boundary faces of volume mesh elements are shown as in "Volume mesh render", but the thick borders are colored as the layer that the contour volume surface belongs to. In the picture below, the volume layer is green and the contour volume surface layer color is red.



Volume and surface mesh render together


Note: The rendering of a volume mesh can be viewed with the boundary faces visible as if they were surface elements by using the option View mesh boundary (see [View mesh boundary -pag. 146-](#)).

Note: The quality of visualization is controlled via preferences (see [Preferences -pag. 81-](#)).

7.6 Perspective

Menu: View->Prespective

By default, a model is viewed inside GiD using an orthogonal projection.




Perspective window

With this option it is possible to change to a perspective projection. In this mode, you can choose a distortion factor for the perspective. This can be updated at any time.

7.7 Clip planes

Menu: View->Clip planes...

This window lets you hide the front or back of the view.



Clip planes window

Clip planes is a way to prevent GiD from drawing elements of the geometry or mesh that are either very close to or far from the observer.

By moving the Near plane bar, the geometry that is closer to the viewer is hidden, while moving the Far plane bar hides the geometry that is further from the viewer.

To see the changes as they are performed, select Dynamic update. Selecting Fixed distance leaves a constant distance between both planes.

A new center of rotation can be entered or picked in the graphical window.


The Increase boundaries option adjusts the maximum setting possible for the Far plane and Near plane bars.

Note: All this information is reset when performing a zoom frame. (see [Zoom -pag. 49-](#)).

7.8 Advanced Options

With this window the user is able to enjoy the stereoscopic (or 3D) experience, and to enable shadow drawing of the model.

Be aware that both options can be costly if the model is big.



Stereoscopic and shadow options

Stereoscopic vision

The best experience is achieved with the Perspective view activated, for that purpose the 'Perspective' checkbox has been included in the top right of the window and with the '-->' button the perspective window can be opened.

The different options are:

- **Use stereo:** enable or disable the stereoscopic view.
- **stereo mode:** here with the user can selected how to experience the stereoscopic view by using:

Anaglyph colours: software mode which uses the red and cyan colours to generate the visualization for the left and right eyes respectively. To enjoy this view, the user needs the typical red-cyan glasses, like this one (from wikipedia.org):



Quad buffers: the hardware(OpenGL's quad buffers) is used to generate the views for the left and right eyes. The user will need special hardware to enjoy this option.

- **eye distance:** fixes the distance between left and right eyes to generate the visualizations, which influences the stereo perception. Best results are achieved in the range 0.2 - 0.5.

- **switch eyes:** switches the left-right eye view.
- **eye distance mode:** the eye distance can be specified in absolute mode, i.e. the distance is always the same (in meters) regardless the dimension of the currently visualized model, or scaled with the model. Best results are achieved with 'scaled with the model'.
- **left/right colour mask:** in the anaglyph stereo mode, this option allows the user to specify different colour filters for the left and right eyes by using the red, green, blue or alpha channel of the colour buffer. The default is red for the left eye and cyan (blue + green) for the right eye, but other colour filters are yellow (red + green) and blue (blue) or green (green) and magenta (red + blue).
- **dynamic update:** if on, any change on the window will be shown immediately in the model visualization window.

When the stereoscopic mode is on the following considerations should be done:

- **Animation:** if the selected stereo mode is quad buffers, then the left and right eye frames are stored together in a double width frame in the animation file which can be viewed with special viewers. Only avi files are supported. In the anaglyph mode, the animation is saved as it is viewed on the graphical window.
- **Colour of Layers and Contour Fill:** if the selected stereo mode is anaglyphs some colour artefacts will occur: red tones are only viewed from one eye and blue tones from the other one. Specific Contour fill colours scales has been added for anaglyphs stereo mode, the user may check Options --> Contour Fill --> Colour scale --> 3D anaglyph. It is also recommended, in this mode, to avoid pure reds, blue and greens as colours for layers or sets.

Shadows

Herewith the user is able to control several shadow options. To be able to see the shadows, an hardware accelerated OpenGL 1.5 or upwards is needed, and best results are achieved with a good graphic card. OpenGL 2.0 or the *framebuffer object* extensions is need to get a '**finer silhouette**'. GiD uses the shadow mapping technique to visualize the shadows of the model allowing self-shadows.

- **Use shadow:** enables or disables the shadows visualization.
- **shadow color:** this option controls if the shadows should be black or shoule be drawn with and dimmable ambient light.
- **shadow bias:** this advanced options allows the user to adjust the offset between the oclusor and the shadow. The default value is -0.002.
- **finer silhoutte:** this advanced option allows the user to control the granularity of the shadow, i.e., the resolution of the texture to be used to create the shadow. By default, i.e. deactivated, the same graphical window is used to created the shadow texture. An accelerated OpenGL 2.0, or the *framebuffer object* extension is needed for this option to be used. If checked, the options are
 - **medium:** which uses a texture of 1024 x 1024 pixels to create the shadow map, using 4 MB of memory,
 - **high:** which uses a texture of 2048 x 2048 pixels to create the shadow map, using 16 MB of memory,
 - **very high:** which uses a texture of 4096 x 4096 pixels to create the shadow map, using 64 MB of memory,
 - **highest:** which uses a texture of 8192 x 8192 pixels to create the shadow map, using 256 MB of memory.

7.9 Label

Menu: View->Label

Mouse menu: Label

With this option you can choose whether or not the entities should have their labels displayed. As suggested below, there are three options: show all entities with labels, show no entities with labels, or show some with and some without. The options are:

- All/All in: All entities in the graphical window will have their labels displayed.
- Select->Points, lines, surfaces or volumes: To select some entities of a particular type, choose the desired entity type, then select entities in the usual way

(see [Entity selection -pag. 27-](#)).

- Off: No entity has its label displayed.

There is a graphical preference (see [Graphical -pag. 83-](#)) to show the entity label, its layer name or both

7.10 Entities

With this option, it is possible to choose just some of the points, lines, surfaces or volumes to be drawn. It is useful for making drawings faster or clearer in some instances.

Note: This option is only available in the **Right buttons** menu (see [USER INTERFACE -pag. 17-](#)).

7.11 Normals

Menu: View->Normals->Lines

Menu: View->Normals->Surfaces

With this command GiD draws the direction of lines and the normal of surfaces.

- Normals -> Lines: draws the direction of the selected lines. If the line lies on the plane $z=0$, GiD also displays the normal of the line in 2D.
- Normals -> Surfaces: draws the normals of the selected surfaces. There are two ways of viewing surface normals: Normal (as an array) or Colored (the front and back faces of the surface are colored differently). Any surfaces belonging to the plane $z=0$ will, by default, have their normals oriented towards z positive. In this case, they are defined as anti-clockwise surfaces in 2D.

Viewing commands (zoom, rotation, etc.) can be applied and the normals will remain on the screen.

It is possible to swap the direction of lines or surfaces using the Swap normals command (see [Swap normals -pag. 115-](#)).

7.12 Higher entities

Menu: View->Higher entities

With this option, it is possible to color-code geometrical entities according to their Higher Entity number.

The Higher Entity number is the number of other entities that a given entity belongs to.

If mesh mode is set, you can view the higher entities of mesh nodes.

7.13 Curvature

Menu: View->Curvature

Definition of the surface curvature at a point:

For two-dimensional surfaces embedded in R^3 , consider the intersection of the surface with a plane containing the normal vector at a point and another arbitrary vector tangent to the surface. This intersection is a plane curve and has a curvature. This is the Normal curvature. The maximum and minimum values of the normal curvature at a point are called the principal curvatures, k_1 and k_2 , and the extremal directions are called principal directions.

It is possible to draw some typical surface curvatures:

- Mean curvature: is equal to the mean of the two principal curvatures k_1 and k_2 . Mean curvature is closely related to the first variation of surface area, in particular a minimal surface like a soap film has mean curvature zero and soap bubble has constant mean curvature.
- Gaussian curvature: is equal to the product of the principal curvatures, k_1k_2 . Is positive for spheres, negative for one-sheet hyperboloids and zero for planes. It determines whether a surface is locally convex (when it is positive) or locally saddle (when it is negative).
- Maximum curvature: The greatest principal curvature k_1
- Minimum curvature: The second principal curvature k_2

Also the principal curvature directions can be shown as unitary vectors.

7.14 View entry

View can be read and saved from this menu.

The default extension for these files is '.vv'.

7.14.1 Save/Read View

Menu: View->View->Save...

Menu: View->View->Read...

The first of these two options lets you save the actual view configuration to a file. That configuration can then be loaded at any time using the View -> Read command.

The view file store something like this:

```
BeginZE C:\temp\example.gid\example.vv
  x -541.13 27938.6
  y 11314.9 -11314.9
  z -56207 46237.2
  e 17074
```

```

v 0.381929 -0.247061 -0.199851
r 0.867842
m 0.79804 0.158159 -0.581479 0 -0.535598 0.62838 -0.564157 0 0.276163
0.761659 0.586182 0 0 0 0 1
c 13698.7 -9.09495e-013 4984.91
pd 0
pno 0
pfo 0
pf 4
pv 0
NowUse 0
DrawingType 1
LightVector 90 90 150 0
EndZE C:\temp\example.gid\example.vv

```

The abbreviations stand for:

x - left and right clip planes

y - top and bottom clip planes

z - near and far clip planes

e - margin between view and model box

v - rotation vector

r - rotation factor

m - rotation matrix

c - figure center

pd - perspective distance

pno - perspective near plane

pfo - perspective far planes

pf - perspective factor

pv - perspective view

NowUse - current use: 0=geometry, 1=mesh, post=2, graphs=3

DrawingType - render mode

LightVector - light direction

7.15 Recent View Files

the most recent read and saved views can be accessed from this menu

7.16 Background Image

Menu: View->Background image

GiD allows an image to be used as a background for visualization purposes (the supported image formats are gif, png, jpeg, tiff, bmp, tga and ppm). There are the following options:

- **Fit screen:** an image will be shown in GiD's background window; it will be modified if necessary so that it fills the screen correctly.
- **Real size:** the image will not be deformed; the image is placed in a plane. Three points must be entered: two of them to define the line where the bottom line of the image lies, and a stand-up point, which defines the upper direction of the image.

If a file with the same name as the image, and the appropriated extension exists, it is used to georeference the image

The extension must be:

- tif or tiff --> .tfw
- jpg or jpeg --> .jgw
- png --> .pgw
- gif --> .gfw
- bmp --> .bpw

the content of this ASCII file must be:

Mxx

Myx

Mxy

Myy

Dx

Dy

The image coordinates are calculated as:

$$x' = M_{xx} * x + M_{xy} * y + D_x$$

$$y' = M_{yx} * x + M_{yy} * y + D_y$$

- **Default:** use this option to restore the default background.

7.17 Image to clipboard

Menu: View->Image to clipboard

This option takes the image of the model in the actual view and sends it to the clipboard; it can then be pasted wherever you wish.

7.18 Multiple windows

Menu: View->Multiple windows...

The Multiple windows command lets you have several views of the same project. Different views can be displayed inside the program main window or in supplementary windows.

7.19 Mode

Menu: View->Mode

This command lets you choose the GiD mode you wish to work with (Preprocess or Postprocess), and the different visualization options in each mode:

In Preprocess: This command allows Mesh or Geometry visualization to be set.

Toolbar:

 Toggle geometry-mesh view

The Toggle command changes from one visualization to another. If mesh visualization is selected and no mesh exists, you are asked to generate one.

In Postprocess: This command allows Graphs or Mesh visualization to be set.

Toolbar:

 Toggle pre/postprocess

This command allows you to move between GiD Preprocess and Postprocess.

8 GEOMETRY

All available geometrical operations - generating, manipulating and deleting entities - are included in this chapter.

8.1 View geometry

Menu: Geometry->View geometry

Toolbar:



Toggle geometry-mesh view

This command changes from mesh visualization to geometry visualization.

8.2 Create

This menu is for the generation of all the different possible geometrical entities. Usually, new entities are created inside the current layer (see [Layers -pag. 95-](#)).

8.2.1 Point creation

Menu: Geometry->Create->Point

Individual points are created by entering each point in the usual way (see [Point definition -pag. 23-](#)). The points can then be joined together to form lines.

Caution: It is impossible to create new points joining old ones.

The Number option lets you choose the label that will be assigned to the next point created. If a point with this number already exists, the old line changes its number.

8.2.2 Straight line creation

Menu: Geometry->Create->Straight line

Toolbar:



Create line

To create a straight line, start by entering just two points (see [Point definition -pag. 23-](#)), and then continue entering points in order to create more lines from the first one. Every part of the total line created is an independent line.

It is important to note that when creating lines, new points are also being created (if existing ones are not used).

The Close option joins the first point and the last point created with a straight line and finishes.

The Undo option undoes the creation of the last point (if new) and the last line. It is possible to continue undoing all the way back to the first point.

The Number option lets you choose the label that will be assigned to the next line created. If a line with this number already exists, the old line changes its number.

If Join is chosen, it is maintained for all points until No join is selected.

8.2.3 NURBS line creation

Menu: Geometry->Create->NURBS line

Toolbar:



NURBS are non-uniform rational B-splines. They are a type of curve that can interpolate a set of points. NURBS can also be defined by their control polygon, another set of points that the curve approximates smoothly.

There are two ways of creating a NURBS line using this command, either by entering some interpolated points or entering the points that form the control polygon.

The Undo option undoes the creation of the last point; this can be done all the way back to the first point.

By default, a NURBS will be a cubic polynomial passing through all the points. However, this option can be changed by calling `ByControlPts`, which defines NURBS by their control polygon. This polygon is a set of points where the first and the last points match the first and last points of the curve. The rest of the points do not lie on the curve. It can be assumed that the curve approximates the points of the polygon in a smooth way. In this case, the user chooses the degree of the curve, which will be the degree of the connected polynomials that define the NURBS.

Instead of entering interpolated points, the Fitting option lets you approximate a line using a minimum squared criteria. You also have to select the degree of approximation for this curve.

When defining interpolating curves, you can choose to define the tangents to one or both ends (using the Tangents option). These tangents can be customized, in that they can either be defined by picking their direction on the screen or by considering an existing line as a tangent to the NURBS if it follows a previous curve (the option `ByLine`). The Next option allows only one tangent to be defined.

In this way, it is possible to create a closed NURBS by selecting the initial point as the end one and choosing one of the options 'Tangent', 'Next', or 'ByLine'.

When a NURBS has been created, all the interior points (except the first and last) are not really entity points unless they previously existed.

The Number option lets you choose the label that will be assigned to the next created line. If a line with


this number already exists, its number is changed.

To enter rational weights on the curve, the Edit NURBS line/surface command (see [Edit NURBS line/surface -pag. 73-](#)) can be used.

8.2.4 Parametric line

Menu: Geometry->Create->Parametric line

Tool to create a parametric approximated curve



Parametric line window

The data that must be input are the mathematical formulae of the coordinates $X(t)$, $Y(t)$ and $Z(t)$, where 't' is the parameter of the curve, and its value belongs to the interval $[t_0-t_1]$. The curve is created by approximation and is a NURBS (Non-Uniform Rational B-Spline) which is created with N points. In GiD these kinds of curves are cubic (order 3).

The valid mathematical functions are all Tcl functions:

+ - * / %

abs cosh log sqrt acos double log10 srand asin exp pow tan atan floor rand
tanh atan2 fmod round ceil hypot sin cos int sinh

EXAMPLE


We fill the formula bars with the expression of a conic helix.

That helix starts with radius $R_0=4$ and finishes with radius $R_1=1$, performing $N=3$ turns from $t=0.0$ to $t=1.0$, the height also changes from 0 to $H=5$.

$$x(t) = (R_0 \cdot (1 - t) + R_1) \cdot \sin(N \cdot 2\pi \cdot t)$$

$$y(t) = (R_0 \cdot (1 - t) + R_1) \cdot \cos(N \cdot 2\pi \cdot t)$$

$$z(t) = H \cdot t$$



Example of a conic helix with a unique curve or with points only

8.2.5 Polyline creation

Menu: Geometry->Create->Polyline

Toolbar:



Create Polyline

A polyline is a set of at least two other lines of any type (including polylines themselves). Every line must share one or two of its endpoints with the endpoints of other lines.

There are two possible ways to create a polyline, either by selecting one line and searching the rest until a corner or end is reached, or by selecting several lines (see [Entity selection -pag. 27-](#)). In the case of the latter, the order of selection is not important but all of them must join each other by sharing common points.

Polylines are drawn in green to show the difference between the other lines, which are drawn in blue.

Polylines are widely used when creating 4-sided surfaces (see [4-sided surface creation -pag. 69-](#)) and automatic 4-sided surfaces (see [Automatic 4-sided surface creation -pag. 69-](#)).

When deleting a polyline, all its lines are deleted. When exploding it (see [Polyline -pag. 73-](#)), the polyline will disappear and its individual lines will appear.

It is not possible to create third level polylines: one former polyline can be included inside another, but this is the limit and these two cannot be included within a further polyline.

The Number option lets you choose the label that will be assigned to the next created line. If a line with this number already exists, its number is changed.

8.2.6 Arc creation

Menu: Geometry->Create->Arc

Toolbar:



To create an arc you can either enter three points (By 3 points, see [Point definition -pag. 23-](#)) or enter a radius and the two tangent lines at the arc's ends (Fillet curves).

It is important to note that when creating an arc, new points are also being created (if existing ones are not being used).

An arc that begins and ends at the same point (i.e. where the first and third points are the same) will be created as a circle. An arc will always include the second point that is entered, though this one is only used as a reference and, if it is not an existing point, is automatically erased when the arc is created.

The Undo option undoes the creation of the last point (if it is a new one). It is possible to continue undoing all the way back to the first point.

The Fillet curves option lets you input a radius and select two lines that share one common point. An arc will then be created and the two lines will be modified to be tangent and continuous with this new arc.

To convert one arc to another one with the same center and in the same plane but with a complementary angle, the Swap arc command can be used (see [Swap arc -pag. 73-](#)).

8.2.7 NURBS surface creation

Menu: Geometry->Create->NURBS surface

Toolbar:



NURBS are non-uniform rational B-splines. They are a type of surface that is defined by its control polygon (one set of points that the surface approximates smoothly), one set of knots for the two directions u and v (a non-decreasing list of real numbers between 0 and 1) and, optionally, one set of rational weights.

To draw the isoparametric lines in $u,v=0.5$, check the surface drawing type option in the [Preferences -pag. 81-](#) window.

- By contour: this creates a NURBS according to its contour lines. GiD automatically calculates the interior information of the surface so as to interpolate the boundaries smoothly. To create a NURBS surface, some lines must be selected (see [Entity selection -pag. 27-](#)). The order of selection is not important but all of them must join each other by sharing common points and must form a closed contour. The number of lines must be equal to or greater than one and their shape must be topologically similar to a triangle or a quadrilateral in the space if the algorithm is to work correctly.

This last argument is not necessary if all the lines lie in one plane. In this case, the surface is created as a trimmed one and any problems with the shape are avoided. It is possible to select the boundary lines and the boundary lines of interior holes at the same time, if all the lines belong to a plane.


Note: The No try planar option (found in the **Contextual** mouse menu) avoids the creation of a trimmed NURBS surface when lines are coplanar.

Note: To enter rational weights for the surface, use the Edit NURBS surface command (see [Edit NURBS line/surface -pag. 73-](#)).

- Automatic: this automatically creates all possible surfaces with the number of sides given by the user. Every new surface will be created in the current layer.


Caution: When creating more than one surface in one go, it is possible that some undesired surfaces may also be created. It is necessary to check the surfaces after creation and erase the undesired ones.

- Trimmed: this option lets you select one existing NURBS surface and a set of closed lines that are inside the surface. Some of these lines may already belong to the contour of the existing surface. Some other lines may be created with an intersection with another surface. Another new surface will be created without changing the old one. It is possible to select the boundary lines and the boundary lines of interior holes at the same time, if all the lines belong to the surface:



Creation of a new trimmed surface with a hole

- Untrimmed: this constructs one new surface with the selected surface as its base and with the natural contours of the NURBS surface as its contours. The resulting surface is not trimmed.
- Parallel lines: this lets you create one surface given a set of parallel lines in the space. The new surface will interpolate all the selected lines.
- By points/By line points: these two options are available in the **Contextual** mouse menu after the NURBS surface creation tool is selected. By points creates a NURBS surface from a cloud of points, and By line points creates a NURBS surface from level curves. These two functions are very useful for creating relief and terrains. In the image below there is a NURBS surface created from level curves:



Creation of a untrimmed surface from a collection of curves (by line points)


Note: This surface is an approximation to the selected points/lines, but there is no interpolation.

- Search: this lets you select one line and then creates one surface that contains that line.

8.2.8 Parametric surface

Menu: Geometry->Create->Parametric surface

Tool to create a parametric approximated surface



Parametric surface window

The required input data are the mathematical formulae of the coordinates $X(u,v)$, $Y(u,v)$ and $Z(u,v)$, where 'u' and 'v' are the parameters of the surface, and its value belongs to the intervals set in 'u in' and 'v in' respectively. The surface is created by approximation and is a NURBS (Non-Uniform Rational B-Spline), which is created with 'Number of points U' x 'Number of points V' points. In GiD these kinds of

surfaces are cubic (order 3).

The valid mathematical functions are all Tcl functions:

+ - * / %

abs cosh log sqrt acos double log10 srand asin exp pow tan atan floor rand
tanh atan2 fmod round ceil hypot sin cos int sinh

8.2.9 Contact surface creation

Menu: Geometry->Create->Contact surface

Contact surfaces are defined as being between two lines that are physically in the same place, but which have different line and point entities. From a contact surface, it is possible to generate contact elements, to be used by some calculation algorithms, which define a special contact between these two bodies.

Using contact surface entities is like a meshing specification. In this way, equal meshes will be generated for the two lines, ensuring a one-to-one relationship between nodes.

Choose the Contact surface option from the menu, and then select some lines on both bodies.

Contact elements are, by default, 4-node planar quadrilaterals. However, you can select 2-node lines for all cases (see [Element type -pag. 137-](#)).

The 4-node planar quadrilaterals can be converted to the 8-node or 9-node for the quadratic case.

You can also select no mesh for the contact entity. This makes it possible to have exactly the same mesh for both lines but without any additional element between them.

8.2.10 Surface mesh

Menu: Geometry->Create->Surface mesh

With this option a Surface mesh can be created by selecting triangular or quadrilateral mesh elements (see [Surface mesh -pag. 39-](#)).

8.2.11 Geometry from mesh

Menu: Geometry->Create->Geometry from mesh

This option converts all our mesh model (only surface mesh, triangles and quadrilateral) to a geometry model, obtaining a NURBS surfaces based definition. Creates a group of new layers called "Reconstruction", inside you will see two new layers: the first "All Lines And Points" contains lines and point and the second "Reconstructed Nurbs" the surfaces. If some surface couldn't be reconstructed it will appear a third layer called "SurfMeshes Not Reconstructed" containing the remaining parts converted in Surfmeshes, see more information about [Surf Mesh -pag. 39-](#).

8.2.12 Volume creation

Menu: Geometry->Create->Volume

Toolbar:



A volume is an entity formed by a closed set of surfaces that share the lines between them.

To create a volume, some surfaces must be selected (see [Entity selection -pag. 27-](#)) using the By contour option. The order of selection is not important but all of them must join each other by sharing common lines and they must form a closed contour.

If there is an error and the volume is not created, a window appears with some useful information.

The Search option lets you select one surface and create one of the volumes that contains this surface.

Volumes and their surfaces are automatically orientated so that they are meshed correctly.

An additional feature allows the selection of surfaces that form the outer part of the volume as well as the ones that form the holes at the same time. In this case, GiD automatically recognizes the holes.

The Automatic 6-sided volumes option creates all possible volumes that have 6 sides (contour surfaces). It can be applied several times over the geometry and volumes are not repeated. Every new volume will be created in the current layer.

This can be useful for structured meshing (see [Structured -pag. 130-](#)).

8.2.13 Contact creation

Menu: Geometry->Create->Contact volume

Contact volumes are defined between two surfaces that are physically in the same place but with different surfaces, lines and points. From a contact volume, it is possible to generate contact elements, to be used by some calculation algorithms, which define special contact between two bodies.

Those equivalent surfaces can be in the same location or can be separated by a movement (separated contact volume). The result will be equal meshes, ensuring a one-to-one relationship between nodes.

Choose 'contact volume' from the menu, and then select the surfaces. GiD automatically searches for possible contacts, combining the selected surfaces in pairs.

Contact elements are, by default, 8-node hexahedra or 6-node prisms (depending on the surface mesh). However, you can select 2-node lines for all cases (see [Element type -pag. 137-](#)).

The result elements can be also quadratic.

You can also select no mesh for the contact entity. This makes it possible to have exactly the same mesh for both surfaces but without any additional element between them.

When creating contact volumes, GiD internally checks what surfaces occupy the same location in the

space and creates the contact, therefore there is no need to specify what surfaces have to be in contact. For this reason, several surfaces can be selected at once and GiD performs the contact automatically, indicating the number of contact volumes that have been generated.

One feature of GiD is the option to create 'contact separated volumes' for surfaces that are not physically in contact.

For these separated volumes, GiD internally checks whether a unique solid-rigid movement exists between two surfaces and creates the contact. There is the possibility that multiple solid-rigid movements may exist. In this situation, GiD asks for the point image of a source point to define the movement and, consequently, applies the right contact.

8.2.14 Object

Menu: Geometry->Create->Object


Toolbar:



With this command it is possible to create the following kinds of objects:

- Rectangle
- Polygon
- Circle
- Sphere
- Cylinder
- Cone
- Prism
- Torus

When creating an object, GiD asks for a center and a normal. To enter the coordinates of the center you can click on the screen or select an existing point (see [Point definition -pag. 23-](#)). To enter the normal, GiD displays a window where you can choose one of the three axes or enter the coordinates of a point.



Window to define the direction of the normal to the plane

The **In screen** button in the Enter normal window lets you manually enter the coordinates of the point which defines the normal: you can directly click on the screen or pick an existing point using the **Join** option in the **Contextual** mouse menu.

When using the commands sphere, cylinder, cone, prism or torus, the volume of the object is also created.

8.2.15 Automatic 4-sided surface creation

Note: The 4-sided surface has been substituted by the NURBS surface (see [NURBS surface creation -pag. 69-](#)). This new entity has all the functionality of the old one.

Note: It is still possible, however, to access to this function with the Right buttons menu (see [Tools -pag. 99-](#)).

Inside this option, GiD creates as many 4-sided surfaces as it can find. Every new surface will be created in the current layer.

Caution: When creating more than one surface at a time, some undesired surfaces may also be created. It is necessary to check the surfaces after creation and erase the undesired ones.

8.2.16 4-sided surface creation

Note: The 4-sided surface has been substituted by the NURBS surface (see [NURBS surface creation -pag. 69-](#)). This new entity has all the functionality of the old one.

Note: It is still possible, however, to access to this function with the Right buttons menu (see [Tools -pag. 99-](#)).

A 4-sided surface is an entity formed by a closed set of four lines in the space. Its mathematical definition is a bilinear Coon's surface. The surface is totally defined by the shape of the lines, with no information about the interior. This means that it will sometimes be necessary to use more surfaces to obtain a good shape definition.

To create a 4-sided surface, several lines must be selected (see [Entity selection -pag. 27-](#)). For the creation of a 4-sided surface defined by three lines, it is necessary to divide one of the lines into two pieces (see [Divide -pag. 71-](#)). The order of selection is not important, but all of them must join each other by sharing common points and they must form a closed contour. If it cannot be created, information about the endpoints is displayed in a window.

In order to make one or more lines form parts of a polyline (see [Polyline creation -pag. 68-](#)), select the entire polyline as one of the lines and GiD will automatically select the piece or pieces of the polyline that are required. Using this facility, non-conforming surfaces can be created. This means creating a surface by using the entire line on one side of the polyline, and creating more than one 4-sided surface by using parts of it on the other side.

When selecting more than four lines, GiD will automatically search for all the possible 4-sided surfaces that can be created with these lines. This allows the creation of many surfaces at the same time.

The Automatic button is equivalent to automatic 4-sided surface creation (see [Automatic 4-sided surface](#)

[creation -pag. 75-](#)).

If the surfaces lie on the $z=0$ plane, the orientation of the surfaces will be anti-clockwise in this plane (normal vector points towards z positive). Otherwise, the orientation will be arbitrary. This can be checked with the DrawNormals command (see [Normals -pag. 60-](#)).

The Number option lets you choose the label that will be assigned to the next created surface. If a surface with this number already exists, the old line changes its number.

Caution: When creating more than one surface at a time, some undesired surfaces may also be created. It is necessary to check the surfaces after creation and erase the undesired ones.

8.2.17 Planar surface creation

Note: The planar surface has been substituted by the NURBS surface (see [NURBS surface creation -pag. 69-](#)). The latter automatically detects if boundary lines lie in a plane and creates a planar NURBS.

Note: It is still possible, however, to access this function with the Right buttons menu (see [Tools -pag. 99-](#)).

A planar surface is an entity formed by a closed set of lines, all of them lying on the same plane. These lines must share some common endpoints.

To create a planar surface, some lines must be selected (see [Entity selection -pag. 27-](#)). The order of selection is not important but all of them must join each other by sharing common points and must form a closed contour. If all lines are not in the same plane the surface is not created.

It is possible to add holes to a planar surface. To do so, it is first necessary to create the outside planar surface. After this, press the Hole button and select the created surface. Then select lines that form every hole, one by one. Finish with escape (see [Escape -pag. 29-](#)). It is also possible to define the surface and holes at the same time, by selecting all the curves.

If the surfaces lie on the plane $z=0$, the orientation of the surfaces will be anti-clockwise in this plane (the normal vector points towards z positive). Otherwise, orientation will be arbitrary. This can be checked with the DrawNormals command (see [Normals -pag. 60-](#)).

8.3 Delete

Menu: Geometry->Delete

Toolbar:



The deletion of entities can be done in two ways: at one level (point, line, surface or volume) or erasing all entities at once. A selection is made (see [Entity selection -pag. 27-](#)) in both cases. After pressing escape (see [Escape -pag. 29-](#)), the entities are erased.

To undo the selection of entities, press Clear selection in the **Contextual** menu.

Entities that form the basis of higher entities cannot be erased. For example, if a surface is created over some lines, it is necessary to erase the surface before erasing the lines.

8.4 Edit

These are the GiD editing options for geometrical entities:

- Move point
- Divide lines, polylines or surfaces
- Join lines end points
- Force lines to be tangent
- Swap arc
- Explode or edit polylines
- Edit SurfMesh
- Edit NURBS lines or surfaces
- Convert to NURBS lines or surfaces
- Simplify NURBS lines or surfaces
- Hole NURBS surface
- Collapse or Uncollapse entities or model
- Intersections between entities
- Surface or volume boolean operations

8.4.1 Move point

Menu: Geometry->Edit->Move point

By using this command, an existing point is selected and moved. The new position is entered in the usual way (see [Point definition -pag. 23-](#)). If the new position is an existing point (when using join), GiD will determine the distance between the points and ask if they should be joined. If the answer is yes, both points are converted into one. Any lines or surfaces that include the point in question will be moved accordingly in order that any links are maintained; this may lead to these lines or surfaces being distorted.

8.4.2 Divide

Menu: Geometry->Edit->Divide

The Divide command can be applied either to lines, polylines, surfaces (including trimmed surfaces), and volumes.

- **Polylines:** In the case of polylines, an existing interior point must be chosen. The polyline will be converted into two lines that may or may not be polylines.


Polyline division has the option Angle which allows you to divide the polyline at all the points where the angle between the sub-lines is greater than a given value.

Caution: An interior point must belong to the first level of a polyline (see [Polyline creation -pag. 68-](#)).

In the case of lines and surfaces, once the entity has been selected the division can be done in several

ways:

- **Number of divisions:** The line or surface will be converted into equally spaced pieces. In the case of surfaces it is necessary to give the division direction as u or v.
- **Near point:** With this option one point must be selected near the line or the surface. Points inside the entities can be selected (see [Point in line -pag. 26-](#), or [Point in surface -pag. 26-](#)). The line or the surface will be divided into two entities near that point. In the case of surfaces it is necessary to give the division direction as u or v.
- **Parameter:** One factor is given between 0.0 and 1.0 and the entity will be divided where the parametric variable takes that value. In the case of surfaces it is necessary to give the division direction as u or v.
- **Relative length:** (lines only) One factor is given between 0.0 and 1.0 to divide the line with relative arc length ratio equal to the selected factor. (Same concept as Parameter if the curve was arc length parameterized).
- **Length:** (lines only) The length of the resulting divided lines is given, and GiD divides the line into as many lines as it can. If the length given is bigger than the length of the selected line, no division is made.
- **Split:** (surfaces or volumes) The surface/volume will be divided following the divide lines/surfaces. These lines/surfaces must share points/lines with the to be splitted (Command: Geometry Edit SplitSurf/SplitVolume).



Note: After the division, the old entity disappears and the new entities are created.

8.4.3 Line operations

Menu: Geometry->Edit->Line operations

With this option you can edit groups of lines with respect to their topology and shape.

Join lines end points:

With the command Join lines end points, two lines must be selected. GiD determines the distance between the two closest endpoints, draws both points, and asks for confirmation. If one of the lines is a polyline, interior points are also considered. If accepted, the points are converted into one and the lines are distorted. The new point will then take the place of the first line's point.

(See [Move point -pag. 77-](#) for another method of converting two points to one.)

Caution: The second selected line cannot have higher entities (the second point is moved to the first).

Force to be tangent:

With the command Force to be tangent, two lines (which share at least one point) must be selected. They must be NURBS lines, otherwise they will be rejected. You are asked to enter the maximum angle between lines to accept the operation, and GiD will modify the selected NURBS lines and force them to be tangents at their common point.

8.4.4 Swap arc

Menu: Geometry->Edit->Swap arc

This command lets you select and alter arcs. Lines that are not arcs are rejected. When you confirm the operation, the arc is converted to a new arc with the same center and in the same plane but opposite the old one. The old arc disappears and the angle of the new arc will be complementary to the angle of the old arc.

Caution: Arcs belonging to higher entities cannot be swapped.

8.4.5 Polyline

Menu: Geometry->Edit->Polylines

Explode polyline:

This command lets you select which polylines you wish to explode; lines that are not polylines or have higher entities or conditions are rejected. After confirmation, the polylines are exploded and converted back to their original lines. Polylines then disappear (see [Polyline creation -pag. 68-](#)).

Edit polyline:

The command Edit Polyline allows you to select which polylines you wish to edit; lines that are not polylines are rejected. It is possible to choose several options for the polylines:

- **Use points:** When meshing this polyline, there will be at least one node at every point location that defines the polyline. These will be the endpoints of interior lines.
- **Not use points:** When meshing this polyline, the mesh generator ignores the points and therefore the nodes will be placed anywhere. This is the default option. Nodes will only be put in the position of a point if there is a 4-sided surface over a part of a polyline (see [Automatic 4-sided surface creation -pag. 75-](#)).
- **Only points:** When meshing this polyline, the nodes will only be placed where the geometry points are.

Note: If one condition is assigned to one interior point of a polyline (see [Conditions -pag. 122-](#)), one node of the mesh will be placed over that point.

8.4.6 SurfMesh

Menu: Geometry->Edit->SurfMesh

Select one or several surface meshes (see [Surface mesh -pag. 39-](#)). The options are:


- **Draw mesh:** Surface will be drawn as a mesh.
- **No draw mesh:** Surface will be drawn as a regular surface with magenta lines close to the boundary lines.

8.4.7 Edit NURBS line/surface

Menu: Geometry->Edit->Edit NURBS

Edit NURBS line:

Tool to modify some NURBS geometric properties, like control points, degree, etc.



Edit NURBS line window

Once a NURBS line is selected (use the **Pick** button in the Edit NURBS Line window), you can edit its control points (see [NURBS line creation -pag. 66-](#)). Select the control points as if they were regular points and enter their new positions in the usual way (see [Point definition -pag. 23-](#)).


The Influence factor affects the movement propagation of the neighboring control points.

Available options:

- **Fix boundary** Check the fix boundary option if you do not want to move the boundary control points of the line.
- **Insert knot:** You are asked for a knot value between 0.0 and 1.0 and this is then inserted. The program checks that the knot multiplicity is not greater than the order (order=degree+1). As the number of knots increases, the number of control points also increases, so this option can be used to have more points defining the same curve.
- **Knot removal** : the inverse of knot insertion. Remove knots if possible without change shape with a given tolerance. (interesting to save memory)
- **Elevate degree:** With this option the degree of the curve is raised by one. The new curve will have the same shape but with more control points and knots.
- **Reduce degree** : the inverse of degree elevation. Decrease the polynomial degree if possible without change shape with a given tolerance.
- **Change weight:** A new positive weight can be introduced for any control point, with the exception of the end points.
- **Cancel weights:** All weights of the NURBS are converted to 1.0 and the curve is no longer rational.

- **Reparameterize:** With the same control points a new curve is calculated to get a better curve with a more uniform parameterization.
- **Similar cubic:** This option converts the curve to a simplified one with degree=3, which is only an approximation of the original one.

Edit NURBS surface:




Edit NURBS surface window

Once a NURBS surface is selected (use the **Pick** button of the Edit NURBS Surface window), you can edit its control points interactively (see [NURBS surface creation -pag. 69-](#)). Select the control points as if they were regular points and enter their new positions in the usual way (see [Point definition -pag. 23-](#)).

Available options:

- **Insert knot:** You are asked for a knot value between 0.0 and 1.0 and it is then inserted. The program checks that the knot multiplicity is not greater than the order. This option can be used to have more points defining the same surface.
- **knot removal:** the inverse of knot insertion. Remove knots if possible without change shape with a given tolerance. (interesting to save memory)
- **Elevate degree:** With this option the degree of the surface is raised by one. The new surface will have the same shape but with more control points and knots.
- **Reduce degree :** the inverse of degree elevation. Decrease the polynomial degree if possible without change shape with a given tolerance.
- **Change Weight:** A new positive weight can be introduced for any control point, with the exception of the end points that must have weight=1 (to force the surface to pass over the corner control points).
- **Cancel weights:** This converts the weights of all the control points to 1.0
- **Reparameterize:** This reparameterizes the surface obtaining an optimized surface. When a Nurbs surface is not well parameterized, the mesh is of a lower quality.
- **Similar cubic:** This option converts the surface to a simplified one with degree=3 in both parametric directions, which is only an approximation of the original one.

All these options are available in U and V directions.



Control polygon of a NURBS surface

The **Movement type** menu of the Edit NURBS Surface window determines the way the selected knots will move. This movement can be along an axis (X-Axis, Y-Axis, Z-Axis), can describe the Normal of the surface (Normal), can follow the screen movement of the mouse (Screen), or the new location of the knot can be defined by introducing the coordinates of a point (Point).

Note: The Insert knot and Degree elevate options can be chosen for either the u or the v parameter directions.

8.4.8 Convert to NURBS line/surface

Menu: Geometry->Edit->Convert to NURBS

This option converts the selected lines or surfaces to NURBS lines or NURBS surfaces.

Note: Some algorithms only work with NURBS entities.

8.4.9 Simplify NURBS line/surface

Menu: Geometry->Edit->Simplify NURBS

This option converts the selected NURBS lines or surfaces to other ones very similar to the originals but with a less complicated definition. It can be useful when importing data where a control polygon is too complex for GiD to display or mesh quickly.

The Model option performs the operation over all the geometrical entities in the model.

8.4.10 Hole NURBS surface

Menu: Geometry->Edit->Hole NURBS surface

With this option you can select one existing NURBS surface and a set of closed lines that are inside it and that form a hole. The lines may be created by an intersection with another surface. The hole will be added to the existing surface.

8.4.11 Hole Volume

It is possible to add holes to a volume.

To do so, start by creating the interior volumes as independent volumes. After this, click the Hole button and select the outside volume. Then, select the interior volumes that form every hole, one by one. Finish with escape (see [Escape -pag. 29-](#)).

It is possible to specify 'NoDeleteHoles' to not delete the volumes used to create the holes (or 'DeleteHoles' to delete them)

8.4.12 Collapse

Menu: Geometry->Edit->Collapse

The Collapse function converts coincident entities, i.e. entities that are very close to each other, into one.

The ImportTolerance variable (see [Preferences -pag. 81-](#)) determines which entities will be collapsed. Where the distance between two points is less than the tolerance, they will be converted to one. With lines and surfaces, the maximum distance between both entities is calculated and if it is less than ImportTolerance, they are converted to one.

Select the type of entities - point, line, surface or volume - when in **geometry** mode. All the lower entities that belong to the selected entities will automatically be computed. On pressing escape, the collapse operation will be performed.

The Model option performs the operation over all the geometrical entities in the model.

8.4.13 Uncollapse

Menu: Geometry->Edit->Uncollapse

The Uncollapse function lets you select lines, surfaces or volumes and duplicate all common lower entities.

Typically, if two surfaces share one line as an edge, after applying this function to both surfaces, that line and its shared points will be duplicated and every line will belong to a different surface.

This feature is interesting, for example, if you want to disconnect joined bodies or generate a non-conformal mesh with fewer elements than a conformal one.

8.4.14 Intersection

Menu: Geometry->Edit->Intersection

Using this option, the intersection of many geometrical entities can be performed.

8.4.14.1 Intersection: Lines

This option lets you select several lines for which GiD then tries to find as many intersection points as possible. Lines are divided where applicable.

The 'No Divide Lines' option creates an intersection point but does not modify the lines.

8.4.14.2 Intersection: Surface-2 points

You need to select one surface and two points that lie approximately over it. GiD calculates the line intersection between the surface and a plane defined by the two given points and the average normal to the surface of these points.

Note: Planar surfaces cannot be used with this option.

Note: See [Point in line -pag. 26-](#), [Point in surface -pag. 26-](#) which can be used to define the points.

8.4.14.3 Intersection: Surface-lines

You need to select one NURBS surface and several lines. GiD then calculates the intersection between the surface and the lines. Lines will be divided at the intersection point.

The 'No Divide Lines' option creates the intersection point but does not modify the lines.

The Extend/Divide lines option extends the lines until they reach the surface.

8.4.14.4 Intersection: Surfaces

This command creates the intersection lines between several surfaces.

The 'No Divide Lines' option creates the intersection point but does not split the contour lines.

By default the surfaces are divided, unless the No divide surface option is selected.

8.4.15 Surface boolean operations

Menu: Geometry->Edit->Surface boolean op.

You need to select two 2D surfaces located in the XY plane (order is important when dealing with subtraction).

The valid surface boolean operations are:

- Union: Fuses two surfaces wherever they intersect to create a single, more complex volume.
- Intersection: Creates a surface based on the intersecting points of two separate volumes.
- Subtraction: Negates a specific portion of a surface to create a hole or indentation.

8.4.16 Volume boolean operations

Menu: Geometry->Edit->Volume boolean op.

The GiD Volume Boolean Modeler has been designed to accomplish geometric feats such as physically punching a hole through a volume, combining several volumes into one, and creating a new volume from the intersecting part of several separate volumes.

The valid volume boolean operations are:

- Union: Fuses several volumes wherever they intersect to create a single, more complex volume.
- Intersection: Creates a volume based on the intersecting points of several separate volumes.
- Subtraction: Negates a specific portion of a volume to create a hole or indentation.


First the volume where to subtract must be selected, then the volumes to be subtracted (order is important when dealing with subtraction).

9 UTILITIES

Within Utilities you can find commands that apply to the geometry and/or the mesh, as well as other functions that apply to the whole project.

9.1 Undo

Menu: Utilities->Undo...



Undo window

With this command you can undo any previous commands executed since the the project was last saved or read. To do this, select from the list of operations in the window so that they are highlighted red, and click undo.

9.2 Preferences

Menu: Utilities->Preferences...

Toolbar:



Note: There are many settings in GiD that have a predefined value, but that can be modified by the user. They can be accessed in one of two ways. Firstly, by opening the Preferences window from the Utilities pull-down menu, and secondly via the Variables command in the Utilities section of the **Right buttons** menu (the latter is also available in the **Contextual** mouse menu). Almost all the preferences variables are present in the Preferences window, but some advanced ones are only available in Variables command.

In the following section the different options available in the Preferences window are shown and their different settings explained.


Usually **variables** are graphically set through the preferences window, but some unusual variables must be set from the lower command line, with this command:

```
Mescape Utilities Variables <varname> <varvalue>
```

if <varname> is not specified then the mouse contextual menu (see [Mouse operations -pag. 21-](#)) will show the list of available variables.

9.2.1 General

The first group of **Preferences** are general options, and are used to set the different ways of working with GiD.



General preferences

- Language: This option sets the language GiD is working in. By now GiD messages are fully translated into English, Spanish, Russian and French. RamTranslator is used to deal with message catalogues for GiD and the translation of problem types (to see more information about RamTranslator visit

<http://www.gidhome.com>).


- Splash window: If this option is set, when the program is opened again a welcome window is displayed. Variable: SplashWindow. Values: 1,0. Default is 1 (Yes).
- Create new point: Alters the way in which the points are entered in GiD (see [Point definition -pag. 23-](#)). Options are:
 - Always: If trying to create a new point in the vicinity of an existing one, the new point is always created.
 - Ask: If trying to create a new point in the vicinity of an existing one, GiD asks whether to make use of the existing point or create a new one.
 - Never: Only allows existing points to be selected. You can also change this when in point creation mode by setting No join until all points are entered.

Variable: CreateAlwaysNewPoint. Respective values: 1,0,-2. Default is 0 (Ask).

- Display coordinates: If set, GiD shows the coordinates in the graphical window. Variable: DisplayCoordinates. Values: 1,0. Default is 1 (Yes).
- Automatic redraw: If this option is not set, redraws caused by window expositions or internal functions are not performed. This avoids spending a lot of time redrawing when working with large models. Variable: AutomaticRedraw. Values: 1,0. Default is 1 (Yes).
- Popup messages: If beginner is selected then user will receive more popup messages than for a Normal one.
- Reload last model: If set, when GiD is opened it reloads the last model that was saved. Variable: ReloadLastModel. Values: 1,0. Default is 0 (No).
- Play sound: If this option is set, a sound is played to indicate a task has finished. Variable: Sound. Values: 1,0. Default is 0 (No).
- Shrink windows when selecting: If this option is set, some windows are resized when selecting, in order to facilitate the selection. Variable: SmallWinSelecting. Values: 1,0. Default is 0 (No).
- Num of recent projects: number of items to be showed in the recent projects menu (Files menu).
- Num of recent post files: number of items to be showed in the recent post files menu (Files menu).
- Num of recent view files: number of items to be showed in the recent view files menu (View menu).
- Backup time: If this option is set and a model name is given, the model is saved automatically with the frequency given (in minutes). **Note:** The mesh is not saved in automatic backup to save time. Variable: BackupMinutes. Default is 20 minutes.
- Write batchfile: If this option is set and a filename is given, all commands used during the current session are saved to this file. It can be executed later by means of a script file with the predefined commands to be run in GiD (see [Batch file -pag. 40-](#)). Variable: BatchFileToWrite.
- Write rotations in batch: If this option is set and the batch file name is given, all dynamic rotations and movements are stored there as well. In this way you can see these movements when reading this batch file with 'Read batch window'. Variable: WriteRotationsInBatch. Values: 1,0. Default is 0 (No).

9.2.2 Graphical

The second group of **preferences** are graphical options, and are used to set different ways of visualizing the model. They do not change the geometry or the model information.



Graphical preferences

- Fast visualization mode/Safe visualization mode: the generic OpenGL by software driver can solve graphical problems, but it is recommended to try to use the hardware acceleration if it is possible (because it is faster than the software option)
- Selection lines by software(emulateFrontBuffer): if there are problems drawing lines check this box.
- Smoothed Elements: If this option is set, when rendering a mesh (see [Render -pag. 53-](#)) the intersection between elements with a small angle between their normals will be illuminated as if it were a continuous solid. If it is not set, illumination is made considering every element as planar. Variable: LightSmoothedElems. Values: 1,0. Default is 1 (Yes). The angle (in degrees) is the maximum angle between the normals of two elements to allow smooth lighting between them. If the angle is greater than this, one edge is drawn between them. Variable: CosSmoothedElems. Saved as the cosine of this angle. Default is 0.8.
- Surface drawing type: Lets you choose how to draw the surfaces when in wire frame (normal) mode.

Options are:

- None: Surfaces are not drawn.
- Boundary lines: One magenta line is drawn for every contour line. This set of lines has a small offset towards the interior of the surface.
- Isoparametric lines: Two yellow lines are drawn for every NURBS surface, one for $u=0.5$ and one for $v=0.5$.
- Both: Draws both Boundary lines and Isoparametric lines.

Variable: DrawSurfaceMode. Default is 1 (Boundary lines).

- Draw quadratic elements: With this option you can specify how to visualize quadratic elements.

Options are:

- No: If this option is set, quadratic elements are drawn as if they were linear.
- As lines: If this option is set, elements are drawn taking into account all quadratic nodes, but edges are drawn using straight lines between nodes.
- As curves: If this option is set, elements are drawn taking into account all quadratic nodes, and edges are represented using quadratic curves. This option is more realistic, but it may make some visualization aspects slower when dealing with large models.

- Entity labels show: to show identifier number, the layer name of the entity or both of them.

- Change color:



It is possible to change the default color of several visual items in GiD. One possibility is to change the background color of the GiD graphical window. Variable: BackgroundColor. Value: hexadecimal RGB char. Default is (255,255,255) (white). Other possibilities include the color of the entities in normal mode (no render). These are also accessible through the Variables menu.

- GUI attenuated: Set the GUI appearance to standard or attenuated color. The change is updated after restarting GiD.
- Two colors background: to set a two colors degradation for the background.
- Curve precision: This option determines the precision with which curves are drawn. The internal definition of curves does not change. Selecting the Dynamic option allows this setting to be changed while drawing a curve in order to test the level of precision. Variable: CurvePrecision. Values: 1.0 to 0.0 from best to worst. Default is 1.0.
- Surface precision: This option determines the precision with which surfaces are drawn in render mode. The internal definition of surfaces does not change. Variable: SurfacePrecision. Values: 1.0 to 0.0 from best to worst. Default is 0.6
- Automatic rotation center: If this option is active, each time 'Zoom In' / 'Zoom Out' / 'Pan' is used, the point of the geometry or mesh nearest to the center of the screen will be taken as the center of rotation for subsequent rotations. Variable: AutomaticRotationCenter. Values: 0,1. Default is 1 (yes). This is also available by right-clicking the mouse, under Rotation -> Center. If a new Rotation center is selected (see [Rotate center -pag. 51-](#)), then this option is deactivated.
- Fast rotation: This allows fast rotation of the object. Variable: FastRotation. Value: 0,1. Default is 0 (No).

If this option is set various further options are available, though these only apply when rotating.


- Points, lines, surfaces, volumes: This determines whether the entities will be drawn when rotating. Variables: the same. Values: 0,1. Default is 0 (No).
- Always Geometry: With this option set, when you view and rotate the mesh, the geometry is

drawn instead. Variable: UseAlwaysGeom. Values: 0,1. Default is 0 (No).

- Draw graphic objects: If this option is not set, when rotating the geometry, some graphical and temporal objects like normals or materials or conditions symbols are not drawn. Variable: DrawGraphicObjects. Values: 0,1. Default is 1 (Yes).
- Curve precision: This is the same as the general item Curve precision, but only applies when rotating. Variable: CurvePrecision. Values: 1.0 to 0.0 from best to worst. Default is 0.8

9.2.3 Meshing

The third group of **preferences** are meshing options.



Preferences window

- Quadratic type: This property sets the quadratic type of the elements generated. It is applied to the mesh of the whole model. User can choose between three options:
 - Linear: linear elements are made.
 - Quadratic: the elements will be quadratic, with a node in the middle of each edge:

Linear: 3 nodes.

Triangle: 6 nodes.

Quadrilateral: 8 nodes.

Tetrahedra: 10 nodes.

Hexahedra: 20 nodes.

Prisms: 15 nodes.

- Quadratic9: option is similar to Quadratic, but will generate 9-noded quadrilaterals and 27-noded hexahedra (an extra node in the middle of the element).

The different conectivities can be seen at [Element type -pag. 137-](#).

- Unstructured mesher:

GiD can use three kinds of surface mesher.


- Rfast meshes are the most efficient in speed and reliability. With deformed surfaces they can give distorted elements.
- Rsurf meshes are generated directly in the space. Quality is better but it is slower and can fail for distorted surfaces.
- Rjump meshes are generated directly in the space, and contact lines between surfaces which are almost tangent (less than 10 degrees between tangent vectors) are skipped when meshing. Contact points between almost tangent lines (less than 10 degrees between tangent vectors) are skipped too. With this surface mesher, you can generate meshes with fewer elements than other meshers because it is less dependent on the dimensions of geometrical surfaces. However, it is slower and can fail for distorted surface patches.

If any entity has Skip or NoSkip Mesh Criteria (see [Mesh criteria -pag. 140-](#)), the surfaces involved are meshed with the Rjump mesher, even if another mesher is set in this window. These mesh generators are based on the advancing front generation mesh technique in order to improve speed and portability. Variable: SurfaceMesher. Values: 0 (Rfast), 1 (Rsurf) and 4 (Rjump). Default is 0 (Rfast). **Note:** GiD can try another mesher internally when one of them fails to generate the mesh for one surface.


GiD can use two kinds of volume mesher:

- Advancing front: The unstructured volume mesher is based on the advancing front technique.
- Delaunay: The unstructured volume mesher is based on the Delaunay algorithm. It isn't constrained.
- Isosurface Stuffing: The unstructured volume mesher applies the patterns of isosurface stuffing on a modified cartesian mesh of the model.
- Automatic correct sizes: This preference lets GiD make an automatic mesh size correction when meshing begins. If None is set, no size correction is made; if Normal is set, a size correction is made according to the sizes of geometrical entities and the compatibility between meshing sizes of neighboring entities; if Hard is set, the Normal correction is made and, furthermore, an automatic chordal error criteria is applied to assign sizes to surfaces which are the contours of some volume, so as to improve volume meshes. Variable: AutomaticCorrectSizes. Values: 0 (None), 1 (Normal) and 2 (Hard). Default is 1 (Normal).
- Unstructured size transitions: This controls whether the transitions between different element sizes are slow or fast. Variable: SizeTransitionsFactor. Values: 1.0 to 0.0 from slower to faster transition. Default is 0.6.
- Regular transition near boundary: This preference is to control the transition of sizes pattern. If this preference is set, the transitions size follows in a more paralel way the elements in the oundary of the mesh; otherwise, if the preference is not set, the size transition is more uniform along the mesh. The following picture shows an example of this two ways of size transitions. Variable:

BoundaryWeightedTransition. Values: 0,1. Default is 1.



Example of size transition if 'Regular transition near boundary' is set.



Example of size transition if 'Regular transition near boundary' is not set.

- Allow automatic structured: If this preference is set, functions like Assign sizes by Chordal Error will define some surfaces as structured with highly distorted elements over them. Variable: AllowAutomaticStructured. Values: 0,1. Default is 0 (No).
- Symmetrical structured triangles: If this preference is set, structured triangle meshes will be topologically symmetrical. Variable: SymmetricalStructuredTriangles. Values: 0,1. Default is 1 (Yes).
- Symmetrical structured tetrahedra: If this preference is set, structured tetrahedron meshes will be topologically symmetrical. Variable: SymmetricalStructuredTetrahedra. Values: 0,1. Default is 1 (Yes).
- Boundary layer mesh: These preferences control the boundary layer mesh properties.
 - Stretching function: this variable set the stretching function which controls the height of each layer of boundary layer mesh. Options are the next ones, where 'h_i' is the height at level 'i' and 'r' is the grow factor:
 - Function 1 (Geometric): This function is the geometric progression, and its expression is: $h_i = h_0 * (r^0 + r^1 + r^2 + \dots + r^{i-1})$
 - Function 2 (Exponential): This function the exponential progression, and its expression is: $h_i = \exp(r * i + \ln(h_0))$.
 - Function 3: This function is represented by: $h_i = h_0 * (1 + i * (1 + r * (1 + r)^i))$. This function typically grows faster than the Geometric one.

Variable: BoundaryLayer(GrowLaw). Values: 0 (Function 1), 1 (Function 2) and 2 (Function 3). Default is 0 (Function 1).

- Grow Factor: This variable controls whether the stretching function grows slower (smaller values) or faster (bigger values). When Function 1 is used, grow factor must be greater than 1.0, and when Function 2 or 3 are used, grow factor must be a positive number. Variable: BoundaryLayer(GrowFactor). Value: positive real number. Default is 2.0.

The red line below these options shows schematically the difference of height of the different layers of boundary layer mesh.

- Boundary layer mesh in separated Layer: if this preference is set, the mesh elements which own to a boundary layer mesh will own to separated layers. The name of these layers will be the same as the Layer name of the geometrical entity where elements are, but with the prefix 'BLM_'. Variable: BoundaryLayer(MeshInSpecificLayer). Values: 0,1. Default is 0.
- Smoothing: You can choose the level of smoothing required to enhance the mesh after the

generation. Options are:

- Normal: only the standard smoothing is performed.
- HighAngle: an additional smoothing with angle criteria is performed.
- HighGeom: an additional smoothing with chordal error criteria is performed.

Variable: HighQualitySmoothing. Values: 0 (Normal), 1 (HighAngle) and 2 (HighGeom). Default is 1 (HighAngle).

- Mesh until End: If this preference is set, the mesh generator will continue until it has completed the operation even if there are surfaces or volumes that cannot be meshed. Variable: MeshUntilEnd. Values: 0,1. Default is 1 (Yes).
- No Mesh Frozen layers: If this preference is set, entities belonging to a frozen layer will not be meshed. Variable: NoMeshFrozenLayers. Values: 0,1. Default is 1 (Yes).
- Chordal error: using this option, user can assign a relative chordal error to the whole model. User can introduce a relative value (which is percentage, so as the surface and line elements in the mesh won't present more chordal error than this percentage of the element size), an absolute value (which is the maximum chordal error (distance) allowed in the model), and the minimum element size of the mesh (taking into account that in some geometries the element size to achieve a certain limit chordal error should be very small; this option allows the user to fix a minimum element size). If both relative and absolute chordal error limit is set, the more restrictive is applied depending on each element.

Variable: ChordalError(ApplyChordalErrorToModel) (values 0,1), ChordalError(RelativeChordalError) (percentage, positive value), ChordalError(MaxChordalError) (positive value: it is a distance) and

ChordalError(MinElemSize) (positive value: it is a distance). Defaults are 0, 0.0, 0.0 and 0.0 (no chordal error criteria applied).

- Sphere mesher:

Algorithm:

1 = Optimization radius: iterative, optimizes distances and positions for minimum porosity.

(ref:Carlos Labra, Eugenio Oñate. High-density sphere packing for discrete element method simulations, [Communications in Numerical Methods in Engineering](#) 2009)

2 = Predefined porosity: iterative with fixed radius .Experimental.

3 = Radius expansion : iterative, corrects positions and increases radius.

4 = Optimization radius fast: it's 'Optimization radius' with less precision. (Experimental)

5 = Explicit: iterative, radius defined with porosity and optimizes positions.(Experimental)

Max. iterations: Maximum number of iterations for the choosed algorithm.

Advanced preferences:

Main:

MaxIterLocal: Number of iterations for filters.

Tolerance: Tolerance of distance function to terminate the process.

MinRadius: minimum radius Factor (Minimum radius = MinRadius*UserRadius(size of element/2)).

MaxRadius: maximum radius Factor (Maximum radius = $\text{MaxRadius} \cdot \text{UserRadius}(\text{size of element}/2)$).

DeltaPosition: perturbation of initial position factor (Maximum perturbation = $\text{DeltaPosition} \cdot \text{UserSize}$).

DeltaRadius: Randomness of initial radius.(Minimum radius = $(1-\text{DeltaRadius}) \cdot \text{UserRadius}$; Maximum radius = $(1+\text{DeltaRadius}) \cdot \text{UserRadius}$).



NOTE: Delta position & Delta radius: define randomness of generations ex: if both of them equals 0, the generation will be structured.



NOTE: Maximum values recommended for Delta position & Delta radius:

2D: delta position: 0.6; delta radius:0.6

3D: delta position: 0.4; delta radius:0.4

Preprocess: initial generation of spheres with porosity.

Porosity: Value of porosity for preprocess.

Postprocess: correction of final positions.Experimental.

Overlaps: checked permits overlapping between spheres. If not checked corrects radius of the sphere.

Filters:

Filter: Number of global iterations before activate sphere size filter.

Search: Number of global iterations before activate the search of new overlappings between spheres.


SearchType: Type of search: (1=SpatialSearch(Tree-based) 2:WeightedDelaunyRemeshing)

ContactFactor: Sphere Neighborhood factor distance(Vecinas si : $\text{Distance}(\text{sphere1}, \text{sphere2}) < \text{ContactFactor} \cdot (\text{sphere1}.\text{Radius} + \text{sphere2}.\text{Radius})$)

NeighborFactor: Penalty factor between overlaped spheres (in optimization algorithm must be 1.0)

FacetFactor: Penalty factor between overlaped sphere wiht a surface (in optimization algorithm must be 1.0).

OverlapFactor: Factor to eliminate sphere with overlaps (delete sphere if maximum Overlap $> \text{OverlapFactor} \cdot \text{Sphere radius}$)




Sphere Filter options

- Mesh always by default: Changes the default meshing criteria. Entities will always be meshed even if they have higher entities. Example: If surfaces are checked when meshing a volume, volume elements and surface elements will be obtained. Variable: ForceMeshEntities. Values: 0 (No entity), 1 (Points), 2 (Lines), 3 (Points and Lines), 4 (Surfaces), 5 (Points and Surfaces), 6 (Lines and Surfaces), 7 (Points, Lines and Surfaces). Default is 0 (No entity).
- Avoid elements with all its nodes in boundary: if this option is set, there won't be any element in the mesh which has all its nodes in the boundary of the geometrical entity. Variable: AvoidElementsInBoundary. Values: 0,1. Default is 0 (No).
- Allow quadrilateral dominant meshes: If this preference is set, unstructured quadrilateral mesh generator is allowed to use some triangles in the quadrilateral mesh to improve elements quality. This option only affect to the mesh of surfaces which do not own to any volume. Variable: AllowQuadTriMeshes. Values: 0, 1. Default is 0 (No).

9.2.4 Exchange

The fourth group of **preferences** are geometry exchange (import and export) options.



Exchange preferences

Import options:

- Automatic Collapse After Import: If this option is set then after reading one IGES file, one global collapse is made. If it is not set, all surfaces and lines will be independent of each other.

Variable: AutoCollapseAfterImport. Default is active (1).

- Automatic Import tolerance: When importing a file or collapsing entities, any points closer together than this distance are considered to be the same (see [IGES -pag. 32-](#)). Lines and surfaces can also be collapsed.

Variable: ImportTolerance. Default is 0.001.

- Collapse
 - Ignoring Layers: Entities are also collapsed if they belong to different layers.
 - Each layer separately: Entities in different layers are not collapsed. (Entities belonging to frozen layers are never considered.)

Variable: CollapseIgnoringLayers. Value: 0 (Each layer separately), 1 (Ignoring Layers). Default is 1 (Ignoring Layers).

- IGES: Curve on surface from 3D: If this option is set, IGES curves on surface entities are created from the direct 3D space definition (recommended); if the option is not set, IGES curves are created from the surface space parameter definition.

Variable: IGESCurveOnSurfaceFrom3D. Value: 0 (space parameter definition), 1 (3D space definition). Default is 1 (3D space definition).

- IGES: Create all in 'layer to use': If this option is set the IGES entities are created in the current layer to use, instead of using the file layers.

Variable: IGESCreateAllInLayerToUse. Value: 0 (IGES entities created in the file layers), 1 (IGES entities created in the current layer to use).

Export options:


- IGES: B-Rep output style: If this option is set, exported IGES volumes are written with Boundary Representation Solid Model style; otherwise its surfaces are written as separated trimmed surfaces without topological information.

Some CADs are not able to read the IGES B-Rep style and then can be interesting to use the alternative style.

Variable: IGESSolidsManifoldBRep. Value: 0 (no B-Rep output style), 1 (B-Rep output style). Default is 1 (B-Rep output style).

9.2.5 Fonts

The fifth group of **preferences** deals with the fonts used inside GiD.




Fonts preferences

- Normal font: This is the font normally used inside GiD.
- Fixed font: This font must have the same spacing for every letter. It is used in places where this property is necessary.
- Big font: Used in some dialog boxes.
- Comments/Legend font: Used for comments and legend.
- Labels/Dimensions font: Used in labels and dimensions.
- Asian font: Used to draw asian characters in graphical window.

9.2.6 Format

The sixth group of **preferences** deals with numerical formats used inside GiD.




Format preferences

- Generic format: This option refers to numerical formats used in other GiD utilities (for example in the coordinates display).
- Results format: This option refers to numerical formats in results (Postprocess).

9.2.7 Grid

The seventh group of **preferences** contains grid options (see [Grid -pag. 27-](#)).



Grid preferences

- Show grid lines: If this option is set, grid lines are shown. Variable: Grid(Show). Value: 0,1. Default is 0 (No show). It's possible to show/hide grid with the grid button that is located on the bottom right part of the main window.
- Show labels: If this option is set, labels of the major lines are showed.

Variable: Grid(DrawLabels). Value: 0,1. Default is 0 (no show labels)

- Activate snap: If this option is set, snap is activated. Variable: Grid(Active). Value: 0,1. Default is 0 (No activate).
- X/Y Spacing: These options determine the spacing between grid lines in the X and Y directions. Variable: Grid(SpacingX) and Grid(SpacingY). Default value is 1.0 in both directions.
- Major line every: This option specifies the number of lines between principal lines in the grid. Variable: Grid(MajorLineEvery). Default value is 5 lines.
- X/Y Extents: These options determine the extension of the grid in the X and Y directions. Variable: Grid(ExtentsX) and Grid(ExtentsY). Default value is 15.0 in X direction and 10.0 in Y direction.
- Draw axis: If this option is set, 2D axes are shown in the grid (X and Y). Variable: Grid(DrawAxis). Value: 0,1. Default is 0 (No axis drawn).
- X/Y Center: These options determine the position of the center of the grid. Variable: Grid(CenterX) and Grid(CenterY). Default value is 0.0 (center is at x=0.0,y=0.0).

9.3 Layers

Menu: Utilities->Layers...


Mouse menu: Layers

Toolbar:



Layers

Layers are a way to split a complex drawing up into separate pieces. The idea is that any entity can belong to one layer or to none (an entity cannot belong to more than one layer). In this way, it is possible to view only some layers and not others. It is also useful for making it easier to select entities in the graphical window.



Layers window



NOTE: with a double click between title bar and icon bar, Layers window will be integrated in the main window. To recuperate the original window do the same.

The commands relating to layers are as follows:


- **Layer To use:** Selects a layer to be used as a default. All the new entities will be created within this layer. All the layers can be selected here. Next to the Layer To use button, there is an arrow facing down. This is a menu which lets you select a point, a line, a surface or a volume; the layer to which that entity belongs will be set as the default layer.
- **On:** Entities belonging to this layer will be drawn and can be selected in the graphical window.
- **Off:** Entities belonging to this layer will not be drawn and cannot be selected in the graphical window.
- **Color:** Changes the color of the layer. This color is used when performing a rendering (see [Render -pag. 53-](#)). The color can also be chosen by clicking on the colored box next to the layer name in the list.

- **Lock/Unlock**



(Freeze/Unfreeze): Entities belonging to this layer will be drawn but cannot be selected in any way. When copying entities (see [Copy -pag. 108-](#)) and sharing old entities, entities belonging to frozen layers are not taken into account and not even a range of numbers (see [Entity selection -pag. 27-](#)) can be selected. The opposite command is Unlock, where the entities belonging to this layer can be selected, copied and shared.

- **Opaque/Transparent**



: Entities belonging to this layer will be rendered (see [Render -pag. 53-](#)) opaque or transparent, the opacity gradient can be set by the color window.

- **Sel...:** In the layer window, there is the option select which allows the selection of several layers. This can be useful when using a large number of layers. After pressing Sel... a new window appears to allow the input of a string of characters that will match the layer's name. In this string, the characters * and ? are wildcards that match any characters or character, respectively, in the layer's name. So, the string select will match select, selection, select-surface and so on.
- **New:** Creates a new layer. If no name is given, the layer will be called "Layer#". The new layer will be used as the default layer until the end of the session or until another layer is selected as the default.
- **Delete:** Deletes a layer. A layer can only be deleted if it has no entities in it.
- **Rename:** Changes the name of a layer.
- **alphabetic:** If this option is set, layers are sorted alphabetically (by name).
- **To back:** Sends entities to the back of its layer. When an entity is "at the back" it is not visible and cannot be selected, moved, copied or deleted. To bring the entities of a layer back "to the front" again, select a layer and choose the Bring to front option from the To back menu. There is another option, Bring All to front, which brings all entities of all layers to the front. If the Opposite option is flagged, entities which are **not** selected will go to the back.
- **Sent To:** Moves entities to a new layer. No new entities are created. They are only moved from one layer to another. When in **geometry** mode and selecting point, line, surface, volume or all, the all option can only be used to select entities in the graphical window and to change all the entities in the dynamic box to a new layer. When in **mesh** mode, it is possible to choose nodes, elements or all.

With the special option Also lower entities, entities that are lower entities of the selected ones can also be sent to a new layer. **Example:** If this flag is set and one surface is selected, its lines and its points are also sent to the layer.

- Set layer to use of an entity: This option permits set layer to use of an entity selecting it.
- Close: Closes the **Layers** window.

Important: Mesh generation does not depend on the state of the layers when the generation is performed (see [Layers -pag. 101-](#)). All layers are meshed and every node and element will be assigned to the layer where the original geometrical entity was. The only exception to this rule is in the case of a frozen layer if the No mesh frozen layers option is selected (see [Preferences -pag. 87--> Meshing](#)).

9.4 GMed


GMed is an acronym for *GiD Medical*. **GMed** is an adaptive and user-friendly graphical user interface for modelling, data input and visualization all types of medical data. **GMed** is focused in the medical image processing in the biomechanical research field to generating meshes from the medical images, to apply in Computational Fluid Dynamics (CFD) or structural mechanics (stress analysis, flow problems, etc.). **GMed** contains several tools for the images treatment using advanced images processing.

Although it's main purpose is medical image processing it is not restricted only to work with images coming from that field provided that the data set be stored in one of the format recognized by GMed.

The image formats recognized by GMed are:

- 3D scalar DICOM Series
- 3D vector DICOM Series
- 4D scalar DICOM Series
- 4D vector DICOM Series
- VTK Structured Points
- VTK Image Data

The architecture of GMed is shown below in the following picture:



GMed is based on **ITK** and **VTK**. **ITK** (<http://www.itk.org/>) is a cross-platform system which provide an extensible suite of software tool for image analysis. **VTK** (<http://www.vtk.org/>) is the leading platform for 3D computer graphics and visualization.

The communication between **GiD** and **GMed** is done through Tcl.

With **GMed** the user can load any of the supported input image data format and visualize it with different techniques implemented in VTK. Besides the data can be processed in order to obtain a geometric representation of the region of interest. This geometric information is imported into **GiD** in an automatic way.

GMed can be downloaded from "Internet Retrieve" or from the website (www.gidhome.com) an installed as plug-in in GiD. It comes in different flavors:

- **GMed Common**: this is the basic module of GMed. It provides the functionalities to read the images, visualization and a few filters.
- **GMed Advanced**: this module add to the Common module a superset of the filters
- **GMed CMR4D**: this module implements a hardcoded filter pipeline specific to the analysis of 4D blood flow within the aorta.
- **GMed CMRScar**: this module implements a hardcoded filter pipeline specific to the analysis of scar formation in the heart muscle.

The license for those modules can be downloaded on demand, and conditions for each license can be

consulted in the website (www.gidhome.com), or contacting gid@cimne.upc.edu.

9.5 Tools

Menu: Utilities->Tools


In this menu there are some options to change the appearance of windows and some tools related to different aspects of GiD.

9.5.1 Toolbars

Menu: Utilities->Tools->Toolbars...

In this menu you can customize GiD toolbars. They can be displayed inside another window, can appear independently in their own dialog box, or can be hidden.

When you select this option, the following window appears:



Toolbars window

Within this window you can choose where on the screen the toolbar is to be displayed - inside, outside, top left, bottom right, etc. - or you can switch it off. The GiD toolbars are:

- **Right buttons:** These are the buttons that usually appear on the right-hand side of the window. They can perform most of the functions available in the program.
- **Command line:** The bar where commands can be written using the keyboard. It usually appears at the bottom of the screen.
- **Up menu:** The pull-down menus located above the graphical window.
- **Geometry & View bar** and **Standard bar:** These are icon toolbars used to perform certain operations. Click the middle or right mouse button over an icon to get help.
- **Macros toolbar:** This is an icon toolbar where default and user macros are placed.

Note: To make the Up menu appear again, the shortcuts Control-U or Control-Shift-u can be used.

9.5.2 Save window configuration

Menu: Utilities->Tools->Save window configuration...

It is possible to save a window configuration to a file. Then, if GiD is opened again with the **-c** option (see [INVOKING GiD -pag. 13-](#)) and the file in question, the windows are opened in the same place and are the same size as before.

9.5.3 Move screen objects


Menu: Utilities->Tools->Move screen objects

This option lets you move screen objects (objects that do not belong to the model) such as axes, comments, legends, etc.

9.5.4 Coordinates window

Menu: Utilities->Tools->Coordinates window...

This option opens a window used to enter points (see [Point definition -pag. 23-](#)). It can be used in any place where it is possible to enter a point.



Coordiante window

To accept one point in this window, click Apply or press the Return key.

The Coordinate system option lets you select between:

- **Cartesian:** Cartesian coordinate system.
- **Cylindrical:** Enter the radius in the XY plane, the anti-clockwise angle in the XY plane from the x axis (theta), and the z coordinate.
- **Spherical:** Enter the radius, the anti-clockwise angle in the XY plane from the x axis (theta), and the angle with the z axis (phi).

The Local axes option lets you choose:

- **Global:** Global axes.
- **Relative center:** Define a center of coordinates. All new points created with this window will be related to this center. In the window where the relative center is entered, you can select a point from the graphical window with the Pick button.
- **Relative last:** The last point entered is the relative center of coordinates.
- **Define new...:** This lets you define a new local axes. Once defined, you can select it.
- **Any local axes:** All local axes defined with this option (see [Local axes -pag. 126-](#)), will be listed here. Points entered will be related to these axes.


Create new point shows the current way of entering points. The Change button opens the preferences window (see [Preferences -pag. 87-](#) -> General) where it can be changed.

The Pick button allows you to select a point from the window which is then inserted in the point fields. From here it can be edited and used.

9.5.5 Read batch window

Menu: Utilities->Tools->Read batch window

A batch file can be read to execute some functions (see [Batch file -pag. 40-](#)) or to create an animated view of these operations. This latter case can be performed with the Read batch window.



Read batch window

Once a file is selected, it is possible to *****pause it at certain points to highlight interesting parts*****, execute it interactively, and make it stop at interesting points. To allow all the movements (rotations and so on) be executed in the same way as originally, the Write rotations in batch: option, must be flagged in the preferences window (see [Preferences -pag. 87-](#) -> General) when creating the batch.

There are several ways to halt the batch while it is running. One of them is to include stops in the show file section with the Mark break button, and selecting Internal stop. These marks can be saved in the

batch file by clicking the Write... button.

The Show info option lets the program write all the usual messages in the GiD messages window.


9.5.6 Comments

Menu: Utilities->Tools->Comments...

Comments can be added to images created with GiD by using this command. Click Apply to display the text on the screen as it will appear when printed - either to a file (see [Print to file -pag. 45-](#)) or otherwise; comments can be changed at any time by clicking the Comments button in the Utilities menu (either pull-down or Right buttons menus).

9.5.7 Animation controls

Menu: Utilities->Tools->Animation controls...



Animation controls

This windows lets you create animations while using GiD. Any of these formats can be selected: MPEG, AVI True Color, AVI 15bpp (reduced number of colors: 32768) and GIF. AVI with MJPEG compression is also supported. After giving a name and a delay time between frames (for 20 frames per second, a delay of $1/20 = 50$ ms. should be entered) the process can be started by clicking on the start button (film roll and arrow icon); the green LED will change to red.

Simply click on the film roll and arrow button to add frame by frame the pictures you want to include in the animation. The **Save redraws** option tells GiD to save every redraw automatically to the animation file, so no user intervention is needed to store frames.

The animation can be finished at any time by clicking the end button (closed film roll icon); the red LED will change to green.


Note: To avoid problems when trying to view an **MPEG** format animation in **Microsoft Windows**, it is

strongly recommended that you use the **Default** menu to select a 'standard' size and click the **Resize** button. The graphical window will change to this 'standard' size. When you have finished the animation, simply select **Default** on the menu and click the **Resize** button and the previous size will be restored.

Note: AVI files with MJPEG compression can be viewed with xanim on Linux and Unix machines, and with DirectX 8.x installed on Microsoft Windows machines.

9.5.8 Animation script

Menu: Utilities->Tools->Animation script...




Animation script window

This window lets you manage and define the movements of the animation. You can choose one of the following movements:

- **zoom/pan:** Define a linear movement from *Start view* to *End view* in a specified *Duration* time.
- **rotation:** Define a rotation of the *Object* or of the *Screen* by entering *Center* point, the three *axes angles* and *Duration* time.
- **render:** Command to change the render state to *Normal*, *Flat* or *Smooth*

9.5.9 Macros

Menu: Utilities->Tools->Macros...



Window for creating and recording macros

Windows 'Macros' allow you to create sequences of commands and give them a name. This group of commands can also be recorded from one execution set inside the program.

It is possible to assign a keyboard shortcut to a given macro.


Note: Macros are considered as a user preference and not related to the active model. So, to transfer a set of macros from one user to another it is necessary to copy the appropriated 'Macros.tcl' file (its location is platform dependent)

9.5.10 Selection window

Menu: Utilities->Tools->Selection window...

Mouse menu: Contextual->Sel window

For those functions where some entities are to be selected (creation of a surface or a volume, copying entities, etc.), it is possible to use the Selection window. The selection window lets you take control of the selection process.



Selection window

Note: The Sel window option is only available in the mouse menu during the selection process.

The Selection window has the following options:

- **Select all:** If this option is chosen all entities are selected. If a filter is selected, it is applied to all entities.
- **From, To:** This option lets you select a range of entities. If a filter is selected, it is only applied to that range of entities. To see the ID numbers of entities, use the Label command (see [Label -pag. 60-](#)).
- **Mode:** There are three selection modes:
 - **Swap** : If you select an entity that is already selected, the entity is deselected, and vice versa.
 - **Add** : In this mode it is impossible to deselect an entity. Only new entities are added to the current selection.
 - **Remove** : In this mode it is impossible to add entities to the selection. This mode is used to remove entities from the current selection.
- **Filter:** If a filter is selected, only the entities that satisfy the filter criteria will be selected. This menu changes depending on what type of entity is being selected:
 - **Points**
 - **Higher entities:** You are asked for a value, and all points with this Higher Entity number are selected (Higher Entity number is the number of lines that a point belongs to).
 - **Label:** Selects all points where a Label is shown or not (On or Off).
 - **Material:** All points with a chosen material assigned are selected.
 - **Condition:** All points with a chosen condition assigned are selected.
 - **Lines**
 - **Higher entities:** You are asked for a value, and all lines with this Higher Entity number are selected (Higher Entity number is the number of surfaces that a line belongs to).
 - **Label:** Selects all lines where a Label is shown or not (On or Off).
 - **Material:** All lines with a chosen material assigned are selected.
 - **Condition:** All lines with a chosen condition assigned are selected.
 - **Min. length:** Selects only the lines whose length is greater than the given length.
 - **Max. length:** Selects only the lines whose length is smaller than the given length.
 - **Entity type:** Selects only the lines which fit the specified type: StLine (Straight Line), Arcline, PolyLine or NurbLine.
 - **Surfaces**
 - **Higher entities:** You are asked for a value, and all surfaces with this Higher Entity number are selected (Higher Entity number is the number of volumes that a surface

belongs to).

- Label: Selects all surfaces where a Label is shown or not (On or Off).
- Material: All surfaces with a chosen material assigned are selected.
- Condition: All surfaces with a chosen condition assigned are selected.
- Entity type: Type of surface.

- **Volumes**

- Label: Selects all volumes where a Label is shown or not (On or Off).
- Material: All volumes with a chosen material assigned are selected.
- Condition: All volumes with a chosen condition assigned are selected.
- Entity type: Type of volume.

- **Nodes**

- Label: Selects all nodes where a Label is shown or not (On or Off).
- Condition: All nodes with a chosen condition assigned are selected.


- **Elements**

- Label: Selects all elements where a Label is shown or not (On or Off).
- Material: All elements with a chosen material assigned are selected.
- Condition: All elements with a chosen condition assigned are selected.
- Min Angle: Selects only the elements with an angle greater than the figure specified in degrees (see [Mesh quality -pag. 146-](#)).
- Max Angle: Selects only the elements with an angle smaller than the figure specified in degrees (see [Mesh quality -pag. 146-](#)).
- Min Edge: Sets the minimum edge length accepted (see [Mesh quality -pag. 146-](#)).
- Max Edge: Sets the maximum edge length accepted (see [Mesh quality -pag. 146-](#)).
- Shape quality: Sets the minimum shape quality accepted (see [Mesh quality -pag. 146-](#)).
- Minimum Jacobian: Sets the minimum jacobian accepted (see [Mesh quality -pag. 146-](#)).
- Entity type: Type of element (see [Element type -pag. 137-](#)).

- Clear: Clears the current selection.

9.5.11 Calculator

Menu: Utilities->Tools->Calculator...




vector calculator

This option opens a scalar and vector calculator. Clicking the help button open a dedicated help section.

It is possible to transfer scalar and vector points and distances between the calculator and the main graphical display.

9.5.12 Report

Menu: Utilities->Tools->Report...



report window

This option creates a report in html format to which figures, comments, titles, etc. can be added. This report can be saved to a file and then reloaded in another GiD session where it can be edited or have more information added to it.

9.5.13 Notes

Menu: Utilities->Tools->Notes...


This is a simple text editor for writing small notes regarding the model. The content is saved in a file named ModelName.txt, with utf-8 encoding.

9.6 Copy

Menu: Utilities->Copy...

Toolbar:

 Copy / Transform




Copy window


Copy is a general function that allows you to select a group of entities and copy them with a movement operation performed, either translation, rotation, mirror, scale or offset.

Select the type of entities to copy. In **geometry** mode choose between point, line, surface and volume; in **mesh** mode choose between nodes and elements. All the lower entities belonging to the selected one will automatically be computed. Next, the type of movement needs to be chosen and its parameters defined. The options are:

- **Rotation:** It is necessary to enter two points in 3D, or one point in 2D. These two points define the axis of rotation and its orientation. In 2D, the axis goes from the defined point towards z positive. Enter the angle of rotation in degrees; it can be positive or negative. The direction is defined by the right hand rule. In 2D, the direction is counter-clockwise.
- **Translation:** Two points are defined. Relative movements can be obtained by defining the first point as 0,0,0 and considering the second point as the translation vector (see [Point definition -pag. 23-](#)).
- **Mirror:** Three points are defined (they cannot be in a line). These points form the mirror plane. In 2D, the mirror line is defined by two points.
- **Scale:** This is defined by a center and a point. Every coordinate of the point is the scale factor for every x,y,z axis. A scale factor greater than one increases the size, while a scale factor less than one decreases the size. It may also be negative, changing the sign of the corresponding coordinates.
- **Offset:** This is defined by one positive or negative scalar magnitude. Each entity will be moved in the direction of its normal, by the magnitude given. In 2D, the normal is considered to lie in the plane $z=0$. This option works either for lines, surfaces or mesh elements.
- **Sweep:** This is an option for copying figures along a line (path line). You can simply copy the figures (and then specify a number of copies) or extrude them. Both methods have basically the same options.




The 'end scale' factor determines how the figure is scaled along the path curve (the scale value starts at 1.0 and varies in a linear way until the 'end scale' value). This scale value must be greater than zero. The extrusion (and the copy) always starts on the start point of the path line. If you select 'twist mode' as on, then the relative position of the figure to copy with respect to the start of the path line is conserved along the line.




Twist mode off and on

In a non-planar curve, there is not only curvature, but also torsion. This may cause some unexpected behaviour, because the figure also has a rotation along the tangent direction of the path:



Natural twist option


Next the 'XY plane' option is used, which makes certain that the initial vector will remain in this plane during extrusion. (In this example, the axis is Z).




The option 'ByDer2' uses the second derivative of the path line as a normal to the plane in which that initial vector has to remain. A rotation along the path line can be forced using the 'Angle' parameter (degrees):



Finally, if the path line is a polyline, then the extrusion will be divided into several parts:



- **Align:** This is an option to move figures from a generic position to the desired one. Set the new location specifying three source points and three destination points: the first point defines the exact destination of the source point; the second point is not necessarily the exact destination, but a point over the destination straight line; the third point is not necessarily the exact destination, but a point over the destination plane



Tool to align parts

Other available options are:

- **Duplicate entities:** If this option is not set and after the copy operation an entity occupies the same position as an existing one that does not belong to a frozen layer, both entities are converted into one.
- **Extrude:** This option can be set to either lines, surfaces or volumes. When a movement is selected, the copy is made and lines connecting the old and new points are created. These lines will either be straight lines or arcs depending on the movement type. If extrude surface is chosen, NURBS surfaces connecting old and new lines will also be created. If Volumes is chosen, the volume contained between old and new surfaces is also created. This option is not allowed when copying volumes.
- **Create contacts:** Creates separated contact volumes (see [Contact creation -pag. 73-](#)) for every copied surface. This option is only available when copying surfaces.
- **Maintain layers:** If this option is not set the new entities created will be placed in the layer to use; otherwise, the new entities are copied to the same layers as their originals.
- **Multiple copies:** By selecting this option and giving the number of repetitions, the selected operation is performed this number of times. This option is not available for mirror.

Note: Entities belonging to a frozen layer (see [Layers -pag. 101-](#)), are not checked when sharing old entities.

9.7 Move


Menu: Utilities->Move...

This command works like Copy but moves the entities instead of copying them. The program automatically checks to see if any of the entities must be copied instead of being moved (for example, if they also belong to other higher level entities) and performs the appropriate operation.

Options like Extrude, Multiple copy and Create contacts are disabled for movements.

9.8 Status

Menu: Utilities->Status...




Project status window

The Status option gives useful information about general project data.

9.9 List

Menu: Utilities->List...



List entities window

The List command gives information about the selected entities. This information is read-only.

If the Mass option is checked, information about physical properties is given: lengths of lines, center of mass, areas of surfaces, volumes of solids. It works for both the geometry and the mesh.

All this information can be sent to the active report (see [Report -pag. 113-](#)) by using the  button.

9.10 Renumber

Menu: Utilities->Renumber

When creating new entities, the label of the new entity will be the lowest number greater than 0 that still does not exist for this entity type. If an entity is deleted, a gap is left in the labels list. This gap will be filled with a new entity, but it is also possible to renumber the geometry, changing the previous entity labels. There are no problems with materials and conditions applied to entities.

In **geometry** mode, the renumbered entities are the geometrical ones.

In **mesh** mode, the renumbered entities are the mesh ones. In this case, renumbering not only fills the gaps in the labels list but also changes the node numbers so as to minimize the difference in node numbers within each element. This can be useful when the calculating module uses band or skyline storage methods.

The nodes renumeration algorithm can be set with the variable 'RenumberMethod' (see [Preferences -pag. 87-](#))

Accepted values are:

-2 : Avoid nodes and elements renumeration, entities numbers are set increasingly when they are

generated.

-1 : Avoid nodes renumeration, nodes numbers are set increasingly when they are generated

0 : Geometrical algorithm, ordered by the distance to some coordinate. It is the default value

1 : Reverse Cuthill-McKee algorithm, similar to the previous one, but following element's connectivities

2 : ordered following the XYZ axes, interesting for special cases with geometry aligned to the axes

Note: When generating a mesh using GiD it is not necessary to use this command because it is automatically applied when generating the mesh.

Note: Negative numbers in this variable are understood as internal checks and tests, so they are not loaded from the model if it's meshing preferences are set.

9.11 Id

Menu: Utilities->Id

This command gives the label and coordinates of an existing or new point. Different options for getting information about an existing point are available in the **Contextual** menu.

9.12 Signal

Menu: Utilities->Signal

With this option you can select one entity (a point, line, surface or volume), and a pair of crossed red lines will signal the center of the entity in the graphical window.

They must be existing entities, except the special case of points or nodes, where they can be existing or defined with any of the usual methods.

The Superpose Lines option (in the **Contextual** menu) is useful when in render mode. Depending whether it is set or not, the crossed red lines will either be in front of the object or partially hidden by the model.

9.13 Swap normals

Menu: Utilities->Swap normals

This command can be applied to lines or surfaces (in geometry mode) or to elements (in mesh mode). A selection is made (see [Entity selection -pag. 27-](#)) and the orientation of the selected entities is inverted.

Viewing commands (zoom, rotation, etc.) can be applied and the normals will remain on the screen.

When this command is applied to surfaces or mesh elements, you can choose one of the following options:

- **Select:** Inverts the direction of the normals of the selected surfaces.
- **Make coherent:** Inverts the normals of all selected surfaces or elements so that all of them have their normal in the same direction as adjacent entities. This direction is arbitrary, but is common to all adjacent entities.

- **Select by normal:** You are prompted to enter a vector and all selected entities' normals are swapped so as to have their normal in the same direction (dot product positive) as the given vector.

Note: With the Color option set (available in the **Contextual** mouse menu), all surfaces or elements are drawn in filled color. Their front side will be drawn in their regular color, and their back face in yellow.

Note: Volumes are correctly oriented by GiD, regardless of their surface orientation.

9.14 Distance


Menu: Utilities->Distance

The Distance command gives the distance between two existing or new points.

9.15 Dimensions

Menu: Utilities->Dimension

With the dimensions option it is possible to add textual information to your model. This information can be moved to a different layer or deleted.



The following options are available:

Menu: Utilities->Dimension->Create

- **Vertex:** Shows the coordinates of a vertex. Click over an existing point and then click where you want the dimension to be written.
- **Distance:** Shows the distance between two points. You have to select two points and then click where you want the dimension to be written.
- **Angle:** Shows the size of an angle in degrees. You have to select three points and then click where you want the dimension to be written.
- **Radius:** Shows the center and radius of an arc. You have to select an existing arc and then click where you want the dimension to be written.

- **Text:** Shows a text string defined by the user. Enter the text and click where you want the text to be written.

Menu: Utilities->Dimension->Delete

Deletes a "dimension". Select the dimension you want to delete and press **ESC**.

Menu: Utilities->Dimension->Edit

Select the dimension you want to edit, change the text, and click **OK**.

Menu: Utilities->Dimension->ShowBox

This option lets you change the appearance of a "dimension"; a "dimension" can be drawn with or without a box. Choose ShowBox **on** or **off**, select a "dimension", and press **ESC**.

9.16 Repair model

Menu: Utilities->Dimension->Repair model

This option checks the coherence of the database information. Only use it if there are problems. When used, a window notifies you of any repaired items and may give some warnings about incorrect entities.

10 DATA

All the data that defines the problem and that is managed in the data menus, depends on the **Problem Type** and will change for every different problem type. The following help will describe the common interfaces to all the possible data.

Data for a problem is defined by the following parameters: conditions (see [Conditions -pag. 122-](#)), materials properties (see [Materials -pag. 123-](#)), units (see [Data units -pag. 125-](#)), problem data (see [Problem data -pag. 125-](#)), and intervals data (see [Interval data -pag. 124-](#)) that define the problem. The conditions and materials have to be assigned to geometrical entities. It is also possible to define new reference systems (see [Local axes -pag. 126-](#)).

The various windows will differ according to the specifications of the problem (thermoelastic, impact, metal-forming, etc.), the different types of elements (2D or 3D, beams, shells, plates, etc.) and also the different requirements and specifications of the particular solver.

All the commands and facilities that are explained in this manual are generally available for the different solvers. However, there may be some commands and facilities that are only available to some of them and therefore some displays may look slightly different from those explained in these pages.

10.1 Problem type

Menu: Data->Problem type

This option lets you choose between all installed **Problem Types**. When selecting a new problem type, all information about materials, conditions and other data parameters that were already selected or defined is lost.

Note: When defining a new problem type which is not already installed, it must be selected by other means. One possibility is to select Problem type -> Load... . Another possibility is to select "data defaults problemtype" in the **Right buttons** menu or enter it in the command line.

A problem type is considered to be installed when it has been copied to the GiD Problem Types directory or to another subdirectory within this.

Note: Instead of copying the problem type to the Problem Types directory, it is also possible to create a Windows shell link (a direct access), or a UNIX link, pointing to the real location. This option is particularly interesting for developers, as it avoids duplicating the code.

10.1.1 Transform problem type

Menu: Data->Problem type->Transform...

This option can be found inside the **Problem Type** menu and is useful for updating a model from an old problem type to a newer one that is similar to the first.

When converting, it tries to maintain all the conditions and materials assigned to the geometry or mesh. Also, it tries to maintain the rest of the data.


It will typically be used when a problem type has been updated and it is necessary to reuse a model defined with the old version.

10.1.2 Internet Retrieve

Menu: Data->Problem type->Internet Retrieve...

With this option it is possible to download new problem types or update existing ones.

Note: You need to be connected to the internet to use this option.



Select a list item and use the **Problem type info** and **Problem type news** buttons to get information about them.

Use the **Retrieve Problem type** button to download the selected problem type. The problem type will be installed inside the Problem Types directory.

10.1.3 Load

Menu: Data->Problem type->Load...

The Load... option allows you to load a previously installed problem type from the current or another directory. This possibility is useful when developing a new problem type which cannot be installed until it is finished, or if the developer does not have permission to write to the Problem Types directory.

10.1.4 Unload

Menu: Data->Problem type->Unload

This option unloads the problem type currently in use.

Sometimes it is easier to work with a model that does not have an associated problem type. It is also useful for sending a model to another user who does not have the problem type in question.


10.1.5 Debugger

Menu: Data->Problem type->Debugger...

This tool is a graphical debugger for the scripting language **Tcl/Tk**.

This debugger has additional capabilities such as:

- Editing the code. It is possible to edit the code inside its own editor and resend the new code without closing the debugged program.
- The Tcl/Tk source code is colored and supports automatic indentation.
- When one source code line stops the debugger, it is possible to view all the variables and expression values, as well as change them.
- It has additional options to measure execution times in the debugged program.



Debugger

It is possible to use Tcl/Tk to enhance a problem type (see [TCL/TK EXTENSION](#)).

Tcl code can be invoked inside GiD from a problem type (.tcl, .bas, .bat or .xml files), from user-defined macros, from a batch file, etc.

More information can be found in this debugger's own help section.

10.2 Conditions

Menu: Data->Conditions

Conditions are all the properties of a problem (except materials) that can be assigned to an entity.

An example would be the boundary forces and displacement constraints in a solid mechanic analysis or initial velocities in a CFD analysis. Information about contact between master-slave nodes can also be considered as conditions.

Caution: Once a mesh has been generated, any changes made to the condition assignments require you to regenerate the mesh in order to transfer these new conditions. If this new generation has not been performed, GiD will warn you when the data for the analysis is being written.

10.2.1 Assign condition

A condition is assigned to geometric entities or layers that have the given field values.

If you are using the AssignCond command in the **Right buttons** menu, the Change option allows you to define the field values. Do not forget to change these values before assigning. Selecting DeleteAll erases all the entities that have this particular condition assigned.

Conditions can be assigned both to the geometry and to the mesh, but it is advisable to assign them to the geometry because in this way the conditions will then be transferred automatically to the mesh. If assigned to the mesh, any re-meshing will cause the conditions to be lost.

The UnAssign command inside AssignCond allows a condition to be unassigned, either from all entities, or just from those that have a specified field value.

Caution: Once a mesh has been generated, any changes made to the condition assignments require the mesh to be regenerated.

Some conditions may have a behaviour that depends on the type of the chosen axes. You can choose whether to use global axes or any of the local axes previously defined with the local axes command (see [Local axes -pag. 126-](#)), or, alternatively, another kind of automatic local axes calculations. In this second case, different axes are created according to the adopted criteria of tangency and orthogonality with the geometry. [Conditions file \(.cnd\)](#)

10.2.2 Draw condition

The DrawAll option draws all the conditions assigned to all the entities. This means that a graphical symbol or condition name will be drawn over every entity that has this condition.

If one particular condition is selected, you can choose Draw for just one field. Draw is like DrawAll, but for one particular condition only. If one field is chosen, the value of this field is written over all the entities that have this condition assigned.

If the condition has any field which refers to the type of axes, the latter can be visualized by means of Draw local axes.

The Draw colors option draws groups of entities with different colors depending on the values assigned to them for this condition.

You can apply all graphical functions (zoom, rotate, ...) and all the condition symbols are maintained in active mode in the graphical window until you select escape or click Finish in the conditions window.

10.2.3 Unassign condition

When using the UnAssign window, you can choose between several possibilities:

- Unassign one condition from some selected entities.
- Unassign one condition from all the entities that may have this assigned.
- Unassign all conditions of a book from all the entities that may have them assigned.
- Unassign all conditions from all the entities that may have them assigned.

When using the command line or the **Right buttons** menu, UnAssign works as the fourth option above, i.e. all conditions. To unassign only one condition, use the DeleteAll command (see [Assign condition -pag. 128-](#)).

10.3 Materials

Menu: Data->Materials

For any problem that needs a definition of materials, there is a database of existing materials that can be assigned to entities. You can also create new materials derived from existing ones and assign them as well.

Caution: Once a mesh has been generated, any changes made to the assigned materials require you to regenerate the mesh or reassign these materials to the mesh directly. If only the material definition is changed (i.e. some field value) then is not necessary to re-mesh again.

10.3.1 Assign material

This option is used for assigning a material to some selected entities.

When working in **geometry** mode, the kind of entity to which you wish to assign a material must be selected, i.e. point, line, surface or volume; when working in **mesh** mode, you select directly the elements to which the material is to be assigned.

Note: A material cannot be applied over nodes; a material only assigned to points will be transferred to 1-node elements if generated, but not to nodes themselves.

If assigning from the command line, the UnAssignMat option erases all the assignments of a particular

material.

Caution: Once a mesh has been generated, any changes made to the assigned materials require you to regenerate the mesh or reassign these materials directly to the mesh.

10.3.2 Draw material

This option draws a color indicating the selected material for all the entities that have it assigned. It is possible to draw just one material type or, alternatively, to draw all materials. To select just some of them use a:b and all material numbers that lie between a and b will be drawn.

10.3.3 Unassign material

When using the UnAssign window, you are presented with several possibilities:

- Unassign one material from some selected entities.
- Unassign one material from all the entities that may have this assigned.
- Unassign all materials from all the entities that may have them assigned.

When using the command line, UnAssign works as the third option here, i.e. all materials. For only one material, use UnAssignMat (see [Assign material -pag. 129-](#)).

10.3.4 New material

When using the NewMaterial command, a new material is created taking an existing one as a base material. Base material means that the new material will have the same fields as the base one. Following this, all the new values for the fields can be entered in the command line.

It is also possible to redefine an existing material.

To create a new material or redefine an old one using the materials window, write a new name or an existing one and change some of the properties. Then click Accept.

10.3.5 Exchange material

It is possible to import and export materials between the model database and an external one. Typically, one centralized database of materials is maintained and every new model gets its properties from there.

Note: If you wish to exchange materials with the problem type database, it is necessary to check that you have permission to read/write in that directory.

10.4 Interval data

Menu: Data->Interval Data

This is the information that is specific to each individual interval (see [Intervals -pag. 125-](#)).

It can be entered with the IntervalData command or in the Interval Data window.

If entered in the window, the data is not accepted until you click the Accept button.

This data can be entered before or after meshing.

10.5 Problem data

Menu: Data->Problem Data

Problem data refers to all the data that is associated generally with the problem. This means that it is not related to a geometrical entity and it does not change for every interval of the analysis.

It can be entered with the ProblemData command in the **Right buttons** menu or in the Problem Data window.

If entered in a window, the data is not accepted until the you click the Accept button.

This data can be entered before or after meshing.

10.6 Data units

Menu: Data->Data units

Data units refer to the units defined in the problem. This option only appears if the problem type loaded has units defined.

You have to declare the length units of the current model and the unit system to be used when writing coordinates and data properties in the calculation file (values will be converted from the current units to the selected system units).

It is possible to set a user-defined unit system, but this feature can be disabled (see [Unit System file \(.uni\)](#)).

10.7 Intervals

Menu: Data->Intervals

Intervals are a way of separating information into several groups; information for every group can also be duplicated, if desired. When a new interval is defined, you can choose whether or not to copy all the new information about conditions assigned to entities.

Therefore, the correct way to work is to define all the conditions first and afterwards create the new intervals.

The options are:

- **New:** You can define as many intervals as you wish using this command. When creating a new one, you can choose whether or not to copy the assigned conditions. To copy them, conditions must already have been assigned (see [Conditions -pag. 128-](#)).
- **Current:** Chooses the current interval to use. Any subsequent conditions or interval data (see [Interval data -pag. 130-](#)) will be considered inside this interval.
- **Delete:** Deletes one existing interval and all its related data.

These groups, or intervals, can be used to change some conditions or information, like the increment factor in an incremental analysis. They can also be useful in order to define load states for the same

geometry.

10.8 Local axes

Menu: Data->Local axes

With this option, GiD lets you define new coordinate reference systems. They can be written not only using cartesian reference systems, but also with reference to Euler angles. All user-defined systems are automatically calculated and can be visualized one by one or all together.

There are several ways to define new local axes:

- 3 Points XZ: Enter three points that corresponds to the origin, the X-direction and the Z-direction. The origin and the last introduced point define the Z-axis, whereas the second point indicates the side of the x-z plane where the point lies.
- X and angle: Enter two points and one angle. The first point is the center, the second point indicates the X-axis and the angle indicates the position of the Y and Z axes. In the graphical window it is possible to set this angle by moving the mouse. It also indicates where the origin of the angle is. The angle can be entered either by clicking the mouse or by entering the exact value in degrees.

When defining local axes, the definition mode is done through three points 3PointsXZ.

Local axes can be used later when creating a point (see [Point creation -pag. 65-](#)) or in some conditions that have a field related to these axes (see [Conditions -pag. 128-](#)).

11 MESH

Generating a mesh is the process by which a finite element mesh is calculated from the geometry definition. This mesh will be used for the FEM analysis at a later stage. Conditions (see [Conditions -pag. 128-](#)) and materials (see [Materials -pag. 129-](#)) assigned to geometric entities will be transferred to the nodes and elements of the new mesh.

What is meshed and how it is meshed is controlled by some default options which can be changed with the commands described later.

The generation does not depend on whether layers are ON or OFF at the moment of generation (see [Layers -pag. 101-](#)), but frozen layers are not meshed if the preference NoMeshFrozenLayer is selected (see [Preferences -pag. 87-](#) -> Meshing). Every node and element will be assigned to the layer in which the original geometrical entity was defined.

The defaults are:

- An entity is meshed if does not belong to a higher level entity.
- A line mesh is made of two-noded elements and a surface mesh is made of non-structured triangular elements. The default for Structured meshes is quadrilateral elements. Unstructured Volume Meshes are composed of non-structured tetrahedral elements, Structured Volume Meshes are composed of hexahedra and Semi-Structured Volume Meshes are composed of prisms.

All these default elements use linear interpolations for the unknown variables.

11.1 Unstructured

Menu: Mesh->Unstructured

Note: Size is given by the average side length (edge) of the corresponding mesh element.

Assign sizes on points, lines, surfaces or volumes:

It is possible to assign different sizes to different entities of the mesh. This means that in the vicinity of these entities, the generated elements will be approximately of that size. All the entities that do not have an assigned size when meshing take the default one. Points do not take any size if none is given.


Assigning the size 0.0 to an entity is the same as setting the default size. The transition between different sizes is controlled by a parameter in preferences (see [Preferences -pag. 87-](#) -> Meshing).

Sizes by chordal error:

Menu: Mesh->Unstructured->By chordal error...

The By chordal error option asks for a chordal error (the maximum distance between the generated element and the real geometry) and also minimum and maximum size limits. GiD assigns the corresponding sizes to all the entities to satisfy this condition. It will only change the current sizes if the new one is smaller than the one defined previously. In structured surfaces, stretching is permitted. This means that if necessary, elements can have very different sizes in the two principal directions.

Note: Entities are assigned a size between the minimum and maximum; however, when generating the mesh, GiD may adapt the size of the elements if necessary, sometimes exceeding the minimum and maximum limits.




Assign sizes by chordal error window

In this window you can view the effect of different chordal error values on the number of elements that will be created over a line. Any line of the geometry can be picked and be used in this window.

Correct sizes:

Menu: Mesh->Unstructured->Correct sizes...

When the Correct sizes option is selected, a window appears. In this window it is possible to enter a minimum and a maximum mesh size.



Correct meshing sizes window

If the By geometry option is activated, sizes are assigned to all the entities depending on the shape of the geometry. This means that smaller surfaces will have smaller elements.

If the Correct incompatible sizes option is activated, some sizes are reduced to ensure that the transitions between sizes in close entities are not too fast.

It will only change the existing sizes if the new size is smaller than that previously defined.

Note: Applying the last two options with default values is the same as setting the Automatic correct sizes preference to Normal in the preferences window (see section Preferences).

Note: When meshing a difficult volume, instead of trying to adjust element sizes and geometry detail, it may be useful to use the By geometry and Correct incompatible sizes options, setting the Maximum meshing size as equal to the default size for meshing, and setting the Minimum meshing size to reflect the details (10 times smaller, for example). Sometimes it is also necessary to assign sizes by cordal error.

Sizes by background mesh:

Menu: Mesh->Unstructured->Background mesh...

With this option it is possible to assign sizes using a background mesh of triangles or tetrahedra. When this option is selected GiD asks for a file; that file must contain the background mesh. The background mesh must cover the whole domain, so it will usually be a previous mesh of the same model. The format of the file containing the background mesh is the following:

First line: BackgroundMesh V 1.0

Description of the mesh. The format of that mesh is described in the **Mesh read** section (see [GiD mesh -pag. 37-](#)).

Desired sizes in the following format:

DesiredSize (Nodes or Elements)

number of size

node/element

...

Background mesh file example:

```
BackgroundMesh V 1.0
```

```
MESH dimension 3 ElemType Triangle Nnode 3
```

```
Coordinates
```

```
1 5.61705 4.81504 0.00000
```

```
...
```

```
51 -5.64191 -1.53335 0.00000
```

```
end coordinates
```

```
Elements
```

```
1 24 16 26
```

```
2 16 10 14
```

```
...
```

```
76 34 31 28
```

```

end elements

DesiredSize Elements
    1 0.20000
    2 0.20000
    . . .
    75 1.50000
    76 1.50000

End DesiredSize

```

Assign entities:

This option is used to assign an unstructured mesh to geometrical entities (lines, surfaces or volumes). Using this option it is not necessary to specify an unstructured size for entities; the default size will be set for them.

CAUTION: Be careful when assigning large sizes to entities close to others where a small size has been given. It may be impossible to obtain a mesh.

CAUTION: When using contact elements (see [Contact surface creation -pag. 72-](#) and [Contact creation -pag. 73-](#)), the same size must be used for contact and duplicate entities.

11.2 Structured


Menu: Mesh->Structured

A structured mesh is defined as a mesh where all the nodes have the same number of elements around them.

The size of the elements is defined in a different way than for a non-structured mesh. In this case, the mesh is not defined by the size but by the number of elements that are required on every line. This number must be the same for all lines that are opposite each other on each surface. When meshing volumes, this definition must be the same for opposite surfaces.

To create a structured mesh, choose Structured -> Volumes/Surfaces/Lines. After selecting escape, the number of elements per line is given. Later, lines can be selected and related lines (when dealing with surfaces or volumes) are added or deleted from the group. This process can be repeated as many times as necessary until all lines have a new value. Lines with no numbering given will have two elements over them. All non-selected lines will also have two elements by default.


In the case of surfaces, structured meshes can be four-sided, three-sided or centered structured.



Four-sided structured surface mesh




Three-sided structured surface mesh




Centered structured surface mesh

By default, the generated elements in four-sided structured meshes are quadrilaterals, but they can be triangles. In this case, triangles can be symmetrical or non-symmetrical (see [Preferences -pag. 87-](#) -> Meshing).




Symmetrical structured triangle mesh




Non-symmetrical structured triangle mesh

Three-sided structured meshes (relating to a three-sided surface) and centered structured meshes can only be meshed with triangles. Centered structured meshes can be centered either at a point on the surface itself, or at a point located on a particular surface boundary; for this, use the `Set center` option. If a center is not set, GiD will locate it automatically.




Centered structured mesh with center inside the surface




Centered structured mesh with center in the surface boundary

When selecting this kind of structured mesh (i.e. centered), the following window appears where you need to enter the number of concentric and perimetral divisions, as well as the two weights to concentrate elements in the center of the structure or in the boundary.




Centered structured meshing window


In the case of volumes, a structured mesh is usually six-sided, but it can also be five-sided.



Six-sided structured volume mesh




Structured volume mesh with a three-sided structured surface mesh at each end




Structured volume mesh with centered structured surface mesh at each end

By default, the generated elements in six-sided structured volume meshes will be hexahedra, but they can be tetrahedra or prisms. In the case of tetrahedra, they can be symmetrical or non-symmetrical (see [Preferences -pag. 87--> Meshing](#)).



Symmetrical structured tetrahedra mesh



Non-symmetrical structured tetrahedra mesh

In the case of a centered structured or a three-sided surface in tops, the default element type is prism, but you can also choose to use tetrahedra.

In the case of a six-sided structured volume mesh, volumes must have six contour surfaces.

It is possible to mix some entities with structured meshes and others with unstructured ones.

To convert a structured entity to a non-structured one, select reset (see [Reset mesh data -pag. 141-](#)) or assign an unstructured mesh to it (see [Unstructured -pag. 133-](#)).

To change the default element type see [Element type -pag. 137-](#).

Note 1: One NURBS surface can be structured with any number of contour lines but it must have a good shape form. This means that it must have four large angles and the other angles must be small (four corners). With this criterion, the shape will be topologically similar to one quadrilateral.



Note 2: When assigning structured divisions to a line or with difficult topology, GiD may need to reassign some number of divisions to make the structured mesh conformal; this will be done automatically. If it is impossible to create compatibility between surfaces, a message is displayed.

Note 3: It is possible to assign a number of structured divisions to the boundary line of a surface or volume, and then create an unstructured mesh for the surface/volume.

11.2.1 Element concentration

Menu: Mesh->Structured->Lines

By default, all partitions in one structured line have the same approximate length. This command lets you select one line, which will be shown in the graphical window with an arrow indicating its direction. You then have to enter a positive or negative weight. If the weight is positive the elements will be concentrated towards the extremities of the line; if negative, the elements will be repelled.



As the magnitude of the weight increases, the difference between element sizes will be greater.

11.3 Semi-Structured

Menu: Mesh->SemiStructured

A semi-structured mesh is a mesh that is structured in only one direction of the volume and is unstructured in the other two directions. For example, in a prismatic volume, the meshing on the sides of the object could be structured, while the meshing on the surfaces at each end could be unstructured. The surfaces on both ends must be topologically equal.

Depending on the element type selected for each surfaces of the volume, the elements will be hexahedra, prisms or tetrahedra.

Note: When assigning divisions in the structured direction, GiD may need to reassign some number of divisions to make the structured mesh conformal with the surrounding ones; this will be done automatically. If it is impossible to create compatibility between surfaces, a message is displayed.

Set Master surface or Structured direction:

The structured direction of the prismatic volume can be set by using this option. If no structured direction is set, GiD will assign it automatically. This option makes sense in the case of volumes with multiple prismatic directions, so you can specify which one you want to use.

With semi-structured volumes (since they are prismatic) two end surfaces can be distinguished. They will have topologically identical meshes, so one of them is obtained from the other. The Master surface is the one that is meshed first, so its mesh will determine the topology of the slave mesh at the opposite end. By selecting Set -> Master surface one top surface can be forced to be the Master one, and the structured direction is then set automatically.

Trick: there is a variable: `AlignSemiStructuredNodes` (see [Preferences -pag. 87-](#)) to force the prismatic nodes to be exactly aligned if possible.


11.4 Cartesian

Menu: Mesh->Cartesian

A cartesian mesh is a mesh where all elements are bricks with equal size, and edges parallel to the XYZ cartesian axes.

The grid nodes can be referenced with integer index i,j,k

This kind of grids are useful for Finite Differences methods.



example: from left to right the original geometry and two cartesian meshes

It's possible to set this kind of meshing to any geometric entity: volumes, surfaces, lines and points.

e.g, for a line entity the cutted voxels will be obtained as hexahedral elements.

The voxel size is set by the general mesh size (equal for X, Y and Z directions)

After generate this kind of mesh, there are available some read only variables, to know some information:

`Cartesian(NGridPoints)` : return the number of points of the grid on each direction x, y, z

Cartesian(BoxSize) : dimensions of the box of the cartesian mesh bounding the model

Cartesian(Corner) : location of the left-down corner of the cartesian box

This GiD level variables can be asked with the Tcl command `GiD_Set`

There are other preference variables that could be set to handle the

Cartesian(FromRenderMesh): value 1 to set that the cartesian mesh is obtained fastly from the render mesh

Cartesian(CondFaceElem) : to set where to transfer the conditions defined over face elements. value 0 to transfer to body elements or 1 to transfer to face elements

11.5 Boundary layer


Menu: Mesh->Boundary layer

A boundary layer mesh is one mesh attached to the boundary, and which has a certain distribution of nodes separated from the boundary following a certain stretching function. The stretching function and the grow factor of the boundary layer meshes of a model can be set in Preferences->[Meshing -pag. 92-](#).

User can define two main properties to the boundary layer meshes of each geometrical entity: First layer height and Number of layers. When selecting the entities which will have boundary layer mesh a window shows a schematic picture, where user can see the distribution of heights of each layer, and the total height of the boundary layer mesh when the assigned properties are set.

Only tetrahedra or triangle elements are generated in the boundary layer mesh, and there is no transition elements for connecting tetras to other kind of elements in the 'isotropic' mesh, so the mesh of the volume or surface which has a boundary layer mesh must be of tetrahedra or triangle.

Boundary layer mesh can only be generated with linear elements (not quadratic ones).



Boundary layer mesh window

11.6 Element type

Menu: Mesh->Element type

With this command, the type of element you wish to use is selected. It is only necessary to do this when the element type is different from the default (see [MESH -pag. 133-](#)).

The types are as follows:

- **Default:** For surfaces and volumes. This option lets GiD assign a compatible element type to geometric entities, assigning the default ones if possible (see [MESH -pag. 133-](#)).
- **Linear:** For lines.
- **Triangle and Quadrilateral:** For surfaces.
- **Tetrahedron, Prism and Hexahedron:** For volumes.
- **Point:** Just for volumes. One node elements are generated.
- **Sphere:** Just for volumes. One node elements with radius are generated
- **Circle:** Just for planar shape surfaces. One node elements with radius and the circle normal are generated
- **Linear and Quadrilateral:** For contact surfaces.
- **Linear, Prism and Hexahedron:** For contact volumes.

Quad dominant meshes can also be generated (which have both quadrilateral and triangle element type in the same surface). To generate this meshes, quadrilateral element type should be set to the

geometrical entity, and the option 'Allow quadrilateral dominant meshes' in [Meshing -pag. 92-](#) preferences should be checked.

By default, the elements are of minimum order: 3-noded triangle, 4-noded quadrilateral and so on. To increase the degree, use the Quadratic command (see [Quadratic](#)). Quadratic applies to all the elements of a problem.


- Point, Sphere: 1 node.

Point connectivity:



- Linear: 2 or 3 nodes.

Line connectivities:






- Triangle: 3 or 6 nodes.

Triangle connectivities:




- Quadrilateral: 4, 8 or 9 nodes.

Quadrilateral connectivities:




- Tetrahedra: 4 or 10 nodes.

Tetrahedron connectivities:




- Hexahedra: 8, 20 or 27 nodes.

Hexahedron
connectivities:




- Prism: 6 , 15 or 18 nodes.

Prism connectivities:



- Pyramid: 5 or 13 nod

Pyramid connectivities:



The Linear option assures not only the meshing of lines, but also the creation of 2-node contact lines between surfaces or volumes if desired.

At contact surfaces, GiD elements are:

- **Linear:** 2 or 3 nodes.
- **Triangle:** 3 or 6 nodes.
- **Quadrilateral:** 4, 8 or 9 nodes.

At contact volumes (and separated contacts), elements are:

- **Linear:** 2 or 3 nodes.
- **Prism:** 6 or 15 nodes.
- **Hexahedron:** 8, 20 or 27 nodes.

To see how to get information from GiD concerning element faces see [Multiple values return commands](#).

To decide which parts of the geometry should be meshed, use the Mesh criteria command (see [Mesh criteria -pag. 140-](#)).

11.7 Mesh criteria

Menu: Mesh->Mesh criteria

GiD provides five different criteria to generate the mesh. The Default option skips meshing the boundaries, that is, lines for surface meshes and surfaces for volume meshes.


The Mesh option lets you choose the entities to be meshed, while the No Mesh option does the opposite.

The Skip option forces GiD to skip a geometrical entity when meshing (so the entity will not have mesh), while the No Skip option forces GiD not to skip the geometrical entity (so the entity will have mesh) when the RJUMP surface mesher is used (see [Preferences -pag. 87--> Meshing](#)).

The Automatic skip option lets GiD decide if the geometrical entity should be skipped or not skipped when the RJUMP surface mesher is used. This decision is taken according to the tangency between entities: those entities that are tangent enough will be skipped when meshing.

Using the Skip by... option user can apply some of the usefull following criteria to select the entities to be skipped, not to be skipped or to be skipped automatically.

- Tangency limit angle: This criteria select the lines between surfaces in which angles between normals in the surfaces are lower than the value.
- Take care layers: If this is set, lines between surfaces which are in different layers won't be selected.
- Take care curvatures: This ratio means the diference between curvatures in the surfaces that share a line. If the ratio between the curvatures exceeds this value, the shared line is not considered to be selected. As an example, if this value is 0.1 (10%), the only lines which will be selected will be the ones in which the two surfaces that share the line have almost the same curvature (only a 10% of difference is accepted). As this number increases, probably more lines will be selected.
- Lines of surfaces smaller than: All the lines of surfaces which have some line smaller than this value will be selected.




Window to assign skip criteria to lines.

- By clicking Select by criteria all the selected criteria are used to select the lines.
- Modify selection allows the user to modify manually the selection made.
- When Apply is clicked the marked option (Skip, No skip or Automatic skip) is applied to the selected lines.

The Force points to option forces the selected points to belong to the surface or volume mesh, even though they do not necessarily belong to the surface or the volume.

Use the Duplicate option when you want to create a discontinuity in the mesh in a particular place by duplicating nodes. This is interesting, for example, when dealing with very thin shapes where it is difficult to represent the domain with two overlapped surfaces, and it is easier to have a single surface marked with this meshing option (like sails embedded in a volume, material cracks, etc.).



It is possible to mark lines embedded in a 2D domain, or surfaces in the case of 3D domains.

11.8 Reset mesh data

Menu: Mesh->Reset mesh data

This command resets all the sizes assigned to entities. This means that all of them will be unassigned.

To unassign only certain entities, assign the size 0.0 (see [Unstructured -pag. 133-](#)) to the entities where the default size is required.

The information about element types, mesh criteria and quadratic parameters is also reset.

11.9 Draw

Menu: Mesh->Draw

This option is used to draw meshing properties in geometrical entities.


11.9.1 Sizes

Menu: Mesh->Draw->Sizes


When sizes are assigned to points, lines, surfaces or volumes using the **Assign Unstruct sizes** option, it is possible to draw the different assigned sizes in different colors.

EXAMPLE

In the following example some different sizes are assigned to surfaces. Sizes of 3, 5 and 6 are assigned depending on the surface.



After choosing the **Draw Sizes** option (over surfaces) we get the following result:

**11.9.2 Num of divisions**

Menu: Mesh->Draw->Num of divisions

With this option you can see the number of divisions assigned to the structured lines of the model (see [Structured -pag. 136-](#)).

11.9.3 Element Type

Menu: Mesh->Draw->Element type

With this option you can see which element types have been assigned to each geometric entity. If no element type has been assigned, it is shown as Default (see [MESH -pag. 133-](#)).

11.9.4 Mesh / No mesh

Menu: Mesh->Draw->Mesh / No mesh

With this option you can see the entities that GiD has either been forced to mesh or forced not to mesh (see [Mesh criteria -pag. 146-](#)). If the meshing criteria have not been assigned to an entity, it is shown as Default (see [MESH -pag. 133-](#)).

11.9.5 Structured Type

Menu: Mesh->Draw->Structured type

With this option you can see what kind of mesh will be generated for geometrical entities, i.e. Unstructured, Structured or Semi-Structured. If no level of structure has been assigned, it is shown as Default (see [MESH -pag. 133-](#)).

11.9.6 Skip entities (Rjump)

Menu: Mesh->Draw->Skip entities (Rjump)

With this option you can see which lines and points will be skipped when meshing using the meshing preferences set at that moment (see [Preferences -pag. 87- -> Meshing](#)), and the lines and points set as Skip or NoSkip mesh criteria (see [Mesh criteria -pag. 146-](#)).

11.9.7 Duplicate

Menu: Mesh->Draw->Duplicate

With this option you can see the entities that have been assigned duplicate mesh ([Mesh criteria -pag. 146-](#)).

11.9.8 Force points to

Menu: Mesh->Draw->Force point to

With this option you can see the number of points forced to be in the mesh of a surface or volume ([Mesh criteria -pag. 146-](#)).

11.9.9 Boundary layer

Menu: Mesh->Draw->Boundary layer

With this option you can see the first layer height of the boundary layers set in the model. In '2 dimensional' option the lines from which the boundary layer will grow are shown, and in '3 dimensional' the surfaces.

In cases where two boundary layer meshes grow from the same geometrical entity (one for each side), the minimum value of the first layer height is shown.

11.10 Generate mesh

Menu: Mesh->Generate mesh...

When everything is ready for mesh generation, select this command. If there is a previously generated mesh, GiD asks if this should be erased. It will be lost from the memory, but will remain on the disk until the project is next saved (see [Save -pag. 32-](#)).

The mesher or mesher combination can be chosen in preferences (see [Preferences -pag. 87-](#)).

Next, GiD asks for a general element size which will be applied to all lines, surfaces and volumes that do not have one previously defined (see [Unstructured -pag. 133-](#)). GiD offers two default possibilities:

- One default size automatically calculated by the program to define a coarse mesh.
- The last size given by the user in a previous meshing.

You can choose one of these or enter a new one.

The size is given by the average side of the corresponding triangle or quadrilateral.

During meshing a progress bar indicates the number of generated surfaces or volumes in relation to the total number of surfaces or volumes.

Meshing can be stopped at any time by clicking the Stop button. Sometimes it is necessary to press the button repeatedly or keep it pressed for a few seconds.

11.11 Erase mesh

Menu: Mesh->Erase mesh...

If the model has a mesh this option erases it.

11.12 Edit mesh

Menu: Mesh->Edit mesh

This option lets you modify a mesh. All modifications will be lost when the mesh is generated again.

11.12.1 Move node

Menu: Mesh->Edit mesh->Move node

By using this command, an existing node is selected and moved. The new position is entered in the usual way (see [Point definition -pag. 23-](#)).

11.12.2 Split Elements

Menu: Mesh->Edit mesh->Split elements

To split elements, select them in the usual way (see [Entity selection -pag. 27-](#)), and then press escape (see [Escape -pag. 29-](#)) to perform the action. Triangles can be split into triangles, quadrilaterals into two or four triangles, tetrahedra into tetrahedra, hexahedra into tetrahedra, and prisms into tetrahedra.

When splitting triangles, the new nodes can be located in the mid-edge or with an enhanced interpolation (modified Butterfly scheme) in order to obtain a smooth mesh.

When splitting quadrilaterals, if 'SymmetricalStructuredTriangles' is set (see [Preferences -pag. 87-](#) -> Meshing), then four triangles are generated for each quadrilateral; otherwise only two triangles are created per element.

When splitting hexahedra, if 'SymmetricalStructuredTetrahedra' is set (see [Preferences -pag. 87-](#) -> Meshing), then 24 tetrahedra are generated for each hexahedron; otherwise six tetrahedra are created per element.

If original elements are quadratic, the triangles or tetrahedra obtained are quadratic. Otherwise, if original elements are linear, the triangles or tetrahedra obtained are linear.

In the case of quadratic quadrilaterals, extra nodes are generated. These nodes are not associated with geometric entities, they have simply been obtained by interpolating mesh node coordinates.

In the case of hexahedra or prisms, all selected elements must be of the same quadratic type.

With triangles or tetrahedra, when selecting only a part of the mesh, neighbor elements will be also splitted to maintain a conformal mesh. For tetrahedra is not possible to split them if they are connected with neighbor elements of another element type (to avoid create non-conformal meshes)

Note: Currently, the operation Split triangles and tetrahedra only works for linear elements.

11.12.3 Smooth Elements

Menu: Mesh->Edit mesh->Smooth elements

To smooth elements, select them in the usual way (see [Entity selection -pag. 27-](#)), and then press escape (see [Escape -pag. 29-](#)) to perform the action.

Currently only triangles, tetrahedra and hexahedra can be smoothed.

In the case of tetrahedra and hexahedra, element connectivity is conserved after the smoothing; however, with triangle elements this may be modified during the smoothing process.

All selected elements must be of the same quadratic type.

11.12.4 Collapse

Menu: Mesh->Edit mesh->Collapse

The Collapse function converts coincident entities, i.e. entities that are close each other, into one.

It is possible to collapse edges, nodes, elements or the whole mesh.

- **Collapse mesh** collapses all the nodes of the mesh.
- **Collapse edges** joins nodes that are connected by edges shorter than the Import Tolerance value.
- **Collapse nodes** asks you to select some nodes. Nodes closer together than the Import Tolerance value are collapsed.
- **Collapse elements** asks you to select some elements. Then, the nodes of these elements that are closer together than the Import Tolerance value are collapsed.

Note: Entities belonging to a frozen layer (see [Layers -pag. 101-](#)) are not checked when collapsing.

11.12.5 Delete nodes/elements

Menu: Mesh->Edit mesh->Delete

To delete elements or nodes, select them in the usual way (see [Entity selection -pag. 27-](#)), and then press escape (see [Escape -pag. 29-](#)) to perform the action.

Nodes that no longer belong to any element after the operation are also erased.

Note: It is possible to filter the selection, e.g. to select only triangles but not quadrilaterals (see [Selection window -pag. 110-](#)).

Note: Only lonely nodes (nodes of the mesh that do not belong to any element) can be deleted.

11.13 Show errors

Menu: Mesh->Show errors...

This option opens the mesh errors window. This window presents a list of the entities that GiD could not mesh, and some information about the problems that occurred during the meshing process. By right-clicking over an item in the list, advice will be displayed about how to solve the meshing problems for each geometrical entity.

11.14 View mesh boundary

Menu: Mesh->View mesh boundary

This option draws the boundaries of the mesh on the screen.

Boundaries for triangular or quadrilateral meshes are line elements.

Boundaries for tetrahedra or brick meshes are triangles or quadrilaterals. This option can be useful when rendering a volume mesh (see [Render -pag. 53-](#)).

11.15 Create boundary mesh

Menu: Mesh->Create boundary mesh

This option creates the boundary mesh of the existing mesh.


The boundary mesh for triangular or quadrilateral meshes is a line element mesh.

The boundary mesh for tetrahedra or brick meshes is a triangular or quadrilateral mesh.

11.16 Mesh quality

Menu: Mesh->Mesh quality

This option opens a window that shows information about the quality of the mesh elements.



Mesh Quality window

There are six criteria used to measure the quality of the elements:

- 11.16.1 Minimum angle:** The quality criterion is the minimum angle in surface elements and the minimum dihedral angle for volume elements. This means that elements with a small angle are considered to be of a worse quality than ones with bigger angles.
- 11.16.2 Maximum angle:** This gives the maximum angle for every element. Elements with bigger angles are considered worse. Typically, the **Minimum angle** criterion is good for qualifying triangles and tetrahedra and the **Maximum angle** criterion is good for quadrilaterals and hexahedra
- 11.16.3 Element vol:** The quality criterion is the size of elements (distance for lines, area for surfaces and volume for volumes). Elements with small "volume" are considered worse.
- 11.16.4 Minimum edge:** The quality criterion is the size of the smaller edge of each element. Elements with smaller edges are considered worse.
- 11.16.5 Maximum edge:** The quality criterion is the size of the largest edge of each element. Elements with bigger edges are considered worse.
- 11.16.6 Shape quality:** The quality criterion measures the likeness of the element to the reference one (an equilateral triangle in the case of triangles, a regular tetrahedron in the case of tetrahedra, a square in the case of quadrilaterals and a cube in the case of hexahedra). Its value is 1 for a perfect element (the reference one), and it decreases as the element becomes worse. If it reaches a negative figure it means that the element has a negative Jacobian at some point. The mathematical expression of this quality measure for each type of element is as follows.

- **Triangles:** The shape quality (q) of triangles is measured as

$$q = \frac{4 \cdot \sqrt{3} \cdot \text{Area}}{\sum_{i=1}^3 l_i^2}$$

where Area is the area of the triangle, and l_i ($i=1..3$) are the lengths of the triangle's edges.

- **Tetrahedra:** The shape quality (q) of tetrahedra is measured as

$$q = \frac{6 \cdot \sqrt{2} \cdot \text{Volume}}{\sum_{i=1}^6 l_i^3}$$

where Volume is the volume of the tetrahedron, and l_i ($i=1..6$) are the lengths of the tetrahedron's edges.

- **Quadrilaterals:** The shape quality (q) of quadrilaterals is measured as the quality of the worst quality node. The quality of a node (q_n) is given by

$$q_n = \frac{2 \cdot \text{Area}_n}{l_1^2 + l_2^2}$$

where l_1 and l_2 are the lengths of concurrent edges of the node, and Area_n is the area of a fictitious parallelogram, made with these two edges.

- **Hexahedra:** The shape quality (q) of hexahedra is measured as the quality of the worst quality node. The quality of a node (q_n) is given by

$$q_n = \frac{\text{Volume}_n}{\left(\frac{(l_1^2 + l_2^2 + l_3^2)^2}{3} - (A_1^2 + A_2^2 + A_3^2) + (\text{Volume}_n)^{4/3} \right)^{3/4}}$$

where $l_1, l_2, l_3, A_1, A_2, A_3$ are the lengths and areas of concurrent edges and faces of the node, and Volume_n is the volume of a fictitious parallelepiped, made with these concurrent faces.

11.16.7 Minimum Jacobian: The quality criterion is the value of the minimum Jacobian between the Jacobians calculated at each element Gauss point. If there are elements with negative Jacobians, problems may be encountered in some calculation processes.

11.16.8 Radius: This option is only available for sphere and circle elements. It represents the radius of the element.

11.16.9 Space Filling: This option is only available for sphere elements. It tries to represent the void space around each sphere.

11.16.10 Num neighbours: This option is only available for sphere elements. It represents the number of neighbours each sphere has.


There are two visualization modes:

11.16.1 Normal: The graph shows the number of elements that have an angle of a certain size.

11.16.2 Accumulated: The graph shows the number of elements which have an angle of a given size or smaller.

In the MeshQuality window, if you double click on a value, the elements below this value are selected in red. These selected elements can be sent to a layer using the Send To Layer button in the Mesh Quality window.

EXAMPLE



In this example we are studying the mesh using the minimum angle criterion. We can see that **1511** elements approximately of our mesh have an angle of less than **43.7** degrees. If we double-click on the graphic, the **1511** elements which have an angle smaller than **43.7** degrees will be selected.

11.17 Mesh options from model

This option load the meshing preferences of the model. This preferences can be also loaded automatically when loading a model if the general preference 'Get meshing preferences from model' is set ([General -pag. 88-](#)).

12 CALCULATE

With this menu, you can initiate and manage the analysis of a problem. hereafter referred to as a "process". You will see in the sections that follow that several analyses, or processes, can be run at the same time.

12.1 Calculate

Menu: Calculate->Calculate

This option begins the process module. Once it is selected, you can continue working with GiD as usual.

12.2 Calculate remote

Menu: Calculate->Calculate remote

This option begins the process module on a remote machine. Once it is selected, you can continue working with GiD as usual.

Note: ProcServer with the same model problem type must be installed and running on the remote machine in order to use this option. (ProcServer is not included with GiD.)

12.3 Cancel process

Menu: Calculate->Cancel process

Selecting a proces that is currently running and clicking this option will halt its execution.

12.4 View process info


Menu: Calculate->Viewprocess info...

Select a process that is currently running and click this option to open a window that shows information relating to the process, such as iterations, convergence, etc. Clicking Close will close the window, but will not halt the process.

12.5 Calculate window


Menu: Calculate->Calculate window...

Selecting this option opens a window in which a list of all the running processes is shown, along with some useful information like name, starting time, etc.



Process window


The buttons in this window let you control some running process features, such as terminating the process (Terminate), starting a remote calculation (Start remote), or setting remote analysis properties (Remote...). These remote analysis properties are shown in the next figure.



Window to customize remote calculation options.

13 HELP

GiD provides a help system based in html format. In the same window you can access the following sections: GiD Help, GiD Customization, FAQs, GiD Tutorials and What's New. These contents can also be accessed directly from Help Menu. The help window provides three ways of accessing a given topic: a) through a table of contents shown as a tree, b) through an indexed list of terms appearing inside the help, and c) through a search engine.



GiD help window

From the Help menu you can also register **GiD** (see [Register GiD -pag. 154-](#)) and **Problem Types** (see [Register Problem types -pag. 155-](#)).

13.1 Help

Menu: Help->Help

This option gives access to the GiD Help.

13.2 Customization help

Menu: Help->Customization help

This option gives access to the Customization part of GiD Help.

13.3 Tutorials

Menu: Help->Tutorials

This option gives access to some Tutorials which help the user how to use GiD.

13.4 What is new

Menu: Help->What is new

This option gives access to a list of the new developments present in each version of GiD.

13.5 FAQ

Menu: Help->FAQ

This option gives access to a list of the Frequently Asked Questions (FAQ) related with GiD.

13.6 Register GiD

Menu: Help->Register...

In order to get the most of GiD, you need to register a password that can be obtained from <http://www.gidhome.com>. From this site you can obtain a permanent or temporary password. The password must be typed in the window shown below.



GiD register window

If you have previously registered your current copy of GiD (official versions only), the password can be reloaded by clicking the  icon and selecting the folder where the old password is.

After registering either a permanent or temporary password you will be able to generate and postprocess an unlimited number of nodes and elements.

13.7 Register Problem types

Menu: Help->Register Problem type...


In the same way that some of GiD's capabilities have restricted access before it is registered, so not all problem types are available without registration. The layout of the Register Problem type window is shown below:



Problem type register window

If a problem type has been registered previously, the password can be reloaded by clicking  and selecting the folder where the old password is.

A problem type does not need to be loaded to be registered. In this case, click the Choose a Problem type bar and a window similar to the one below will appear where you can choose a set of problem types to be registered. If a problem type is currently in use then it is selected by default.



Choose Problem type window

The "Register from file..." menu, will ask the user for a .pwd text filename, that contain one line for each problemtype or GiD to be registered. It's interesting to register several modules, and GiD in a single step.

The contents of a passwordfile.pwd can be something like this:

```
machinename password # yyyy mm dd Password for module
'RamSeries5.4/ramsolid.gid'
machinename password # yyyy mm dd Password for module 'kratos.gid'
machinename password # GiD 8
```

instead 'machinename' and 'password', for floating licences the server IP must be provided

13.7.1 Customizing Problem type registration

GiD provides a default validation when registering a module or problem type. This consists of checking that the password is not empty. If the password is valid, GiD appends a line to the file <problem type>/password.txt similar to this:

```
hostname password # 2008 01 19 Password for Problem type
'/pathroot-to-problem-type/problemtype.gid'
```

This default validation can be overridden, but this involves Tcl programming. For a description of how to provide a custom password validation see [ValidatePassword node](#).

13.8 Register from file

Menu: Help->Register from file

Register GiD and all problem types stored in a *.pwd file.

13.9 Visit GiD web

Menu: Help->Visit GiD web

This command takes you to the GiD homepage (<http://www.gidhome.com>).

13.10 About

Menu: Help->About...


This command gives information about the program such as the version being run, the system or libraries.

14 POSTPROCESS OPTIONS

14.1 Introduction


Menu: Files->Postprocess

Toolbar:



This chapter describes some relevant aspects of the postprocessing step and the way to load results from a numerical analysis into GiD.

In GiD Postprocess you can study the results obtained from a solver program. GiD receives mesh and results information from the solver module, and if the solver module does not create any new mesh, the preprocess mesh is used.



The solver and GiD Postprocess communicate through the transfer of files.

The solver program has to write the results in a file that must have the extension `.post.res`, or the old `.flavia.res`, and its name must be the project name. If the solver writes a mesh, the file must have the extension `.post.msh`, or the old `.flavia.msh`. (see [POSTPROCESS DATA FILES](#)).

The extensions `.msh` and `.res` are also allowed, but only files with the extensions `.post.msh` and `.post.res` (and the old ones `.flavia.msh` and `.flavia.res`) will automatically be read by GiD when postprocessing the GiD project.

There are two ways to postprocess inside GiD:

- **Postprocess inside a GiD project:** Start GiD and open the GiD project (ProjectName.gid) you want to postprocess, and then select the Postprocess option from the files menu or click on the pre/post toolbar button. This way the file `ProjectName.post.res`, or the old `ProjectName.flavia.res`, will automatically be read by GiD, along with the file `ProjectName.post.msh`, or `ProjectName.flavia.msh`, if present.

- **Postprocess other files:** Start GiD and select the Postprocess option directly from the files menu or click on the pre/post toolbar button. Now open the pair files OtherModel.msh and OtherModel.res.

A list of the supported elements and results can be found here: [Postprocess mesh format: ProjectName.post.msh](#)

Once inside the postprocessing component of GiD, all the visualization features and management options of the preprocessing section are available: Zoom, Rotate (Rotate screen/object axes, Rotate trackball, etc.), Pan, Redraw, Render, Label, Clip Planes, Perspective, etc.

Note: There is no need to load a project into GiD to use its postprocessing facility; you can open mesh and results information directly from GiD Postprocess (see [Files menu -pag. 160-](#)).

14.2 Files menu

Menu: Files

Several useful options can be found in the Files menu.

- **New** : Clears all postprocess information present in GiD.
- **Open** : Reads postprocess information in GiD. If, for instance, the postprocess files are 'PostFile.msh' and 'PostFile.res' and a view file is present with the name 'PostFile.vv' then it will be also read.
- **Open multiple** : With this option you can load multiple meshes (pairs of .msh and .res, or .bin files) into GiD. This is useful, for instance, when performing an analysis where some or all steps require re-meshing.


From the file browser window, you can select several pairs Project.post.msh and Project.post.res, in one go by left-clicking one file and then <Shift>-left-clicking another so that all the files in between are highlighted; further files can be added or removed individually with <Ctrl>-left-click. Normal operations, such as animation, displaying results and cuts, can be done over these meshes, and they will be actualized when the selected analysis/step is changed, for example by means of View results -> Default analysis/step (see [Re-meshing and adaptivity](#)).

- **Merge** : Reads mesh and results information from an ASCII or a binary file and adds them to the current ones. If nodes are already present inside GiD, they will be overwritten. No renumeration is done.
- **Import** :
 - NASTRAN mesh: Reads a NASTRAN mesh file.
 - FEMAP: Reads FEMAP Neutral ASCII files and binary files.
 - TECPLOT ASCII: Reads TECPLOT 9.0 ASCII files.
 - 3DStudio file: Reads a mesh in .3ds 3DStudio format.
 - XYZ points: Reads a set of points. Is an ASCII format. Has options to adapt the process of importation to different ASCII files.
 - Cuts: Reads cut planes, cut wires and iso-surface cuts in GiD so that the same cuts and cut-spheres can be used among several postprocess meshes.
 - Graphs: Adds graphs to those that may or may not have already been created inside GiD.
- **Export** :
 - Post information
 - ASCII files: saves meshes, sets and results to ASCII files using the new PostProcess

format (see [Postprocess results format: ProjectName.post.res](#) , [Postprocess mesh format: ProjectName.post.msh](#)). If multiple meshes are read with the 'Open multiple' option explained above, only two files will be saved, one for the meshes and another one for the results, where each post information file (or pair .msh + .res) will define a Group (see [Re-meshing and adaptivity](#)).

- Binary (whole model): Saves meshes, sets and results to one binary file. If multiple meshes are read with the 'Open multiple' option explained above, only two files will be saved, one for the meshes and another one for the results, where each post information file (or pair .msh + .res) will define a Group (see [Re-meshing and adaptivity](#)).
- Binary (only results): Saves results information only, so the transition between Pre- and Postprocess will be quicker.
- ASCII boundaries: Saves the boundaries of the meshes and sets, with its nodal results, to ASCII files (one for mesh information ".msh", one for the results ".res"). The boundary of a hexahedron/tetrahedron mesh is a quadrilateral/triangle mesh. The boundary of a quadrilateral/triangle mesh is a line mesh. There is no boundary of a line/point mesh.
- Cut: Saves cut planes, cut wires and iso-surface mesh cuts so that the same cuts can be used among several postprocess meshes. Cut spheres can also be saved.
- Graph: Saves graphs in ASCII (gnuplot) format. If the option All is chosen, you will be asked for a prefix. GiD will then create a file for each graph with the names prefix **-1.cur** , prefix **-2.cur** , prefix **-3.cur** and so on...
- Cover Mesh: After visualizing the cover mesh of the points/nodes, this mesh can be saved for other uses.
- Visible surfaces to STL: exports the displayed triangular and quadrilateral surfaces in ascii or binary STL format with this window:

Only the displayed meshes are written in the STL file. If the displayed meshes are deformed, then the meshes in the STL file are also deformed.



STL export windows with ascii or binary format.

- **Preprocess** : Selecting this option will open an 'Are you sure?' dialog box. Clicking 'Yes' will return you to the preprocessing component of GiD.

- **Recent Post Files:** a list of the most recent files read in PostProcess is shown, so the user can select them quicker. The number of files can be adjusted here [General -pag. 88-](#) .
- **Recent Projects:** a list of the most recent GiD projects are shown. The number of projects can be adjusted here [General -pag. 88-](#) .


The rest of the options are the same as when in preprocessing mode.

14.3 Utilities menu

Menu: Utilities


Inside the Utilities menu, the options Id, Signal, Distance and Calculator have the same functionality as in preprocessing mode (see [UTILITIES -pag. 87-](#)). Other options in the Utilities menu are slightly different.

- **Status:** A window appears showing the general postprocess status: number of meshes, elements, etc.




Status window

- **List:**
 - **Nodes:** A window appears showing information about selected nodes: coordinates, which elements uses this node, the current visualized result, and all other nodal results defined over the selected nodes.



- Elements: A window appears showing information about selected elements: connectivity, the gauss points defined on the selected elements, the current visualized result, and all other results defined over the gauss points of the selected elements. For spheres, their radius are also shown, and for circles, their radius and normal.



All this information can be sent to the active report (see [Report -pag. 113-](#)) by using the  button.

- Collapse: Collapses nodes that are together in a set.
- Join: Joins several sets into one.
- Delete: Deletes meshes, sets and cuts.
- Texture: Adds textures to sets (see [Textures -pag. 170-](#)).

The **Copy** tool introduces some changes:


Menu: Utilities->Copy...

Toolbar:



Copy/Transform

When you select the **Copy** tool, the Transformations window appears. This window allows you to repeat the visualization using translation, rotation and mirror transformations, so that GiD can draw a whole model when only a part of it was analyzed.



Transformation: create option

The types of transformation are:

- **Translation:** This is defined by two points. Relative movements can be obtained by defining the first point as 0,0,0 and considering the second point as the translation vector (see [Point definition -pag. 23-](#)).
- **Rotation:** It is necessary to enter two points in 3D or one point in 2D. In 3D, these two points define the rotation axis and its orientation. In 2D, the axis goes from the defined point towards z positive. Enter the angle of rotation in degrees. It can be positive or negative. In 3D, the direction is defined by

the right hand rule. In 2D, it is counter-clockwise.

- **Mirror:** This is defined by three points that cannot be in a line. These points form a plane that is the mirror plane. In 2D, the mirror line is defined by two points.

The other available options are:

- **Copies:** By entering the number of repetitions, the operation selected is performed this number of times.
- **View:** The transformation is only for viewing purposes. Show/Hide, Undo and Clear options are enabled.
 - **Show/Hide Transform.:** Allows you to see either the original model or the one with the transformations active.
 - **Undo:** Deletes the last transformation performed. It can be used repeatedly to clear all transformations.
 - **Clear:** Clears all the transformations in one go.
- **Create:** All the Post information (meshes & results) will be duplicated when performing the transformation.
 - **Crete volume/surfc:** creates N-copies of the current meshes.
 - **Extrude surface:** creates a volume using the selected transformation by extruding the surfaces.

The **DoIt** button tells the program to perform the transformation that has been selected.

14.4 Do Cuts

Menu: Do cuts

Here you can cut and divide volumes, surfaces and cuts. A cut of a volume mesh results in a cut plane. The cut is done for all the meshes, even those that are switched **Off**. When cutting surfaces, a line set will be created. Here only those surfaces that are switched **On** are cut.

Another feature is that a cut can be deformed, if meshes are also told to do so (see [Deform Mesh -pag. 188-](#)). A cut of a deformed mesh, when changing to the original shape, will be deformed accordingly.

When dividing volumes/surfaces, only those elements of the volumes/surfaces that are switched **On** and which lie on one side of a specified plane will be used to create another volume/surface.

Several dividing options can be found by right clicking on the graphical screen when the options 'cut' or 'divide' are selected.

Cutting spheres will result in a mesh of circles.

- **Cut Plane:** Specify a plane which cuts the volumes/surfaces. Several options can be used to enter this plane.
 - **2 Points:** the plane is defined by two points and the visual direction orthogonal to the screen.
 - **3 Points:** the plane is defined by three points. When choosing the points, the nodes of the mesh can also be used.
 - **Succession:** This option is an enhancement of Cut Plane. Here you specify an axis that will be used to create cut planes orthogonal to this axis. The number of planes is also asked for.

- **Divide by selection:** To send the selected elements to an old or new set.
- **Divide Volume Sets:** Specify a plane which is used to divide the meshes. Several options can be used to enter this plane. With Two Points (the default), the plane is defined by the corresponding line and the direction orthogonal the screen. With Three Points, the plane is defined by three points. When choosing the points, the nodes of the mesh can also be used. After defining the plane, you should choose which section of the mesh should be saved by selecting the side of the plane to use. Only those elements that lie entirely on this side are selected. Only those volume meshes that are shown are divided.
- **Divide Surface Sets:** Specify a plane which is used to divide the sets. Several options can be used to enter this plane. With Two Points (the default), the plane is defined by the corresponding line and the direction orthogonal to the screen. With Three Points, the plane is defined by three points. When choosing the points, the nodes of the mesh can also be used. After defining the plane, you should choose which section of the mesh should be saved by selecting the side of the plane to use. Only those elements that lie entirely on this side are selected. Only those surface meshes that are shown are divided. When doing a division, there are several useful options inside the **Contextual** mouse menu (right-click in the graphical window):
 - exact: to do an exact division, i.e. elements are cut to create the division;
 - parallel planes: the remaining elements will be the ones between two parallel planes. A distance can also be entered, after choosing this option from the **Contextual** menu.
- **Divide lines:** Specify a plane which is used to get the lines on one side of this plane
- **Cut Wire:** Here you can define a 'wire' tied to the edges of the elements of the volumes/surfaces. So when the volumes/surfaces are deformed, the wire is deformed too. And vice versa, if a wire is defined while the volumes/surfaces are deformed, when turning them into its original shape, the cut-wire is "undeformed" with them.
- **Cut Spheres:** Here you can define a sphere which will be used to cut the volume and surface meshes, resulting in triangle or line cut meshes respectively.
- **Convert cuts to surface sets:** With this options cuts can be converted to surface sets so they can be saved, or cut again.
- **Automatically convert cut to set:** If this options is selected, cuts are automatically converted to sets (some operations are available for sets but not for cuts)

Cuts can also be read from and written to a file. The information stored to the file from a 'Cut Plane' is the plane equation that defines the plane ($Ax + By + Cz + D = 0$), so it can be used with several models. The information stored in the file from a 'Cut Wire' is the points list of the cut-wire, i.e. the intersection between the wire and the edges of the meshes/sets. These files are standard ASCII files. A line of a 'Cut Plane' archive contains the four coefficients of the plane that defines the cut, separated by spaces. A line of a 'Cut Wire' archive contains the three coordinates of a point of the wire. Comment lines are allowed and should begin with a '#'.

An example of a 'Cut Plane' file where three planes were written:

```
# planes created from a 'cut succession'
-10.82439 0.5740206 0 51.62557
-10.82439 0.5740206 0 12.45994
-10.82439 0.5740206 0 -26.70569
```

An example of a 'Cut Wire' file:


```
-2.444425 3.883427 2.487002
2.130787 2.762815 3.885021
0.8411534 4.458836 3.215301
4.270067 3.795048 2.037187
5.66561 3.414776 0.8219391
2.945865 3.600701 3.29012
0.4487007 3.764661 3.574121
```

14.5 Point and Line options

As **points** and **lines** can be viewed, there are several interesting options for each of them.

Menu: Options->Geometry->Point options...

Point options:




Point options window

Here you can select whether to draw the points Quick, Nice or with the center of a Texture glued to the point. Quick: points will be drawn as big dots. Nice: points will be drawn as little spheres (quadrilateral meshes). For every draw style, the Point Size can be changed, but ranges vary between Quick, which depends on the graphics library, and Nice and Texture. When the Nice style is selected, the Nice detail level can be adjusted. The number represents the number of vertical and horizontal subdivisions of a sphere.

Note: The changes affect the representation of all the points - point elements and the arrow heads of vectors when using the Point detail level (see [Display vectors -pag. 179-](#)).

Menu: Options->Geometry->Line options...

- Line options:



Line options window


Here you can select whether to draw the lines with a Quick style or a Nice one. Selecting a Line Size of 0.0 in the Nice style, will cause the lines not to be drawn. Quick: lines are drawn as 3-point thick lines. The line size is fixed. Nice: lines are drawn as long 4-sided or 8-sided prisms. The size and width of the lines can be changed. When the lines are drawn nicely, the number of sides of the prism used to draw them can be changed between 4 and 8 sides.

Note: Line options no longer affect the stream lines as before, but only the line elements. For stream lines options see [Stream Lines -pag. 182-](#).

14.6 Display Style

Menu: Window->View style...

Below in an example of the View Style window, where almost all the interesting visualization options can be adjusted. It only deals with meshes, sets or cuts, and not with results.



View Style window

Selecting Volumes, Surfaces and/or Cuts, you can switch them On and Off, Delete them or rename them. By clicking on a Volume, Surface or Cut, and pressing Color... you can adjust the appearance of the selected set; you can change the color, including the Ambient, Diffuse, Specular, Shininess and transparency components, and return it to its Default color. The Diffuse component is used for all the

representations, while the others (Ambient, Specular and Shininess) have more effect in Render visualizations.

Also separate styles can be selected for each mesh independently, just by clicking on the icon in the column with the header 'St'.

Other interesting options which can be set for each individual mesh are:

- **I/O**: switch the mesh on and off
- **Tr**: enable or disable the transparent mode for the mesh
- **Int**: draw or not the interior elements of the mesh
- **Ew: sets the** Edge width of the mesh.

In the **Style** menu you can choose how volumes, surfaces and cuts should be drawn. These options are:

- **Boundaries**: All the edges of the boundaries and surface elements will be displayed in black. An edge is the line that belongs to just one surface element, or that belongs to two surface elements as long as the faces form an angle smaller than has been predefined (you can specify this angle in Results Options BorderAngle in the Right buttons menu).
- **Hidden Boundaries**: The same as before, but here the edges that are behind the volumes, surfaces and cuts are removed.
- **All Lines**: All the lines of surface elements are drawn. When drawing volumes, GiD only draws the surface/boundary elements of this volume mesh. How GiD can draw these interior elements is explained below. Each volume, surface and cut is drawn with its own colors.
- **Hidden Lines**: The same as before, but here the lines that are behind the volumes, surfaces and cuts are removed.
- **Body**: The elements of volumes, surfaces and cuts, are drawn in filled mode, i.e. they are drawn as solid elements. Each volume, surface and cut is drawn with its own colors. It can be very hard to recognize the shape of the meshes if no illumination is active.
- **Body Boundaries**: Same as before, but with Hidden Boundaries drawn too.
- **Body Lines**: Same as before, but with Hidden Lines drawn too.
- **Points**: The nodes of the meshes are drawn.
- **Any**: different styles has been set for each mesh.

With the **Render** menu you can select how the mesh should be displayed:

- Normal - no lighting;
- Flat - lighting with sharpened edges;
- Smooth - lighting with smoothed edges.

The light direction can also be changed by clicking on the **lamp** icon.

Near the Culling label, you can choose whether the Front Faces or Back Faces are culled, i.e. not drawn, or No Faces are culled. This option is useful for looking at volume meshes, etc.

Both geometry and mesh conditions can also be drawn if they are present in preprocess.

The following two options can be changed separately for each mesh/set/cut:

Massive lets you see the elements that are inside a volume mesh, and draw all the vectors inside a

volume/surface/cut when a Boundaries display style is used.

Transparent determines whether the volumes/surfaces/cuts will be drawn as transparent or opaque, so that, for instance, isosurfaces inside them can be viewed easily.

14.7 Textures

Menu: Utilities->Texture

In GiD it is also possible to assign a texture to a Set. Inside the Utilities -> Texture menu there are several options:

- **View** No / Fast / Nice: switches between viewing the textures over the sets or not.

When the texture is small and a pixel of the textures must be drawn over several pixels on the screen, the Fast mode just draws the pixels using the 'nearest neighbor' policy, while the Nice mode tries to interpolate the colours of the pixels from the original.

- **Add** Screen Map / To 4 Sided / BoundImg to BoundSet: maps a texture to a set.
 - ScreenMap: by picking four points over the screen, GiD projects the texture parallel to the screen, over the underlying sets.
 - 4 sided: GiD tries to match the 4 sides of the texture to the 4 sides of the set. The best results are achieved using quadrilateral sets which are more or less flat, at least in one direction.
 - BoundImg to BoundSet: GiD looks for the border of the texture inside the image file and tries to glue it to the border of the set, for instance a texture circle to a circle set.

Change Flip Horiz. / Vert.: changes the orientation of the texture once it is applied to the Set.

Note: When the display style of the visualization is changed, for instance from Body to Body Boundaries, the visualization of the texture is switched off. To view the texture, just select Utilities -> Texture -> View -> Fast/Nice.

Once the texture is applied to a Set, any deformation of the Set leads to a corresponding deformation of the texture. In this way the deformed texture can be visualized.

14.8 Cover mesh

Menu: Options->Geometry->Covering mesh

Another feature in GiD is the calculation of the involving mesh of a set of points or nodes. To switch the visualization of this mesh on and off just select Options -> Geometry -> Covering mesh. After saying 'Yes' to the visualization of the covering mesh, you will be asked for a number. This number is the distance between the covering mesh and the points.

This option is not only available for points, but also for every mesh/set present in GiD.

Note: This covering mesh is recalculated when the mesh is deformed. So in a particle movement system the covering mesh will also move along with the particles.

This mesh can also be saved through Files -> Export -> Cover mesh.

14.9 Other options

Under the **Utilities** menu there are other interesting options for postprocess:

- **Collapse nodes:** collapses all the nodes of the model
- **Join Volume/Surface meshes:** creates a single volume/surface mesh with all the shown volumes/surfaces.


14.10 PGF fonts

In postprocess a new fonts management system has been implemented. Now GiD uses directly True Type Fonts (R) to draw text inside the postprocess graphical windows.

This allows to draw the characters with smoothed edges.

The user can select the fonts for the different text objects with the **Fonts** panel in the **preferences window**, when the postprocess mode is active.

From this panel, the edge drawing mode of the letters can also be set between '**Smooth edges**' and '**Sharp edges**'.



Fonts panel of the preferences window

- **Normal font:** used to draw normal text in the GUI environment (TclTk).
- **Fixed fonts:** used to draw fixed spaced text in the GUI environment (TclTk).
- **Big font:** used to draw big text, like warnings and title, in the GUI environment (TclTk).
- **Graphical fonts:** used to draw text in the graphical windows (OpenGL):
 - **Default font:** used to draw the text if it is not one of the below ones.
 - **Axis font:** used to draw the axis letter
 - **Legend font:** used to draw the legend and comments
 - **Label font:** used to draw the nodal, elemental, results o minimum and maximum labels
 - **Asian font:** used to draw the text when special charactes are detected, which requires special

utf-8 codes

- **TkDrawOGL font:** used to draw the text provided by the drawopengl TCL command ([Special functions](#)).
- **Render mode:** allows to enable or disable the smooth edge drawing.

The True Type Fonts used in GiD are the free ones provided with GiD and the ones provided by the system: %WINDIR%\fonts in Microsoft Windows, and several directories in Linux (remember to install the true type fonts, or free type fonts from your favorite package administrator).

15 POSTPROCESS RESULTS

The kinds of results that will be displayed on screen can be grouped into five major categories:

- **Scalar view results:** Show Minimum & Maximum, Contour Fill, Contour Text Ranges, Contour Lines, Iso Surface and its configuration options.
- **Vector view results:** Mesh deformation, Display Vectors, Stream Lines (Particle Tracing)
- **Line diagrams:** Scalar line diagram and vector diagrams.
- **Graph lines:** XY plots.
- **Animation:** Animation of the current result visualization.

The **View Results** menu and window are used to manage the visualization of the different type of results.

Menu: View results


The **View Results menu** lets you select any type of result:

- Contour fill
- Smooth contour fill
- Contour lines
- Contour ranges
- Show min/max
- Display vectors
- Iso surfaces
- Stream lines
- Graphs
- Result surface
- Deformation
- Line diagrams
- Integrate

Menu: Window->View results

The **View Results window** manages the visualization of the following type of results:

- Contour fill
- smooth contour fill
- Contour ranges (if Result Range Tables are present)
- Contour lines
- Display vectors
- Show min/max
- Scalar and Vector line diagram (if Linear elements are present)
- Result surface



View Results window

As the results are grouped into steps and analyses, GiD must know which analysis and step is currently selected for displaying results. The Analysis menu of the **View Results** window is used to select the current analysis and step to be used for the rest of the results options. If some of the results view requires another analysis or step, you will be asked for it.

Note: If you no longer wish to view results, you can select No Result in this window or in the **View results** menu.

15.1 View Results Bar


View Results Bar

This bar allow the user a quick access to the results visualization modes:



- **No result:** cleans all the results visualizations (contour fill, deformation, vectors, etc. except the graphs), leaving the mesh alone.
- **Toggle mesh and graphs view:** switches between the graphs visualization and the results visualization mode.
- **Default analysis/step:** allows the set the default analysis and step. Used to create the menus with the result's names of the results present on the selected step and analysis.
- **Contour Fill:** draws a Contour Fill of the selected result.
- **Contour Lines:** draws the Contour Lines of the selected result.
- **Show min max:** shows the maximum and minimum value of the selected result.
- **Display vectors:** draws a vectors of the selected result. This includes vectors, stresses and local axes.
- **Iso surfaces:** draws the isosurfaces of the selected result. The user can select the number of isosurfaces and the exact value for each of them.
- **Stream lines:** draws stream lines of the selected nodal vector.
- **Result surface:** draws a extruded surface according to the selected result. If the result selected is a vector, uses the vector as extrude direction. If the result selected is a scalar, uses the normal of the noded (which is an average of the normals of the surrounding elements).
- **Deformation:** deforms the mesh according to the selected nodal vector.
- **Point evolution:** displays a graph of the evolution of the selected result along all the steps, of the default analysis, for the selected nodes.
- **Line graph:** also called 'section graph' displays a graph defined by the line connecting two selected nodes of the planar XY surface, or of the volume mesh.
- **Point graph:** displays a graph of one result against another of the selected results. The option 'all steps' shows the evolution along all steps inside the default analysis, of this result vs. results graph.
- **Border graph:** displays a graph of the results on the selected border, using the x, y, z or line distance as abscissa.
- **Integrated graph:** Graph of an integrated result over a mesh.
- **Clear graphs:** delete all the created graphs.

15.2 View results window



View results window

From this window almost all the visualization options can be selected by the users.

For each individual visualization options, please look at the corresponding chapter.

For the 'Main mesh' and 'reference mesh' panel, please look here: [Deform Mesh -pag. 188-](#).

To get the results grouped in folders like the image, please look at the format of the results here: [Result](#).

15.3 Contour Fill

Menu: View results->Contour Fill

This option allows the visualization of colored zones, in which a variable or a component varies between two defined values. GiD can use as many colors as permitted by the graphical capabilities of the computer. When a high number of colors is used, the variation of these colors looks continuous, but the visualization becomes slower unless the Fast-Rotation option is used. A menu of the variables to be represented will be shown, and the one that is chosen will be displayed using the default analysis and step selected.

Vectors will be unfolded into their X, Y, and Z components and module. Symmetrical matrix values will be unfolded into the Sxx component, Syy component, Szz component, Sxy component, Syz component and Sxz component of the original matrix and also into the Si component, Sii component and Siii component in 3D problems or angular variation in 2D problems. Any of these components can be selected to be visualized.


Contour fill is supported for results defined over nodes or gauss points.

When using results defined over gauss points, they are extrapolated to the nodes so that discontinuities can appear between adjacent elements. If the gauss points results cannot be extrapolated to the nodes, they are drawn as coloured spheres. The radius and detail level of these spheres can be configured as well (see [Point and Line options -pag. 173-](#)).

Several configuration options can be accessed via the **Options** menu.

Menu: Options->Contour

- **Number Of Colors:** Here the number of colors of the results color ramp can be specified.
- **Width Intervals:** Fixes the width of each color zone. For instance, if a width interval of 2 is set, each color will represent a zone where the results differ by two units at the most.
- **Set Limits:** This option is used to tell the program which contour limits it should use when there are no user defined limits: the absolute minimum and maximum of all sets or shown sets, for the actual step or for all steps.
- **Define limits:** When choosing this option the Contour Limits window appears (this option is also available in the Postprocess toolbar). With this window you can set the minimum/maximum value that Contour Fill should use. Outliers will be drawn in the color defined in the Out Min Color/Out Max Color option.
- **Reset Limit Values:** This option resets the values defined in the Define limits option.
- **Reset All:** This option sets all Contour Fill options by default.
- **Max/Min Options:** Inside this group, several options for the minimum or maximum value can be defined:
 - **ResetValue:** Here you can reset the maximum/minimum value, so that the default value is used.
 - **OutMaxColor / OutMinColor:** With this option you can specify how the outlying values should be drawn: Black, White, Max/Min Color, Transparent or Material.
 - **Def. MaxColor / Def. MinColor:** This option lets you define the color for the minimum or maximum value for the color scale to start with.
 - **Set Value:** this option allows the user to fix a Maximum or Minimum limit for the color scale.
- **Color scale:** Specifies the properties of the color scale:
 - **Standard:** The color scale will be the default: starting from blue (minimum) through green to red (maximum).
 - **Inverse Standard:** The color scale will be the inverse of the default: starting from red (minimum) through green to blue (maximum).
 - **Terrain Map:** A physical map-like color ramp will be used.
 - **Black White:** Black for Minimum and White for Maximum, and a grey scale between these.
 - **White Black:** White for Minimum and White for Maximum, and a grey scale between these.
 - **Scale Ramp:** This option lets you specify how the ramp should change from minimum color to the maximum color: Tangent, ArcTangent or Linear. The default is ArcTangent.
 - **Scale Type:** Tells GiD how the colors between the minimum color and the maximum color should change: RGB or HSV.
- **Smoothing type:** see [Smooth Contour Fill -pag. 178-](#)
- **Bright color:** enables or disables the shininess of the colours in Contour Fill. The shininess type can also be choosed between: metallic, plastic and rubber.
- **Color window:** a window opens to let you configure the colour scale of the contours easily



Contour Colours window

15.4 Smooth Contour Fill

Menu: View results->Smooth Contour Fill

This option displays a Contour Fill (as explained in the previous section) with a local smoothing of the results defined over gauss points.

Smooth Contour fill is supported for results defined over gauss points.

Menu: Options->Contour

With the **Smoothing type** option inside the menu Options -> Contour you can choose between these types of local smoothing:

- **Minimum value:** The minimum value between two adjacent elements is the result that is used.
- **Maximum value:** The maximum value between two adjacent elements is the result that is used.
- **Mean value:** A mean value of the points between two adjacent elements is the result that is used.

15.5 Contour Lines

Menu: View results->Contour Lines

This display option is quite similar to Contour Fill (see [Contour Fill -pag. 182-](#)), but here the isolines of a certain nodal variable are drawn. In this case, each color ties several points with the same value of the variable chosen.

Here the configuration options are almost the same as the ones for Contour Fill (see [Contour Fill -pag. 182-](#)), with the only difference being that the number given in the Number of Colors option will be used as the number of lines for this contour lines representation.


Contour lines are supported for results defined over nodes or gauss points.

15.6 Contour Ranges

Menu: View results->Contour ranges

This is the same as the Contour Fill visualization type, but the coloured areas are created following a 'Result range table' specified in the results file (see [Result Range Table](#)), and the names of these areas are visualized as text labels.

Contour ranges is supported for results defined over nodes or gauss points.



15.7 Show Minimum and Maximum

Menu: View results->Show Min Max

With this option you can see the minimum and maximum of the chosen result.

Show mix max is supported for results defined over nodes or gauss points.

Note: This minimum and maximum can be absolute - for all the meshes/sets/cuts - or relative (local) to the ones displayed. This can be selected from the pull-down menu Options -> Contour -> Set Limits.

15.8 Display vectors

Menu: View results->Display Vectors

This option displays a menu with results from vectors and matrices (where the principal values have been previously evaluated by the program). From the menu of variables, choose the one you wish to see displayed; it will be shown with the default analysis and step (this can be changed with the Default Analysis/Step option in the menu). Once a result is chosen, the program will display the nodal vectors of the chosen result. The vectors that are drawn can be scaled interactively. The factor can be applied several times and every time it changes to the new input value.

You can modify the colour of the vectors, which by default are drawn in green, so that all the vectors are

drawn in the same colour, or you can let the color of the vectors vary according to the result module.

When drawing a matrix result (3x3 symmetrical), such as the stress tensor, only a single color representation of principal values is available: blue when negative (also drawn as >< representing compressions), and red when positive (also drawn as <> representing tensions).

A vector will be separated into its X, Y, and Z components and its module. So either the X, Y or Z component or the whole vector (represented by the module) can be drawn. Symmetrical matrices will be unfolded into: S_{ii} component, S_{ij} component, S_{ji} component, and 'All' components. Any of these components can be selected to be visualized. S_{ii} , S_{ij} and S_{ji} represent the eigen values and vectors of the matrix results which are calculated by GiD, and which are ordered according to the eigen value.

Local axes can also be drawn by means of their Euler angles.

Display vectors is supported for results defined over nodes or gauss points.

Several configuration options can be accessed via the **Options** menu.

Menu: Options->Vectors

- **Color Mode:** This option lets you choose if vectors are drawn in one color (Mono Color) or in several colors (Color Modules).
- **Number of Colors:** If you use Color Modules to draw vectors, it is possible to choose the number of colors.
- **Offset:** With this option, you control where the vector should be in relation of the node, ranging from 0, to tie the tail of the arrow to the node, to 1, to tie the tip of the arrow to the node.
- **Change Color (mono):** When vectors are drawn in (Mono Color) Color Mode, they are drawn in green. You can change this green color selecting this entry.

Note: The above four options have no effect when viewing a matrix result or local axes.

- **Detail:** The level of detail can be adjusted to draw the vectors quicker or nicer. The different options are:
 - Point: the arrow head will be drawn as a point. The style used to draw these point like arrow heads can be modified through the point options window described before, see [Point and Line options -pag. 173-](#) .
 - Lines: the arrow head will be drawn as four lines.
 - 2 Triangles: the arrow head will be drawn with two intersecting triangles.
 - 4 Triangles: the arrow head will be drawn as cones of four triangles.
 - 8 Triangles: the arrow head will be drawn as cones of eight triangles.
- **Size:** allows the user to set the size of the vectors to be:
 - **Fixed sized:** then the factor used when the vectors are displayed is the number of pixels of the vector.
 - **Modulus dependent:** then the factor used when the vectors are displayed is the factor of magnification of the vector.

Note: This last option affects also matrix and local axes results.

The displayed amount of vectors can also be limited when there are lots of vectors to be drawn, for

instance, when very dense meshes are used. The option allows to drawn only one vector of every N vectors. This 'N' can be customized by the user in the **right buttons menu** , under **Results --> Options --> VectorFilterFactor** .

15.9 Iso surfaces

Menu: View results->Iso Surfaces

Here a surface is drawn that ties a fixed value inside a volume mesh; for surface meshes a line is drawn. To create isosurfaces there are several options:

- **Exact:** After choosing a result or a result component of the current analysis and step, you can input several fixed values and then for each given value an isosurface is drawn.
- **Automatic:** Similarly, after choosing a result or a result component, you are asked for the number of isosurfaces to be created. GiD calculates the values between the Minimum and the Maximum (these are not included).
- **Automatic Width:** After choosing a result or result component, you are asked for a width. This width is used to create as many isosurfaces as are needed between the Minimum and Maximum defined values (these are included).

Iso surfaces are supported for results defined over nodes or gauss points.

Iso lines are created for triangles and quadrilaterals when the isosurface visualization is selected.

Several configuration options can be accessed via the **Options** menu. These isolines can be switched on and off with the command **Results --> IsoSurfaces --> DisplayStyle --> ShowIsolines** on the **right buttons menu** .

Menu: Options->Iso Surfaces

- **Display Style:** For isosurfaces there is also a Display Style option, like for Volumes/Surfaces/Cuts. The available options are: All Lines, Hidden Lines, Body, Body Lines (see [Display Style -pag. 174-](#)).
- **Transparency:** The isosurfaces can be set to Transparent or Opaque (see [Display Style -pag. 174-](#)).
- **Color Mode:** allows the user to define the colours used to paint the iso surfaces:
 - **Monochrome:** all the isosurfaces are drawn with the same colour, which can be adjusted with 'Change colour'.
 - **Result colour:** each isosurface is drawn with a colour indicating its value, the correspondence of which can be seen in the legend.
 - **Contour Fill colour:** the isosurfaces are drawn with the colour scale of the current contour fill, i.e., the current contour fill is also drawn over the isosurfaces. If no contour fill is displayed, then the monochrome colour is used.
- **Change colour:** allows to define the colour of the monochrome isosurfaces
- **Convert to cuts:** Another interesting option is Convert To Cuts. With this options all the isosurfaces drawn will be turned into cuts, so that they can be saved, read, and have results drawn over them.
- **Draw always:** with this option the isosurfaces will be drawn although the mesh is switched off.

These options also are used for isolines.

15.10 Stream Lines

Menu: Vies results->Stream lines

With this option you can display a stream line, or in fluid dynamics, a particle tracing, in a vector field. After choosing a vector result, using the default analysis and step selected, the program asks you for a point from which to start plotting the stream line. This point can be given in several ways:

The best way to choose initial points for the stream lines is to cut the mesh through the place where the user wants the stream lines, and then select the nodes of this cut.

- **Clicking on the screen:** The point will be the intersection between the line orthogonal to the screen and the plane parallel to the screen and containing the center of rotation.
- **Joining a node:** The selected node will be used as a start point.
- **Selecting nodes:** Here several nodes can be selected to start with.
- **Along a line:** With this option you can define a segment along which several start points will be chosen. The number of points will also be asked for, including the ends of the segment. In the case of just one start point, this will be the center of the segment.
- **In a quad:** Here you can enter four lines that define a quadrilateral area which will be used to create a $N \times M$ matrix of points. These points will be the start for the stream lines. When giving $N \times M$, N lies on the first and third line, and M on the second and fourth. So, points $(0, 0..N)$, $(M, 0..N)$, $(0..M, 0)$ and $(0..M, N)$ will lie on the lines. But in case of $N=1$ or $M=1$, this will be the center of the line, and if $N = 1$ and $M = 1$, this will be the center of the Quad.
- **Intersect set:** The point will be the intersection between the line orthogonal to the screen and the current viewed sets nearest the viewpoint.

When viewing Stream Lines, labels can be drawn to show the times at the start and end points of the stream line.

Stream lines can also be deleted and their color changed (green by default).

Stream lines are supported for results defined over nodes.


The following options can be chosen for Stream Lines:

Menu: Options->Stream Lines

- **Change color :** allows the definition of the colour of the monochrome stream lines.
- **Color Mode:** allows the user to define the colours used to paint the iso surfaces:
 - **Monochrome:** all the stream lines are drawn with the same colour, which can be adjusted with 'Change colour'.
 - **Stream contour filled:** the colour of the streamlines changes, ala Contour Fill according to the modulus of the vector used to create the dstream line.
 - **Result contour filled:** the stream lines are drawn with the colour scale of the current contour fill, i.e., the current contour fill is also drawn over the stream lines. If no contour fill is displayed, then the monochrome colour is used.
- **Delete :** This option lets you select the stream lines to be deleted.
- **Label :** This option lets you select the kind of label:
 - **None:** No labels are drawn.
 - **0_End:** Labels are drawn according to the following convention: 0 at the start of the stream

line, and the total time taken for the particle to travel at the end.

- **Ini_End:** Labels are drawn according to the following convention: 0 at the chosen point, with **- time** before at the beginning of the stream line and **+ time** after at the end.
- **Size, colour & detail :** Here you can adjust the size, width and detail of the stream lines, together with the colour options, using the Stream line options window:



Stream line options...

The type of stream can be:

- **points** : showing the points calculated for the stream lines and used to draw them.
- **ribbons:** stream ribbons showing the swirl of the velocity field
- **4 sided prisms:** stream 'tubes' with constant width.
- **Set initial step** : 0 for automatic step
- **Set max length** : To avoid infinite curves (e.g. in vortex)
- **Set max points** : To avoid curves with excessive (and memory expensive) number of points
- **Set initial rotation** : sets the initial rotation of the stream ribbons at the selected nodes.

15.11 Graphs

Menu: View results->Graphs

From this menu several graphs types can be selected and deleted.

Graphs are supported for results defined over nodes.

Menu

Window --> View graphs...

From this menu the graphs window will pop up from where graphs can be created, customized and deleted.

15.11.1 Graph Lines description

Here you can draw graphs in order to take a closer look at the results. Several graph types are available: point evolution against time, result 1 vs. result 2 over points, and result along a boundary line. You can also save or read a graph (see [Files menu -pag. 166-](#)). The format of the file will be described later (see [Graph Lines File Format -pag. 185-](#)).

In the View Results -> Graphs pull-down menu, there are the following options:

- **Clear graphs:** delete all the created graphs.
- **Point evolution:** displays a graph of the evolution of the selected result along all the steps, of the default analysis, for the selected nodes.
- **Point graph:** displays a graph of one result against another of the selected results. The option 'all steps' shows the evolution along all steps inside the default analysis, of this result vs. results graph.
- **Border graph:** displays a graph of the results on the selected border, using the x, y, z or line distance as abscissa.
- **Line graph:** also called 'section graph' displays a graph defined by the line conectig two selected nodes of surfaces or volumes, or any arbitrary points on any projectable surface and in any position.

You can view labels for the points of a graph. These labels include not only the graph point's number, but also its X and Y values. If some points on the graph are labeled, when returning to the normal results view, the labels also appear in the results view.

15.11.2 Graph Lines options

Menu: Options->Graphs

- **Outline in model:** shows in the model where the line and border graphs are drawn
- **Grids:** Tell GiD whether or not to draw grids.
- **Current Style:** Choose what the new graphs should look like. The possible styles are: Dot, Line, and Dot-Line.
- **Change Style Graph:** Change the style of the selected graph.
- **Change Colour Graph:** Change the colour of the selected graph.
- **Change Line Width:** Change the width of the graph lines.
- **Change Line Pattern:** Switch between different line patterns, useful with a b/w printer.
- **Change Point Size:** Change the point size for Dot and Dot-Line styles.
- **Change Title Graph:** Change the title of the selected graph.
- **Invert graph sense:** changes the orientation of the graph for the boundary and line graphs.
- **Delete graph:** allows to delete single graphs.
- **Title:** Change the title, change its position, or reset its value.
- **Reset axis values:** resets the fixed limits of the x and y axis.
- **X_Axis:** Set min and max values and divisions for the X axis, reset them, and change the label, and number of divisions of the grid.
- **Y_Axis:** Set min and max values and divisions for the Y axis, reset them, and change the label, and number of divisions of the grid..
- **Clear graphs:** deletes all graphs

15.11.3 Graph Lines File Format

The graph file that GiD uses is a standard ASCII file.

Every line of the file is a point on the graph with X and Y coordinates separated by a space.

Comment lines are also allowed and should begin with a '#'.

The title of the graph and the labels for the X and Y axes can also be configured.


If a comment line contains the Keyword 'Graph:' the string between quotes that follows this keyword will be used as the title of the graph. The string between quotes that follows the keywords 'X:' and 'Y:' will be used as labels for the X- and Y-axes respectively. The same is true for the Y axis, but with the Keyword 'Y:'.

Example:

```
# Graph: "Nodes 26, 27, 28, ... 52 Graph."  
#  
# X: "Szz-Nodal_Stress" Y: "Sxz-Nodal_Stress"  
-3055.444 1672.365  
-2837.013 5892.115  
-2371.195 666.9543  
-2030.643 3390.457  
-1588.883 -4042.649  
-1011.5 1236.958  
# End
```

15.11.4 View graphs window


From this window diferents kinds of graphs can be created. The colour, line style, names of these graphs can be also changed from this windows. A grid can be drawn as reference, and several other options can be personalized.



Graphs window: the Create panel


From this panel, following options are present:

- **Point evolution:** a graph of the evolution of the selected result along all the steps, of the default analysis, is created after pressing the 'Apply' button and selecting some nodes or points.
- **Point graph:** a graph of one result against another of the selected results is created after pressing the 'Apply' button and selecting some nodes or points. The option 'all steps' shows the cross-result evolution along all steps inside the default analysis.
- **Border graph:** displays a graph of the results on the selected border, using the x, y, z or line distance as abscissa.
- **Line graph:** also called 'section graph' displays a graph defined by the line connecting two selected nodes of surfaces or volumes, or any arbitrary points on any projectable surface and in any position.
- **No graphs:** deletes all the created graphs.



Graphs window: the General Options panel

Several options regarding the view of the displayed graphs can be personalized



Graphs window: the Graph Management panel

Several options related to individual graphs can be personalized, and deleted.

15.12 Result surface

This option uses a result component, or a scalar value, and draws a 3D surface above the mesh following the normals of this mesh. It can be seen as an extrusion of the mesh along its normals with the result as factor, like the beam diagrams but with surfaces.

Result surface is supported for results defined over nodes.

With the **Show elevations** option inside the menu Options -> Result Surface, you can choose how the elevations (lines or faces that connect the result surface with the underlying mesh) are drawn:

- **None:** The mesh and its result surface are drawn separately, without interconnecting lines or faces.
- **Extruded nodes:** Lines are drawn between the original nodes of the mesh and the extruded ones, i.e. the nodes of the result surface.
- **Extruded edges:** Faces are drawn between the original edges (of the elements) of the mesh and the extruded ones, i.e. the edges of the result surface.
- **Contour fill:** Switches On or Off the contour fill representation of the result used to create the 3D surface.


15.13 Deform Mesh

Volumes, surfaces and cuts can be deformed according to a nodal vector and a factor. When doing this all the results are drawn on the deformed volumes, surfaces and cuts. In GiD this is called Main Geometry. Thus, when the Main Geometry is deformed, results are also drawn distorted; and when Main geometry is in its original state, results also drawn in their original state.

Deformation is supported for results defined over nodes.

The View results window allows you to do this.

Menu: Window->View results...



Reference mesh panel

The **Main Mesh** panel allows the user to deform the mesh, thus all the results visualization will be drawn on this deformed mesh.

The **Reference mesh** panel creates a fixed copy of the actual mesh representation just for comparison purposes. Although this copy can also be deformed, and with a different result than the one used for the Main Mesh, the results will not be drawn on this mesh.

In the upper part of this window, you choose between the Original state of the Main Geometry and the Deformed state, for which a nodal vectorial result, and an analysis and step, must be selected and a factor entered.

There is also a Reference Geometry option. This lets you visualize volumes, surfaces or cuts like Main Geometry does, but NO results can be displayed over these volumes, surfaces or cuts. It is merely provided as a reference, to contrast several deformations or changes in the original geometry. Remember that the current Mesh Display Style will be used for the Reference Geometry and it can only be changed when redoing the mesh.

In the lower part of the window, the Reference Geometry can be configured. You can choose between:

- **Off**, so this reference visualization is not displayed;
- **Original**, if Main Geometry is deformed and you wish to compare it to its original state without losing a results representation;
- **Deformation**, where after providing an analysis, step, result and factor, you can use it to contrast two deformation states, or a deformed state and an original geometry; or
- **Color**, where the colour of the reference meshes can be specified as the same as, or different from, the original meshes.

There are two more interesting options:

- **Position vector**: normally the deformation result is relative to the original coordinates of the mesh, but if the result is a new absolute position for the nodes of the mesh, then the user should check this option.
- **fixed deformation**: if this option is checked, the deformation will use the same fixed factor, instead of using the GiD suggested one, which varies according to the magnitude of the deformation.

15.14 Line diagrams

Menu: View results->Line diagrams

This result visualization option is only active when line elements are used in the mesh, and will only be represented over these line elements. When using this result visualization option, graph-style lines will be drawn over the line elements.

When drawing a **Scalar Diagram**, the graph-style lines are drawn on a plane parallel to the screen (with its normal vector pointing out of the screen) when this result view is selected. The positive 'axis' will be the vector resulting from the cross product between this normal vector and the one that the line defines.

When drawing a **Vector Diagram**, the graph-style lines are drawn on a plane that includes the result vector and the vector that the line defines. The graph-style lines represent the module of this vector. The positive 'axis' is also defined by the result vector. As modules are positive, to allow negative values, the input format for vector results allows the introduction of a fourth component: the signed vector module (see [Postprocess results format: ProjectName.post.res](#)).

There is a Show Elevations option only accessible through the **Right buttons** menu under Results -> LineDiagram -> Options. Elevations are lines that connect the nodes and the gauss points of the line

element and the graph-style line that represents the result. The options are:

- **None:** to switch the elevations off;
- **Nodes only:** to draw the elevation lines only on the nodes;
- **Whole line:** to draw the elevation lines along the whole line, using nodes and gauss points;
- **Filled line:** to draw orange filled elevations;
- **Contour filled line:** the colors used to draw the filled elevations will be the same as a contour fill done along the line.

15.15 Integrate


With this option the user is able to:

- This step: get the integral value of a scalar or vectorial result over a set of elements.
- All step: get a graph of the integral values across all the analysis steps, of a scalar or vectorial result over a set of elements.

15.16 Animation

Menu: Windows->Animate...

With this window a little bit of automatization has been done to create animations inside GiD. Nowadays, almost all results visualizations are animated. Only stream-lines are not automatized along all the steps of the current analysis.



Animate window

Some animations can be done with combined results visualization, or separate analysis, for instance an isosurface animation from OLS result of ODDLS analysis with a contour fill of Pressure of the RANSOL analysis can also be done with this window. the only constraint is that the same number of steps and the same value of the steps should be present in both analysis.

This window lets you create an animation of the current Results View, where the limits can be fixed

along the animation with Automatic Limits, and/or an animation of the Deformation of the meshes. To the right of the Step: label, the step value is shown. On the slide bar, the step number is shown.

The four buttons under the slide bar are self-explanatory: they 'Rewind', 'Stop', 'Play' and 'Step' the animation. Clicking on the slide bar will rewind or advance the animation. The green LED, which indicates that an animation is ready, will change to red while the animation is being saved to a file. This LED will change back to green when the animation is finished, or the 'Stop' button is pressed.

Options are:

- **Automatic Limits:** GiD searches for the minimum and maximum values of the results along all the steps of the analysis and uses them to draw the results view through all the steps. Previously, it needs to visualize some results.
- **Deformation:** Permits to record animation with a specific deformation.
- **Endless:** The animation continues indefinitely.
- **Total time:** specifies the duration of the clip.
- **Delay:** Specify a delay time between steps in milliseconds.
- **Use step values as seconds:** the number of step will be used to the duration of the clip.
- **From step I to step K:** allows the user to do an animation between step number **I** and setp number **J** , both included. This is also useful to skip the first step of an animation of a deformed mesh with a result visualization, which is the original state of the mesh, without deformation and without the result visualization.
- **Save TIFF/JPEG/GIFs on:** Save snapshots, in TIFF, JPEG or GIF format, of each step when the 'Play' button is pushed. Here the filename given will be used as a prefix to create the TIFF/JPEG/GIFs; for instance, if you write MyAnimation, TIFF/JPEG/GIF files will be created with names MyAnimation-01.tif/MyAnimation-01.gif, MyAnimation-02.tif/MyAnimation-02.gif, and so on.
- **Save MPEG/Avi mjpeg/AVI MS Video 1/AVI raw True Color/AVI raw 15 bpp (VD) /AVI raw 16 bpp (MS)/GIF on:** Entering a filename here, a MPEG/AVI/GIF file will be created when 'Play' button is pushed.


Note: To avoid problems when trying to view an **MPEG** format animation in **Microsoft Windows** , it is strongly recommended that you use the **Default** menu to select a 'standard' size and press the **Resize** button. The graphical window will change to this 'standard' size. After finishing the animation, simply select **Default** on the menu and press the **Resize** button, and the previous size will be restored.

Note: AVI MS Video 1 uses a simple video compression algorithm, commonly supported by all video players. it is the recommended.

Note: If you want to recompress the animation with another codec, like xvid, the AVI raw True Color is recommended, as it saves each frame without compression.

- **Create a stereoscopic animation:** permits to create a stereoscopic animation which for each frame the left eye view and the right view are saved, i.e. effectively doubling the width of the frames. Special software video players, and hardware, are needed to view this animation correctly. Only AVI format is supported at the time.
- **Static analysis animation profile:** If the project has only one step, it is possible to simulate an animation by generating intermediate steps. Use this option to automatically generate several frames, following a lineal, cosine, triangular or sinusoidal interpolation between the normal state and the deformed state.

- **Default:** This comobobox permits to choose the resolution of the clip.



profile factor for pseudo-animation


15.17 Several results

Menu: Window->Several results...

With this window, which appears under Windows -> Several Results, you can select whether to view the results one by one, as usual, or to view some results visualization types at once, e.g. a contour fill of pressure and velocity vectors at the same time. From this window you can also delete the undesired results visualizations. After selecting the desired behaviour, press the Apply button.



Several Result window



Example showing contour fill, vectors and the minimum and maximum visualization types

15.18 Legends

Menu: Options->Legends


Legends appear when contour visualization, isosurfaces or color vector visualization is used:

- **Show:** Legends can be switched **On** or **Off**.
- **Opaque:** Legends can be transparent, showing the result visualization behind them, or opaque.
- **Show title:** With this option the result name of the current visualization appears at the top of the legend.
- **Draw user limits:** if enabled, the maximum and minimum value of the legend will be surrounded with a box if these were fixed by the user.
- **Border:** if enabled, draws a box around the legend and comments
- **Change title:** allows the user to change the title of the legend.
- **Outside:** Activating this option, the legend is shown in a separate window, thus leaving more space in GiD's windows.
- **Automatic comments:** If this option is activated, information about the type of analysis, the actual step and the kind of result, is added at the bottom of the screen (see [Automatic comments -pag. 193-](#)).

15.19 Automatic comments

Menu: Utilities->Tools->Comments...

While displaying results, comments can be automatically generated by switching **On** the Automatic checkbox in the Comments window, which appears by selecting Utilities -> Graphical -> Comments.



Comments customization window

If this option is selected and the comment lines are empty, the program will create its own automatic comments, like these ones:

Load Analysis , step **3**

Display Vectors of **Displacements** , **|Displacements|** factor **68095.4**

Deformation (**x127.348**) : **Displacements** of **Load Analysis 2** , step **8**

where the fields which will change when the visualization changes are marked in bold.

You can also create your own automatic comments, just by filling in the comment lines. To tell the program where the result name, analysis name, etc. should be placed, the following fields can be used:


- %an: for the analysis name of the current visualized result
- %sv: for the step value of the current visualized result
- %vt: for the result visualization type of the current visualized result
- %vf: for the vectors factor used in the current visualized result (if any)
- %rn: for the result name of the current visualized result
- %cn: for the component name of the current visualized result
- %da: for the analysis name of the current deformation (if any)
- %ds: for the step value of the current deformation (if any)
- %dr: for the result name of the current deformation (if any)
- %df: for the factor of the current deformation (if any)

GiD will substitute the fields for the values of the current visualization. Fields which cannot be filled will be empty.

15.20 Create Results

There are two options to create results:


Menu: Window -> Create result...



Create result window

With this window, at the moment, only results of the same type can be operated between them using one of these operators: '+', '-', '*' and '/'.

- The macro 'Converts a scalar to a vector':



Nodal scalar to vector window

In the figure above it can be seen highlighted the icon of the macro 'Convert a scalar to a vector'.

With this macro the user can create a vector from a scalar result using the entered vector, by multiplying the vector with the scalar value. This operation can be applied to all the steps of the analysis with the 'all steps' option.

16 INDEX

3

3d view 49

3DStudio 158

3DStudio mesh 28

A

About 155

ACIS read 26

ACIS write 35

Actualize problem type 117

analysis selection 170

angle 114

Angle rotation 44

animate controls 100

Animation 188

Animation Window 188

Arc center 19

Arc creation 60

Arcs (swap) 71

Arrows operations 13

ASCII write project 35

Assign condition 120

Assign material 121

automatic comments 191

automatic comments patterns 191

Automatic NURBS surface 61

Automatic rotation center 43

AVI files 188

B

Background Image 54

background mesh 125

Base option in points 18

Basics 2

Batch file 32

batch window 99

beam diagrams 187

body 166

body with boundaries 166

body with lines 166

Boolean surface operations 76

Boolean volume operations 76

Boundaries 166

By chordal error 125

By geometry 125

C

CAD differences 1

Calculate 149

Calculate remote 149

Calculate window 149

Calculation file 36

Calculator 104

Calling GiD 4

Cancel process 149

Center (rotation) 43

CGNS mesh 28

changing cut color 166

changing mesh color 166

changing set color 166

Chordal error 125

Circle 66

Clip planes 48

Collapse 143

color selection 166

Command line 13

Command line arguments 4

Comments 100

Comments patterns 191

-
- Conditions 120
 - cone 66
 - Configuration file 97
 - Contact copy 106
 - Contact surface creation 64
 - Contact volume creation 65
 - contour fill 174
 - contour lines 176
 - contour method 31
 - contour ranges 176
 - convert cuts to sets 163
 - convert to cuts 179
 - Convert to NURBS line/surface 74
 - Coon's surface 67
 - Coordinates 16
 - Coordinates window 98
 - Copy 106
 - Correct sizes 125
 - cover mesh 168
 - Create 4-sided surface 67
 - Create 4-sided surface automatically 67
 - Create arc 60
 - Create contact surface 64
 - Create contact volume 65
 - Create entities 57
 - Create line 57
 - Create line (straight) 57
 - Create NURBS line 58
 - Create NURBS surface 61
 - Create planar surface 68
 - Create point 57
 - Create polyline 60
 - Create volume 64
 - CreateBoundaries 144
 - Customizing Problem type registration 154
 - cylinder 66
 - Cylindrical coordinates 17
- D**
- Data 115
 - data report 35
 - Debugger 119
 - deform mesh 186
 - Delete entities 68
 - Delete nodes/elements 143
 - display style 166
 - display vectors 177
 - Distance 114
 - distance 114
 - Divide 69
 - Draw 139
 - Draw again 56
 - Draw assigned sizes 139
 - Draw condition 120
 - Draw Element Type 140
 - Draw material 122
 - Draw Mesh / No mesh 140
 - Draw RjumpSkip 141
 - Draw Sizes 139
 - Draw Structured Type 140
 - DXF read 26
 - DXF write 35
 - Dynamic box 19
 - Dynamic pan 44
- E**
- Edit entities 69
 - Edit mesh 142
 - Edit NURBS line/surface 71
 - Element type 135
 - Elements (structured) 132
 - End session 38

-
- Entering cylindrical coordinates 17
 - Entering global coordinates 16
 - Entering local coordinates 16
 - Entering points 15
 - Entering points by coordinates 16
 - Entering spherical coordinates 17
 - Entities informations 111
 - Entities labels 51
 - Entities selection 19
 - Entities share 106
 - Entities visualization 52
 - Erase elements 143
 - Erase entities 68
 - Erase mesh 142
 - Escape 21
 - Exchange material 122
 - Export 34
 - Export ACIS 35
 - Export ASCII project 35
 - Export calculation file 36
 - export data report 35
 - Export DXF 35
 - export GiD mesh 35
 - Export IGES 34
 - Extents (zoom) 41
 - Extrude 106
 - F**
 - FEMAP 158
 - Files 21
 - Filter 19
 - filter window 102
 - Find entities 113
 - Force mesh 137
 - Force no mesh 137
 - Four-sided surface automatic creation 67
 - Four-sided surface creation 67
 - Frame 41
 - G**
 - Gauss points in contour fill 174
 - Gauss points in smooth contour fill 176
 - General data 123
 - Generate mesh 141
 - Geometry 56
 - Geometry view 57
 - GiD basics 2
 - GIF sequence 188
 - Graph Lines 181
 - Graph Lines file format 182
 - Graph Lines options 182
 - Graphical displacement 44
 - Graphs 181
 - Grid 19
 - H**
 - Hardcopy 37
 - Help 150
 - hidden boundaries 166
 - Hidden lines 166
 - Hide drawing regions 48
 - Hole NURBS surface 74
 - Hole volume 64
 - I**
 - Icons 7
 - Id 113
 - Identity 113
 - IGES read 24
 - IGES write 34
 - Illumination 44
 - Image to clipboard 55
 - Import 24
 - Import 3DStudio mesh 28

-
- import ACIS 26
 - Import CGNS mesh 28
 - import DXF 26
 - Import GiD mesh 29
 - import IGES 24
 - import NASTRAN 27
 - import Parasolid 26
 - import Rhino 27
 - import Shapefile 27
 - Import STL mesh 28
 - import VDA 26
 - Import VRML mesh 28
 - Info entities 111
 - Info problem 111
 - Initial view (rotation) 44
 - Insert geometry 34
 - Insert GiD model 34
 - Internet Retrieve 118
 - Intersection 75
 - Intersection multiple lines 75
 - Intersection Multiple surfaces 76
 - Intersection surface lines 76
 - intersection volume volume 76
 - Interval data 122
 - Intervals 123
 - Invoking GiD 4
 - Iso line 179
 - Iso Surface 179
 - iso surfaces colours 179
 - iso surfaces with results 179
 - Isoline 179
 - Isosurface 179
 - K**
 - Keyboard shortcut 101
 - L**
 - Label 51
 - Label lists (holes) 112
 - Layers 93
 - Layers ON save 35
 - Leaving commands 21
 - legends 191
 - Line (straight) creation 57
 - line diagrams 187
 - line options 165
 - Lines 166
 - Lines intersection (Multiple) 75
 - Lines normals 52
 - Lines operations 70
 - Lines sense swap 52
 - Lines-surface intersection 76
 - List 111
 - Load 118
 - Local axes 124
 - Local/global coordinates 16
 - M**
 - Macros 101
 - marching cube 31
 - Material (new) 122
 - Materials 121
 - Mcopy 106
 - Mesh 124
 - Mesh cancel 142
 - Mesh criteria 137
 - Mesh edit 142
 - Mesh generation 141
 - Mesh quality 144
 - Mesh read 29
 - Mesh write 35
 - Meshing 124
 - Meshing data reset 139

-
- Mirror 106
 - Mode 56
 - Mouse 13
 - Move 110
 - Move node 142
 - Move point 69
 - Move screen objects 98
 - MPEG files 188
 - Multiple lines intersection 75
 - multiple meshes 158
 - Multiple surfaces intersection 76
 - Multiple views 55
 - Multiple windows 55
 - N**
 - NASTRAN 158
 - NASTRAN read 27
 - New 23
 - New material 122
 - Normal in surface option 18
 - Normal projection 47
 - Normals 52
 - Notes 105
 - NURBS line conversion 74
 - NURBS line creation 58
 - NURBS line edition 71
 - NURBS surface creation 61
 - NURBS surface hole 74
 - O**
 - Object axes rotation 42
 - Offset 106
 - Online Help 150
 - open multiple files 158
 - Open project 23
 - open several files 158
 - Option Arc center 19
 - Option base in points 18
 - Option normal in surface 18
 - Option point in line 18
 - Option point in surface 18
 - Option tangent in line 18
 - P**
 - Page/image setup 37
 - Pan (graphical) 44
 - Parallel lines. NURBS surface 61
 - Parametric line 59
 - Parametric surface 63
 - Parasolid read 26
 - particle tracing 179
 - Perspective 47
 - Perspective projection 47
 - Planar surface creation 68
 - Plane XY (Original) 43
 - Plane XZ 43
 - Plane YZ 43
 - Point (show) 113
 - Point creation 57
 - Point definition 15
 - Point enter window 98
 - Point in line option 18
 - Point in surface option 18
 - point options 165
 - Points 15
 - Points rotation 43
 - polygon 66
 - Polyline 71
 - Polyline creation 60
 - Post-processing change light vector 166
 - Post-processing culling 166
 - Post-processing cut planes 163
 - Post-processing cuts 163

-
- Post-processing divide 163
 - Post-processing Do Cuts 163
 - Post-processing Fast-rotation 166
 - Post-processing Make a cut 163
 - Post-processing opaque 166
 - Post-processing render 166
 - Post-processing select meshes/sets/cuts 166
 - Post-processing transparent 166
 - Postprocess introduction 155
 - postprocess utilities 160
 - Postprocessing no results 170
 - Postprocessing results 170
 - Preferences 79
 - Preprocess/Postprocess 36
 - Print 38
 - Print to file 37
 - prism 66
 - Problem data 123
 - Problem information 111
 - Problem type 117
 - Problemtype 118
 - Q**
 - Quality of the mesh 144
 - Quit 38
 - R**
 - radius 114
 - Read 3DStudio mesh 28
 - Read ACIS 26
 - Read batch window 99
 - Read CGNS mesh 28
 - Read DXF 26
 - Read IGES 24
 - read multiple files 158
 - Read NASTRAN 27
 - Read Parasolid 26
 - Read project 23
 - Read Rhino 27
 - Read saved project 21
 - read several files 158
 - Read Shapefile 27
 - Read STL mesh 28
 - Read surface mesh 31
 - Read VDA 26
 - Read View 53
 - Read VRML mesh 28
 - reading post-process files 158
 - Recent files 38
 - Redraw (graphical) 44
 - Register GiD 152
 - Register Problem type 152
 - remeshing 158
 - Remove elements/nodes 143
 - Render 44
 - Renumber 112
 - Repair model 115
 - Report 105
 - Reset mesh data 139
 - Result surface 185
 - results over isosurfaces 179
 - results visualization 170
 - Rhino read 27
 - Rotate (graphical) 41
 - Rotate angle 44
 - Rotate center 43
 - Rotate object axes 42
 - Rotate points 43
 - Rotate screen axes 42
 - Rotate trackball 42
 - Rotation 106
 - S**

-
- Save 21
 - Save as 24
 - Save ASCII project 35
 - Save ON layers 35
 - Save project 23
 - Save View 53
 - Save window configuration 97
 - saving binary results 158
 - saving boundaries 158
 - saving cuts 158
 - saving graphs 158
 - saving in binary format 158
 - saving post-process files 158
 - scalar diagram 187
 - Scale 106
 - Screen axes rotation 42
 - Script file 32
 - Search entities 113
 - Search volume 64
 - select meshes/sets/cuts 166
 - Selecting points 19
 - selection filter 102
 - selection window 102
 - Semi-Structured 132
 - Sequence of commands 101
 - setting contour fill colors 174
 - Settings 79
 - several meshes 158
 - several results 190
 - Shadows 49
 - Shapefile read 27
 - Shortcut, keyboard 101
 - Show errors 144
 - show min max 177
 - ShowIsolines 179
 - Signal entities 113
 - Simplify NURBS line/surface 74
 - Size of mesh 125
 - smooth contour fill 176
 - Smooth elements 143
 - Solver 147
 - Spacing 125
 - sphere 66
 - Spherical coordinates 17
 - Split elements 142
 - Status 110
 - Stereoscopic animation 188
 - Stereoscopic movies 188
 - stereoscopic vision 49
 - STL 158
 - STL export 158
 - STL mesh read 28
 - Straight line creation 57
 - stream lines 179
 - Structured 128
 - structured concentrate 132
 - Surface (4-sided) 67
 - Surface (planar) 68
 - Surface boolean operations 76
 - surface intersection 76
 - Surface mesh 64
 - Surface mesh read 31
 - Surface-lines intersection 76
 - SurfMesh 71
 - SurfMesh edition 71
 - Swap arc 71
 - Swap normals 113
 - T**
 - Tangent in line option 18
 - Tcl/Tk 119

-
- TECPLOT 158
 - text data report 35
 - texture 168
 - textures 168
 - Three-sided surface creation 67
 - TIFF sequence 188
 - Toolbars 97
 - Toolkit icons 7
 - Trackball rotation 42
 - Transform problem type 117
 - Translation 106
 - Trimmed NURBS surface 61
 - Type of element 135
 - U**
 - Unassign condition 121
 - Unassign material 122
 - Uncollapse 75
 - Undo 79
 - Units 123
 - Unload 118
 - Unstructured 125
 - Up menus 21
 - Update problem type 118
 - User basics 13
 - User interface 7
 - Using this manual 1
 - Utilities 77
 - V**
 - Variables 79
 - VDA read 26
 - vector colours 177
 - vector diagram 187
 - Vector filtering 177
 - vectors detail level 177
 - vectors options 177
 - View 39
 - View entities 52
 - View geometry 57
 - View higher entities 52
 - View process info 149
 - View Results window 170
 - Views, several 55
 - Visit GiD web 154
 - Visualization 39
 - visualization troubles 4
 - Volume boolean operations 76
 - Volume creation 64
 - volume intersection 76
 - VRML mesh 28
 - W**
 - Window Configuration file 97
 - Windows 7
 - windows state 97
 - Word oriented 13
 - Write ACIS 35
 - Write calculation file 36
 - Write DXF 35
 - Write IGES 34
 - Write using template file 36
 - Z**
 - Zoom 41